

AUDIO

MIDI Controller	2	MOM	56
CD Player	3	MOM Accessories	58
Turntables	4	Portable Systems	59
Accessories	5	ACS System	60
DJ Booth	6	MAXX	61
Mixers	7	MIC Series	62
Powered Mixers	12	Microphones	64
Headphones	13	Wireless Mics	65
Gooseneck Lamps	14	UHF-100	66
Little Helpers	15	Wireless Mics	68
Limiter & Compressors	18	Software	72
Controller	19	Wireless Mics	72
Distributors	22	Multi Room Streaming	76
Audio Processors	23	Audio Transmission	77
XPA Series	24	Multi Zone Mixers	78
Power Amplifiers	25	Installation Speakers	80
Monitors	28	Projector Speakers	82
Wall Speakers	30	Horn Speakers	84
3-Way Speakers	34	Installation Speakers	85
Subwoofers	35	Ceiling Speakers	88
Stage Monitors	36	Installation Speakers	89
XKB Series	38	PA Controllers	90
PAS Series	40	Megaphones	93
K Series	42	Ferrite Drivers	96
VFM Series	46	Neodymium Drivers	99
Prime	48	Fullrange drivers	102
Line Array	50	Guitar drivers	103
Beat Revel	54		
Wams	55		





DDC-2000 controller

The **DDC-2000** is a 4-deck MIDI controller with built-in sound card for PC and Mac. The 2-channel mixer features 3-band kill EQs, gain controls and filter modulation.

The built-in USB sound card enables two high-quality stereo outputs (master and headphones) and two stereo inputs for connecting CD players and turntables. The inputs can be used for timecode vinyl and CDs in a DVS setup or routed to the software as additional line inputs. Microphone and AUX input are attached as well.

The integrated DVS audio system makes it possible to directly use timecode systems with vinyl or CD under Virtual DJ and other open programs with only one USB cable. Users of Traktor and Serato can connect their own sound cards.



MIDI USB PCconnect

No. 11045050

OMNITRONIC DDC-2000 Controller incl. VDJ

DJ controller incl. Virtual DJ 7 LE



Typisches Setup unter Virtual DJ

Standard setup with Virtual DJ



MIDI USB PCconnect

No. 11045070

OMNITRONIC FAD-9 MIDI Controller

USB MIDI controller with 9 faders for music creators, producers and DJs



MIDI USB PCconnect

No. 11045072

OMNITRONIC PAD-12 MIDI Controller

USB MIDI controller for with 12 pads music creators, producers and DJs



MIDI USB PCconnect

No. 11045074

OMNITRONIC KEY-25 MIDI Controller

USB MIDI controller with 25 buttons for music creators, producers and DJs



MIDI USB PCconnect

No. 11045080

OMNITRONIC KEY-288 MIDI Controller

USB MIDI controller with 25 buttons, 8 pads, 4 controls and faders each, for music creators, producers and DJs



MIDI USB MP3 PCconnect ID3tag MASTER TEMPO

No. 10602299

OMNITRONIC DJS-2000 DJ Player

Media player and MIDI controller for DJs + One DJ Start software



USB MP3 SDHC ID3tag ANTISHOCK

No. 11046035

OMNITRONIC XMT-1400 Tabletop CD Player

DJ player for CD, USB and SD



USB MP3 MASTER TEMPO ANTISHOCK 19"

No. 10602409

OMNITRONIC CMP-2000 Dual CD/MP3 Player

Dual CD/MP3 player for DJs



USB MP3 ID3tag MASTER TEMPO 19"

No. 10602411

OMNITRONIC CMP-2001 Single CD/MP3 Player

CD/MP3 player with recording function for DJs



ANTISHOCK 19"

No. 11046001

OMNITRONIC XCP-1400 CD Player

Single CD player



MP3 ANTISHOCK ID3tag 19"

No. 11046005

OMNITRONIC XMP-1400 CD/MP3 player

CD and MP3 player



USB MP3 SDHC ANTISHOCK ID3tag 19"

No. 11046010

OMNITRONIC XDP-1400 CD/MP3 player

CD and MP3 player for CD, USB and SD



USB MP3 ID3tag 19"

No. 11045011

OMNITRONIC DMP-103RDS Media Player

CD/MP3 player with FM RDS tuner and USB port



ANTISHOCK 19"

No. 11046020

OMNITRONIC XCP-2800 Dual CD Player

Dual CD player



USB MP3 SDHC ANTISHOCK ID3tag 19"

No. 11046030

OMNITRONIC XDP-2800 Dual CD/MP3 Player

Dual CD and MP3 player for CD, USB and SD



DD-5220L

In club life and music there may be some changes, but some things never change. Turntables still offer the best feel and are the standard especially with hip-hop DJs. The quartz-controlled direct drive of this ultra-torque turntable provides for an extremely high torque. This makes the DD-5220L a reliable and powerful tool for DJs – in clubs as well as on festival stages.

Platter and motor are directly connected for highest stability. Vibrations and noises are reduced via rubber inserts and shock absorbing and vertically adjustable feet.

The output of the DD-5220L is switchable between phono and line. For easy maintenance and improved installation possibilities in cases, recessed connections for detachable RCA & grounding cables are provided.

Of course, the turntable also has standard features such as the LED stylus illumination, adjustable anti-skating, a height adjustable tone arm, three different speed levels, adjustable start and stop times as well as a reverse run.



No. 10603003

OMNITRONIC DD-5220L Turntable bk

Direct drive DJ turntable "Ultra Torque" with switchable phono/line output



USB PC connect

No. 10603060

OMNITRONIC DD-2520 USB Turntable bk

Direct-drive DJ turntable with switchable phono/line output



USB PC connect

No. 10603061

OMNITRONIC DD-2550 USB Turntable sil

Direct drive DJ turntable with switchable phono/line output and USB interface



USB PC connect

No. 10603041

OMNITRONIC BD-1390 USB Turntable bk

Belt drive DJ turntable with USB interface and recording software, black



USB PC connect

No. 10603043

OMNITRONIC BD-1380 USB Turntable sil

Belt drive DJ turntable with USB interface and recording software, silver



No. 10603048

OMNITRONIC BD-1320 Turntable bk


Belt drive DJ turntable, black



No. 10603050

OMNITRONIC BD-1350 Turntable sil

Belt drive DJ turntable, silver



No. 10620200.....black
 No. 10620202.....white

OMNITRONIC Slipmat, anti-static
 Slipmat, antistatic



No. 10608985
OMNITRONIC Carbon Fibre-Brush for Cleaning Records
 DJ accessory



No. 10605258.....black
 No. 10605259.....silver

OMNITRONIC Headshell Universal C -empty-
 Universally adaptable headshell




No. 10606001
OMNITRONIC S-15 Headshell & Pick-up System
 Headshell with pick-up system




No. 10605262.....silver
 No. 10605263.....black

OMNITRONIC Headshell Universal with Weights
 Headshell with weights




No. 10609050
OMNITRONIC S-15 Replacement Stylus
 Replacement stylus



No. 10605271
OMNITRONIC Puck Single Center Piece Aluminum silver
 Center-piece for singles



No. 10606000
OMNITRONIC S-15 Pick-up System
 Inexpensive phono cartridge system for starters



NEW

No. 32000022

OMNITRONIC Mobile DJ Stand w. Cover

Portable DJ table with screen for mobile applications



NEW

No. 32000017.....black

No. 32000018.....white

OMNITRONIC Spare Cover for Mobile DJ Stand

Replacement cloth



NEW

No. 32000023

OMNITRONIC Mobile DJ Stand XL

All-in-one lighting stand system for mobile DJ setups



NEW

No. 32000024

OMNITRONIC Carrying Bag for Mobile DJ Stand XL

Nylon transport bag



NEW

No. 32000021

OMNITRONIC DJ Booth Cover

Cover for Mobile DJ Stand XL



NEW

No. 32000019.....black

No. 32000020.....white

OMNITRONIC Spare Cover for DJ Booth

Replacement cloth



NEW

No. 32000030

OMNITRONIC MD-1 DJ Booth Cover



No. 10006819
OMNITRONIC PM-222 2-Channel DJ Mixer
 2-channel DJ mixer



USB MP3
 No. 10006873
OMNITRONIC PM-211P DJ Mixer with Player
 2-channel DJ mixer with built-in MP3 player



USB MP3
 No. 10006879
OMNITRONIC PM-311P DJ Mixer with Player
 3-channel DJ mixer with built-in MP3 player



USB 19"
 No. 10006823
OMNITRONIC PM-444USB 4-Channel DJ mixer
 4-channel DJ mixer with USB interface



TALKOVER
 No. 10006817
OMNITRONIC PM-404 DJ Mixer
 Professional 2-channel DJ mixer



TALKOVER
 No. 10006818
OMNITRONIC PM-408 DJ Mixer
 Professional 3-channel DJ mixer



No. 10006880
OMNITRONIC GNOME-202 Mini Mixer black
 2-channel DJ mixer in miniature design



No. 10006881
OMNITRONIC GNOME-202 Mini Mixer silver
 2-channel DJ mixer in miniature design



No. 10006882
OMNITRONIC GNOME-202 Mini Mixer gold
 2-channel DJ mixer in miniature design



No. 10006883
OMNITRONIC GNOME-202 Mini Mixer red
 2-channel DJ mixer in miniature design



No. 10006884
OMNITRONIC GNOME-202 Mini Mixer green
 2-channel DJ mixer in miniature design




TRM-202MK3 ROTARY-MIXER

The TRM-202 MK3 by Omnitronic with its classic ALPS potentiometers (Blue Velvet RK27) and the integrated 3-band frequency isolator offers the classic features of a rotary mixer.

Due to its high quality components, the sound pattern is good and appealing. The large potentiometers of both input channels allow very smooth transitions, hardly realizable with a conventional mixer.

Both input channels can be switched between line and phono. A microphone input is also at hand. The kill characteristic provides a total erasure of basses, mids and highs and so enables creative mixing.

Due to its booth output and a separate volume control, the TRM-202 MK3 can also be used in clubs without a problem. Thanks to the record output, it is also possible to record own's DJ set.



NEW TRM-402 4 channel rotary mixer

The very popular TRM rotary mixer is now also available with 4 channels. Its technical equipment (ALPS potentiometers etc.) is almost identical, just the two more channels and additional phones and mic inputs on the front plate have accrued.





Twist and Turn, the OMNITRONIC Vintage DJ series.

When the beats learned to walk: At the beginning of the DJ and disco history there were no special DJ mixers, modified broadcast equipment was used instead. Then Rudy Bozak developed the Bozak CMA 10-2DL in 1968, referred to by many as the disco mixer par excellence.

Unlike current mixers with line-faders, the controls were all designed as rotary dials, which allowed a more precise level adjustment.

In circles of electronic dance music, the rotary mixer has been celebrating its great comeback for some time now. No wonder: Especially with electronic music, the subtle transitions which these mixers enable, makes them so attractive. The vintage series from Omnitronic satisfies the hunger for rotaries with two mixers, three isolators and an equalizer.



No. 10355922
OMNITRONIC TRM-202MK3 2-Channel Rotary Mixer
 2-channel rotary mixer with 3-band frequency isolator for DJs



NEW
 No. 10355930
OMNITRONIC TRM-402 4-Channel Rotary Mixer
 4-channel rotary mixer with 3-band frequency isolator for DJs



19"
 No. 10355902
OMNITRONIC ISO-23FX DJ Isolator
 3-band frequency isolator EQ with kill cut and FX loop for DJs



19"
 No. 10355900
OMNITRONIC ISO-23 DJ Isolator
 3-band frequency isolator EQ with kill cut and bypass for DJs



19"
 No. 10355910
OMNITRONIC EQ-25 DJ Equalizer
 5-band stereo equalizer for DJs




19"
 No. 10355901
OMNITRONIC ISO-23D DJ Isolator
 3-band frequency isolator EQ with kill cut and bypass for DJs

CM-5300 Club Mixer

The new central organ in clubs. It is not directly responsible for producing the beats, but for delivering the right volume in the right places – with the best sound possible. Predestined for this task is the Omnitronic **CM-5300**. The 5-channel mixer distinguishes itself especially with its well thought out equipment.

Each of the stereo input channels is equipped with gain control, 3-band kill EQ (+12/ -26 dB) and 10-digit LED level display. The 3 microphone channels offer individually controllable one knob compressors, which control the levels under different microphone handling. Besides the sub out with crossover and the two master outs, an additional zone out is integrated, for example for filling the bar in a club with mono sound – thanks to the filter, not lower than 80 Hz. All outputs have been equipped with max level controllers.

Although the **CM-5300** has not been designed for DJing, it meets these special demands amazingly well.



TALKOVER 19"

No. 10006950

OMNITRONIC CM-5300 Club Mixer

Professional 5-channel club mixer



19"

No. 10006770

OMNITRONIC EMX-5 5-Channel Club Mixer

Professional 5-channel club mixer



19"

No. 10007075.....silver
No. 10007076.....black

OMNITRONIC EM-260 Entertainment Mixer

6-channel microphone/line mixer



TALKOVER 19"

No. 10007100.....silver
No. 10007101.....black

OMNITRONIC EM-550 Entertainment Mixer

Multifunctional 5+2-channel installation mixer



TALKOVER 19"

No. 10007105.....silver
No. 10007106.....black

OMNITRONIC EM-640 Entertainment Mixer

3-zone installation mixer



TALKOVER 19"

No. 10007110.....silver
No. 10007111.....black

OMNITRONIC EM-650 Entertainment Mixer

Multifunctional 5+2-channel mixer with 3 zones



LMC-Series

Live Mixer

High quality control with the new **LMC mixer** series by Omnitronic. The mixers convince with their very solid workmanship, their warm and balanced sound (also thanks to British-style EQs) and their extensive equipment.

A compressor can be applied to each input channel (mic / line). The mic pre-amplifiers have high headrooms and dynamics. The integrated USB interface enables a quick recording of the session, for example in the home studio or rehearsal room. All three mixers are equipped with an effect unit, which offers faultless and variation-free resonance. 16 editable effects can be routed to single channels or buses, as well as to the master signal. The effect section also offers a tap function and storable user settings.

The series is especially suited for those, who prefer live mixers for smaller gigs with very manageable dimensions, variety and easy handling and also have an eye for the costs.



USB 19"

No. 10040280

OMNITRONIC LMC-1422FX USB Mixing Console

Professional audio mixer with British-style EQ, compressor, effect unit and USB interface



USB 19"

No. 10040283

OMNITRONIC LMC-2022FX USB Mixing Console

Professional audio mixer with British-style EQ, compressor, effect unit and USB interface



USB 19"

No. 10040285

OMNITRONIC LMC-2642FX USB Mixing Console

Professional audio mixer with British-style EQ, compressor, effect unit and USB interface



USB PCconnect 19"

No. 10040300

OMNITRONIC RM-1422FX USB Rack Mixer

Professional 19" mixer with 12 channels, DSP FX unit and MP3 player



USB

No. 10040270

OMNITRONIC MRS-502USB Recording Mixer

Miniature audio mixer with USB interface



USB

No. 10040271

OMNITRONIC MRS-1002USB Recording Mixer

Compact audio mixer with 10 inputs and USB interface



USB

No. 10040272

OMNITRONIC MRS-1202USB Recording Mixer

Compact audio mixer with 12 inputs and USB interface




USB

No. 10040273

OMNITRONIC MRS-1402USB Recording Mixer

Compact audio mixer with 14 inputs and USB interface



No. 10050050
OMNITRONIC CS-408 Powered Mixer
 Universal stage power mixer with 8 channels, 2 x 200 W/4 ohms



DSP
 No. 10050200
OMNITRONIC CS-816 Powered Mixer
 Universal powered stage mixer with DSP effects unit, 2 x 350 W/4 ohms



No. 10060050
OMNITRONIC LS-622A Powered Live Mixer
 6-channel powered live mixer mit 2 x 150 W/4 ohms



No. 10060100
OMNITRONIC LS-822A Powered Live Mixer
 8-channel powered live mixer with 2 x 200 W/4 ohms



No. 10060200
OMNITRONIC LS-1222A Powered Live Mixer
 Universal 12-channel live mixer with 2 x 300 W/4 ohms

HEADPHONES

Headphones



No. 14000311
OMNITRONIC SHP-5000 DJ Headphones
Top-class DJ stereo headphones



No. 14000330
OMNITRONIC SHP-900 Monitoring Headphones
High-class monitor stereo headphones



No. 14000329
OMNITRONIC SHP-600 Hi-Fi Headphones
Hi-fi stereo headphones



No. 14000332
OMNITRONIC SHP-i3 Stereo Headphones black
Sleek stereo headphones with hands-free calling and track selection



No. 1400039F
OMNITRONIC SHP-2000 MK2 DJ Headphones
Comfortable DJ stereo headphones



No. 14006503
OMNITRONIC Headphone Extension 3m with Adapter Set
Headphone extension cord with various adaptors



No. 14006504
OMNITRONIC Headphones Extension 5m with Adapter Set
Headphone extension cord with various adaptors



NEW LED SMD ○

No. 80702405
EUROLITE Flexilight LED Gooseneck SMD, XLR
 LED gooseneck light with XLR plug



NEW LED SMD RGBAW ●●●●○

No. 80702410
EUROLITE Flexilight LED Gooseneck SMD RGBAW, XLR
 LED gooseneck light with XLR plug



LED ○

No. 80702220
EUROLITE Flexilight LED Gooseneck, XLR
 LED gooseneck light with XLR plug



LED ○

No. 80702222.....BNC
 No. 80702225.....angled XLR, 90°
EUROLITE Flexilight LED Gooseneck
 LED gooseneck light with plug



LED ○

No. 80702227
EUROLITE Flexilight LED Table Lamp
 LED gooseneck table lamp



19" LED ○●●

No. 80702236.....white LEDs
 No. 80702237.....multicolor LEDs
EUROLITE Flexilight LED Racklight
 Illumination unit for rack installation



No. 80702353
EUROLITE Flexilight Gooseneck Lamp XLR SM-3a
 Gooseneck lamp with a rectangular reflector



No. 80702351
EUROLITE Flexilight Gooseneck Lamp BNC round
 Gooseneck lamp with a round reflector



No. 80702375
EUROLITE Flexilight XLR Lamp Base with Transformer
 Table base for gooseneck lamps



19" No. 80702370.....XLR
 No. 80702371.....BNC

EUROLITE Flexilight Racklight Front Panel
 19" front panel for connection of 2 gooseneck lamps with XLR



No. 10355010
OMNITRONIC LH-010 4-Channel Mixer passive
 4-channel mini mixer, passive



No. 10355015
OMNITRONIC LH-015 2-Channel Mic/Line Mixer
 2-channel miniature mic/line mixer



No. 10355020
OMNITRONIC LH-020 3-Channel Mic Mixer
 3-channel microphone mixer



No. 10355025
OMNITRONIC LH-025 3-Channel Stereo Mixer
 3-channel stereo mixer, 6.3 mm jack



No. 10355026
OMNITRONIC LH-026 3-Channel Stereo Mixer
 3-channel stereo mixer, RCA



No. 10355030
OMNITRONIC LH-030 Headphone Amplifier
 4-channel headphone amplifier, 6.3 mm jack



No. 10355031
OMNITRONIC LH-031 Headphone Amplifier
 4-channel headphone amplifier, RCA and 6.3 mm jack



No. 10355035
OMNITRONIC LH-035 2-Way Line Converter
 2-channel line converter



No. 10355040
OMNITRONIC LH-040 Phono Preamplifier
 1-channel stereo phono preamplifier



No. 10355042
OMNITRONIC LH-042 Line/Phono Converter
 Passive stereo line/phono converter



No. 10355045
OMNITRONIC LH-045 Microphone Preamplifier
 1-channel microphone preamplifier



No. 10355050
OMNITRONIC LH-050 Phantom Power Adapter
 Phantom power for microphones



No. 10355051
OMNITRONIC LH-051 Dual Phantom Power Adapter
 Phantom power for 2 microphones



No. 10355053
OMNITRONIC LH-053 Passive DI Box
 Passive 1-channel DI box, Black



No. 10355055
OMNITRONIC LH-055 PRO DI Box Passive
 Passive 1-channel DI box, Silver



No. 10355060
OMNITRONIC LH-060 PRO Passive Dual DI Box
 Passive 2-channel DI box/splitter, Silver



No. 10355061
OMNITRONIC LH-061 PRO Passive Dual DI Box
 Passive 2-channel DI box/splitter, Black



No. 10355065
OMNITRONIC LH-065 Active DI Box
 1-channel DI box, active



No. 10355068
OMNITRONIC LH-068 DI Box Phantom-Powered
 1-channel DI box, phantom powered, active



No. 10355071
OMNITRONIC LH-071 Active Dual DI Box
 Dual DI box/splitter



No. 10355080
OMNITRONIC LH-080 Stereo Isolator TRS
 Stereo line isolator with jack connectors



No. 10355082
OMNITRONIC LH-082 Stereo Isolator XLR
 Stereo line isolator with XLR connectors



No. 10355083
OMNITRONIC LH-083 Stereo Isolator RCA S
 Stereo line isolator with RCA connectors



No. 10355084
OMNITRONIC LH-089 Cable Tester System
 Tester (separable) for XLR, jack, DIN, RCA, Speaker, RJ45/11, BNC, banana



No. 10355085
OMNITRONIC LH-085 Cable Tester
 Cable tester for XLR, jack, DIN, RCA, Speaker



RJ45
 No. 10355086
OMNITRONIC LH-086 Cable Tester
 Cable tester for XLR, jack, CAT5, DIN, Cinch, Speaker



No. 10355095
OMNITRONIC LH-095 Speaker Checker
 Speaker testing device with adjustable sinus frequency



No. 10355105
OMNITRONIC LH-105 MIC Splitter/Combiner
 1-channel microphone splitter, passive



No. 10355110
OMNITRONIC LH-110 A/B-Y Signal Switcher
 Switcher from 2 signals to 2 outputs



No. 10355120
OMNITRONIC LH-120 Dual Stereo Extender
 Passive CAT-5 extender for audio signals



No. 10355125
OMNITRONIC LH-125 IR Volume Controller
 Stereo volume controller with IR remote control



No. 10355300
OMNITRONIC Testing Cable for Cable Tester



No. 10355795
OMNITRONIC VC-1 Volume Controller passive
 Passive stereo volume controller



No. 10360600
OMNITRONIC SLM-500 SPL Meter
 Digital sound level meter A and C weighting



No. 10360605
OMNITRONIC SLM-250 SPL Meter
 Mini sound level meter with A weighting



No. 10360611
OMNITRONIC SLM Calibration Tool
 Calibrator for sound level meters



19" 1U

No. 10355522

OMNITRONIC GEQ-2150 Equalizer 2x15-Band

2 x 15-band equalizer



19" 2U

No. 10355526

OMNITRONIC GEQ-2310 Equalizer 2x31-Band

2 x 31-band equalizer



19" 3U

No. 10355536

OMNITRONIC GEQ-2310XL Equalizer 2x31-Band

2 x 31-band equalizer with XL faders



19" 1U

No. 10355591

OMNITRONIC DYN-220 Compressor/Limiter

2-channel compressor/limiter with noise gate



19" 1U

No. 10356250

OMNITRONIC SPL-1 SPL Guard + Measure Mic

Guard system for limiting the sound pressure level



No. 10356251

OMNITRONIC SPL-1 Indicator Wall Mount

Warning indicator for SPL-1



19" 1U

No. 10356252

OMNITRONIC SPL-1 Indicator Rack Mount

Warning indicator for SPL-1



19" 1U

No. 10355627

OMNITRONIC XO-230 Active Crossover

Active crossover, stereo 2-way and mono 3-way operation



19" 1U

No. 10355636

OMNITRONIC XO-300 Active Crossover

Active crossover, stereo 3-way operation




19" 1U

No. 10355640

OMNITRONIC LXO-23 Active Crossover

High-quality active stereo crossover with limiter



SMARD-24RCA

Digital digital processor (DSP) in miniature format

The Smard-24RCA is a flexible pocket size digital system processor (DSP). It stands out with its excellent sound characteristic and compact design.



2 analog cinch inputs and 4 analog cinch outputs are waiting for you. You can easily adjust all important settings with the included software on your PC or MAC. Settings are for example the frequency-filter, signal mixing/routing, in and output equalizing, signal delay and the limiter/compressor. You can save up to 50 user presets on the device and protect them from unwanted access via a multi-level lock function. The integrated RTA and the FIR filter complete the package. After you are done with the setup you operate the Smard-24RCA standalone with an optional power supply.



The system processor is perfect for speaker equalization and the adjustment of your speaker system to the listening room. The device also leaves nothing to be desired for HiFi fans and those who build the systems themselves. You can embed several subwoofers in every system and have the possibility to do an extensive room correction. Disturbing waves in the bassline you can eliminate as well as disturbing booming in your desktop speakers via frequency correction. The Smard-24RCA is even well prepared for car Hifi because of its small size.




NEW DSP USB PC connect FIR RTA

No. 10356301

OMNITRONIC SMARD-24RCA Digital DSP Controller

Digital digital processor (DSP) in miniature format, software included





PSSO

DXO CONTROL APP




DXO CONTROL

Easy configuration of PA systems via app

The free app DXO Control allows users to **control the digital PA controllers by PSSO directly via iPad**. DXO Control facilitates the work of event technicians when setting up and managing PA systems.

This user-friendly app makes adjustments far more convenient. Users can freely move around the room instead of fiddling with the front panel controls. Once compatible units are **connected to a WiFi network**, users have full control over the **built-in DSP modules** and it is possible to activate presets and make individual adjustments. DXO Control comes with all the features normally provided by the PC software. Thus, it will be no problem at all to control **equalizer, delay or limiter and filter functions by the tip of your fingers**.

The app is now available in the app store and supports the **DXO-26PRO** and **DXO-48PRO** controllers and the **PRIME** system amplifier.



DXO

Digital loudspeaker management systems by Omnitronic and PSSO

Developed and assembled in Germany, the **DXOs** offer all functions that can be expected from a DSP-based loudspeaker management system: The signal routing can be flexibly adjusted to all standard PA applications based on various stereo and mono setups. The common frequency filter types Bessel, Butterworth and Linkwitz-Riley are available for splitting up the audio signal. The slope of each filter can be selected in steps from 6 to 24 dB/octave. The unit offers 8 full-parametric EQs, phase adjustment, and a limiter per output. Additionally, a delay function of up to 7 msec per signal path is included in case of differences in running time for different speaker distances.

The supplied PC software allows convenient control of all functions via a computer and serves as administration tool quasi for an unlimited number of user presets. The software is constantly being developed and enhanced with additional functions. Frequency crossovers and equalizers can be constantly monitored and modified with a clear graphical display. The software automatically recognizes which unit is connected and calls up the matching user interface.

The PSSO models can also be controlled via network (AES/EBU interface). Moreover, the drivers have a higher quality and the memory is larger.



DSP CONTROL USB DSP PCconnect 19" 1U

No. 10356321

OMNITRONIC DXO-24E Digital Controller

Digital stereo active crossover with 2 inputs and 4 outputs, incl. software



DSP CONTROL USB DSP PCconnect 19" 1U

No. 10356341

OMNITRONIC DXO-26E Digital Controller

Digital stereo active crossover with 2 inputs and 6 outputs, incl. software



DSP CONTROL USB DSP PCconnect 19" 1U

No. 10356343

OMNITRONIC DXO-88E Digital Controller

Digital stereo active crossover with 8 inputs and 8 outputs, incl. software



DSP CONTROL USB DSP PCconnect 19" 1U

No. 10356344

OMNITRONIC DXO-48E Digital Controller

Digital stereo active crossover with 4 inputs and 8 outputs, incl. software



DSP CONTROL USB DSP PCconnect RJ45 19" 1U

No. 10356362

PSSO DXO-26 PRO Digital Controller

Digital speaker management system with real-time network communication, 2 inputs and 6 outputs



DSP CONTROL USB DSP PCconnect RJ45 19" 1U

No. 10356364

PSSO DXO-48 PRO Digital Controller

Digital speaker management system with real-time network communication, 4 inputs and 8 outputs





19" 1U

No. 10304105

OMNITRONIC ZD-160 Zone Distributor

Practical distributor with 1 input and 6 outputs



19" 1U

No. 10304110

OMNITRONIC ZD-250 Zone Distributor

Practical distributor with 2 inputs and 5 outputs



19" 3U

No. 10304115

OMNITRONIC MZD-860 Matrix Zone Distributor

8-channel mixer with 6 outputs and matrix



19" 2U

No. 10304120

OMNITRONIC MZD-88 Matrix Zone Distributor

8-channel audio mixer with 8 outputs and matrix



19" 1U

No. 10304150

OMNITRONIC MLM-81 Microphone/Line Mixer

Microphone line mixer, 8 channels



19" 1U

No. 10304153

OMNITRONIC AM-801 Automatic Mixer

Processor-controlled automatic mixer



19" 1U

No. 10355735

OMNITRONIC SD-28 Signal Distributor

8-way signal distributor



RJ45 19" 2U

No. 10452480

OMNITRONIC MCS-1250 MK2 6-Zone PA Amplifier

6-zone audio amplifier with matrix assignment, 2 x 50 W / 4 ohms per zone



RJ45

No. 10452483

OMNITRONIC MCS-1250 MK2 Keypad

MCS-1250 MK2 touch pad wall controller



RJ45

No. 10452484

OMNITRONIC MCS-1250 MK2 Hub


MCS-1250 MK2 hub



No. 10452485..... Remote control
No. 10452486..... IR Emitter

OMNITRONIC MCS-1250 MK2 Remote Control

MCS-1250 MK2 IR remote control




19" 1U



No. 10453052

OMNITRONIC DDL-ONE DJ Patchbay

DJ patchbay for 2 DVS systems for a DJ change without interruption



19" 2U

No. 10453007.....LUB-27
No. 10453008.....Y-Cable
No. 10453009.....IR-Extension

OMNITRONIC LUB-27 Speaker Switch Box

Speaker/amplifier switch box with IR remote control



19" 1U



No. 10453051

OMNITRONIC MPP-24B Mini Patch Panel

Combined patch panel and power supply



19" 1U

No. 10453050

OMNITRONIC MPP-24 Mini Patch Panel

Combined patch panel and power supply



19" 1U



No. 30226750

NEUTRIK NYS-SPP-L1 Patchpanel

Neutrik NYS-SPP-L1 patchbay



19" 1U

No. 10453010.....silver
No. 10453012.....black

OMNITRONIC DB-100 Decibel Level Meter

Level display for audio signals with stereo cinch in and output




19" 1U

No. 10453014.....silver
No. 10453016.....black

OMNITRONIC DB-200 Decibel Level Meter

2-channel level display for audio signals with 2 x stereo cinch in and output



19" 2U

No. 10355790

OMNITRONIC AN-31XL Audio Analyzer

31-band analyzer for audio signals



USB RJ45 19" 2U PC connect

No. 10356380

OMNITRONIC DXM-1616 Matrix

Digital matrix-controller with software



XPA Series

Lowest price in its class

You need reliable amplifiers and don't want to spend a fortune for them? The new **XPA series** from Omnitronic combines well-trying with innovative technology and offers you high performance for an affordable price.

Rely on the well-proven class A/B or H circuit of these amplifiers: It provides distortion-free and efficient amplifying of the given signal. Thanks to the well-thought-out cooling concept with modern fans, the devices of the **XPA series** work reliably even with high voltages. Security is your priority number one? All **XPA amplifiers** are equipped with an integrated limiter and a complete protection set against short-circuit, overheat, DC voltage and power on/off transients.

XPA amplifiers are perfectly suited for rack integration (2 HU) and permanent installations in bars, clubs and smaller discotheques. Even for live events, you can rely on these amplifiers.

NEW CLASS A/B 19" 2U



No. 10451031

OMNITRONIC XPA-350 Amplifier

PA amplifier with limiter, 2 x 175 W / 4 ohms,
2 x 130 W / 8 ohms

NEW CLASS A/B 19" 2U



No. 10451034

OMNITRONIC XPA-1200 Amplifier

PA amplifier with integrated limiter, 2 x 600 W / 4 ohms,
2 x 420 W / 8 ohms

NEW CLASS A/B 19" 2U



No. 10451032

OMNITRONIC XPA-700 Amplifier

PA amplifier with integrated limiter, 2 x 350 W / 4 ohms,
2 x 240 W / 8 ohms

NEW CLASS H 19" 2U



No. 10451036

OMNITRONIC XPA-1800 Amplifier

PA amplifier with integrated limiter, 2 x 900 W / 4 ohms,
2 x 650 W / 8 ohms

NEW CLASS A/B 19" 2U



No. 10451033

OMNITRONIC XPA-1000 Amplifier

PA amplifier with integrated limiter, 2 x 500 W / 4 ohms,
2 x 375 W / 8 ohms

NEW CLASS H 19" 2U



No. 10451037

OMNITRONIC XPA-2700 Amplifier

PA amplifier with integrated limiter, 2 x 1350 W / 4 ohms,
2 x 1080 W / 8 ohms

NEW CLASS H 19" 2U



No. 10451038

OMNITRONIC XPA-3004 Amplifier

4-channel PA amplifier with integrated limiter, 4 x 750 W / 4 ohms, 4 x 500 W / 8 ohms

XDA Series High power – low weight!

With the devices of the XDA series, you get PA amplifiers with high power, but low weight. Besides that, you won't need much space in your rack for mounting them, as both models are only one unit high (44 mm).

The smaller version, the **XDA-1002**, offers 2 x 510 watts at 4 ohms (RMS) – and a weight of only 4 kilograms. Its bigger brother, the **XDA-2402**, has 2 x 1200 watts at 4 ohms (RMS) and won't make your back hurt either with its weight of only 6.4 kg.

Despite its low weight and the manageable dimensions, you won't need to lower your sights regarding sound or safety. The XDA series convinces even very skeptical users with excellent sound characteristics and highly effective, high quality protection circuits. Both amplifiers are also 2 ohm stable. Let us give you this advice: Slim down your amplifier rack now!

NEW CLASS D 19" 1U



No. 10451635

OMNITRONIC XDA-1002 Class D Amplifier

Stereo PA amplifier with SMPS, 2 x 510 W / 4 ohms, 2 x 300 W / 8 ohms

NEW CLASS D 19" 1U



No. 10451636

OMNITRONIC XDA-2402 Class D Amplifier

Stereo PA amplifier with SMPS, 2 x 1200 W / 4 ohms, 2 x 880 W / 8 ohms



DJP-700 Digital mixing amp

Very compact, digital mixing amplifier with 2 x 300 W – without fan, at an unbeatable price. This introduction may sound a little cocky, but it illustrates the advantages of the DJP-700 to the point. Because a device with this dimensions, this quality and this workmanship is really not common.

Especially for restaurants, bars and the use at home, this class D amplifier is perfectly suited. Due to the fanless cooling concept, operation is absolute silent. With its small dimensions and its little weight, it fits in almost everywhere. And the 2 x 300 W easily provide enough power for all uses mentioned above.

At the front side, a microphone input, an additional jack plug (3,5 mm), a switch for selecting different audio sources (altogether 4 stereo plugs) and a controller for volume, basses and highs are placed.

CLASS D



No. 10451601

OMNITRONIC DJP-700 Class D Amplifier

Compact stereo mixing amplifier, 2 x 300 W / 4 ohms

USB SD^{HC} BLUETOOTH MP3 CLASS D



No. 10451602

OMNITRONIC DJP-700P Class D Amplifier

Compact stereo mixing amplifier with player + Bluetooth, 2 x 300 W / 4 ohms

19" 1U



No. 10007072

OMNITRONIC EP-220 Preamplifier

Universal 19" preamplifier

USB SD^{HC} BLUETOOTH MP3 19" 1U



No. 10007073

OMNITRONIC EP-220P Preamplifier with MP3 Player

Universal 19" preamplifier with audio player and Bluetooth



A-3603

Powerful 3-channel amplifier – for classic 2.1 applications with two top and one sub speaker. The **A-3603** produces enough power to supply large speaker system with up to a maximum of 3600 watts, 4 ohms (2000 W sub and 2 x 800 W tops). Enough potential you can use in clubs, lounges, restaurants, dancing schools and fitness studios and the like.

Set the frequency between the tops and subs with the inbuilt crossover. It also features a bypass function, which enables you to connect ahead a DSP speaker management system. You can as well switch from 2 stereo input channels to 3 separate channels.

Save weight when you have to move it and save space when you mount it – the Class D construction and the switching power supply technology helps you to do so.


NEW CLASS D XOVER 19" 2U

No. 10452370



OMNITRONIC A-3603 Class-D 2.1 Amplifier

3-channel PA amplifier with SMPS - 4 ohms: 1 x 2000 W, 2 x 800 W



MCD Series

The new, really powerful Omnitronic multi-channel amplifiers are called **MCD**. 3 models with 4, 6 or 8 channels enable you to realize versatile multi zones setups, for example for retail-shops, gastronomy locations or multi-purpose halls. You can even think of club installations with subwoofers and tops. The only thing you need to do so properly is the digital speaker management system of the Omnitronic DXO series. 500 watts @ 4 ohms per channel is what each of the models is offering you. If you are working with demanding subs you can simply bridge each channel pair and get 1000 watts @ 8 ohms.

A real benefit for your rental and touring business: all members of the **MCD** series are lightweights, thanks to class D architecture and efficient switch mode power supplies. In addition you can save money with the automatic standby function, which reduces the power consumption while you do not use the amp.

NEW CLASS D 19" 2U

No. 10452411



OMNITRONIC MCD-2004 4-Channel Amplifier

4-channel PA amplifier with SMPS, 4 ohms: 4 x 500 W, 8 ohms: 4 x 250 W

NEW CLASS D 19" 2U

No. 10452412



OMNITRONIC MCD-3006 6-Channel Amplifier

6-channel PA amplifier with SMPS, 4 ohms: 6 x 500 W, 8 ohms: 6 x 250 W

NEW CLASS D 19" 2U

No. 10452413



OMNITRONIC MCD-4008 8-Channel Amplifier

8-channel PA amplifier with SMPS, 4 ohms: 8 x 500 W, 8 ohms: 8 x 250 W



DDA Series

High impulse stability, low weight, small size (2 rack units) and the integrated switch mode power supply: That are the benefits of the class D amplifiers **PSSO DDA** and **PSSO QDA**. The amps also feature limiters, speaker on delay and 3 adjustable operating modes (stereo, parallel, bridge).

LED-VU meters are integrated into the solid steel housing as well as LEDs for protect, clip and signal. High efficient air flow from the front to the back and temperature controlled fans prevent thermal problems.

NEW CLASS D 19" 2U

No. 10451684




PSSO DDA-1700 Amplifier

Stereo PA amplifier with SMPS, 2 x 850 W / 4 ohms

NEW CLASS D 19" 2U

No. 10451685



PSSO DDA-2500 Amplifier

Stereo PA amplifier with SMPS, 2 x 1250 W / 4 ohms

NEW CLASS D 19" 2U

No. 10451687



PSSO DDA-3500 Amplifier

Stereo PA amplifier with SMPS, 2 x 1750 W / 4 ohms

NEW CLASS D 19" 2U

No. 10451695



PSSO QDA-4400 4-Channel Amplifier

PA amplifier with SMPS, 4 x 1100 W / 4 ohms, 4 x 650 W / 8 ohms



CLASS I 2U

No. 10451696



PSSO QCA-6400 4-Channel SMPS Amplifier

PA amplifier with SMPS, 4 x 1600 W / 2 ohms, 4 x 1400 W / 4 ohms

CLASS I 2U

No. 10451697



PSSO QCA-10000 4-Channel SMPS Amplifier

PA amplifier with SMPS, 4 x 2150 W / 2 ohms, 4 x 2100 W / 4 ohms



ACTIVE

No. 11036452

OMNITRONIC PME-4 Studio Monitors 2x

Active 2-way speaker pair with 4" woofers and 10 watts RMS power



ACTIVE

No. 11036453

OMNITRONIC PME-5 Studio Monitors 2x

Active 2-way speaker pair with 5" woofers and 40 watts power



ACTIVE

No. 11036454

OMNITRONIC PME-8 Studio Monitors 2x

Active 2-way speaker pair with 8" woofers and 40 watts power



PNM Nearfield monitors

Harmonious and precise

PNM Nearfield monitors from Omnitronic are the perfect speakers for all applications requiring high precision: At recording studios, for video editing or other multimedia applications. While Hifi speakers should produce a nice and full sound, these monitors are all about a neutral sound.

The **PNM monitors** offer exactly what they're supposed to: Pure resonance. DJs, VJs and producers can choose from three speaker sizes:



ACTIVE

No. 11036455

OMNITRONIC PNM-5 Nearfield Monitor

Active 2-way speaker with 5" woofer and 30 watts RMS power



ACTIVE

No. 11036456

OMNITRONIC PNM-6 Nearfield Monitor

Active 2-way speaker with 6" woofer and 80 watts power



ACTIVE

No. 11036457

OMNITRONIC PNM-8 Nearfield Monitor

Active 2-way speaker with 8" woofer and 100 watts power



No. 8070265R..... 100 mm, 50x50 cm
No. 8070265T..... 50 mm, 50x50 cm

OMNITRONIC Accoustic Foam, Pyramid

Neutral Sound

ARM-6.5 2-Way Studio Monitor

The high-resolution active speaker system is ideally suitable as monitor system in studios and for all other applications requiring crystal clear and precise sound reproduction. The ribbon technology enables playback in its most natural form. This monitor sounds as natural and detailed as a studio monitor should. It has a 16.5 cm bass-midrange speaker with Kevlar cone for rich and defined bass response and separate power amplifiers (class A/B) for efficient control of the woofer and ribbon transducer. 3 EQ selectors are provided to adapt to various acoustic conditions. The click type rotary volume control at the front allows for precise level adjustment.

Black high-gloss surface

Crystal clear and precise listening experience through built-in 3 cm velocity ribbon tweeter (2") with wave guide

16.5 cm bass-midrange speaker (6.5") with Kevlar cone

Max. SPL: 102 dB
Frequency range: 45 Hz - 22 kHz
Crossover frequency: 2,8 kHz

Separate power amplifiers for bass speaker and tweeter (bi-amping) with efficient class AB circuitry

Dimensions (LxWxH): 275 x 230 x 358 mm
Weight: 7 kg



Click type rotary volume control at front for precise level adjustment



ACTIVE BI AMP

No. 11036458

OMNITRONIC ARM-6.5 2-Way Studio Monitor

Active 2-way reference studio monitor with ribbon transducer and Kevlar woofer



MOUNTING INCL.

No. 11036710.....black
No. 11036711.....white

OMNITRONIC C-40

Passive 2-way speaker pair with mount, 4" woofer and 35 W RMS



MOUNTING INCL.

No. 11036714.....black
No. 11036715.....white

OMNITRONIC C-50

Passive 2-way speaker pair with mount, 5" woofers and 40 W RMS



ACTIVE MOUNTING INCL.

No. 11036716.....black
No. 11036717.....white

OMNITRONIC C-50A active

Active 2-way speaker pair with mount, 5" woofers and 50 W RMS



MOUNTING INCL.

No. 11036718.....black
No. 11036719.....white

OMNITRONIC C-60

Passive 2-way speaker pair with mount, 6.5" woofers and 50 W RMS



ACTIVE MOUNTING INCL.

No. 11036720.....black
No. 11036721.....white

OMNITRONIC C-60A active

Active 2-way speaker pair with mount, 5" woofers and 50 W RMS



MOUNTING INCL.

No. 11036722.....black
No. 11036723.....white

OMNITRONIC C-80

Passive 2-way speaker pair with mount, 8" woofers and 85 W RMS



ACTIVE MOUNTING INCL.

No. 11036724.....black
No. 11036725.....white

OMNITRONIC C-80A active

Active 2-way speaker pair with mount, 5" woofers and 50 W RMS



MOUNTING INCL.

No. 11036756

OMNITRONIC DH-40 titanium 2x

Passive 2-way speaker pair with mount, 5" woofers and 35 W RMS



MOUNTING INCL.

No. 11036772

OMNITRONIC DH-60 titanium 2x

Passive 2-way speaker pair with mount, 6.5" woofers and 50 W RMS



MOUNTING INCL.

No. 11036791

OMNITRONIC DH-80 titanium 2x

Passive 2-way speaker pair with mount, 8" woofers and 85 W RMS



No. 11036580

OMNITRONIC Subwoofer for Control Systems

Passive subwoofer with crossover, 6.5" woofer, 50 W RMS / 4 ohms



OD-Serie

It does not matter if you want to bring sweet sound to your bar, bistro or fashion shop, with the Omnitronic OD series you will get everything you need. The classy wall speakers come with swivel wall mount to allow you hassle free mounting. With their first class sound the speakers are also a compact alternative in the home audio field. You can choose between a low-ohm version (8

ohms) and a 100 V version. Even active versions, to cover all installation options, are available with the OD-5A and the OD-6A. The version with 8 ohms and 100 V of the OD-4, OD-5 and OD-6 are weatherproofed (IP-65). Therefore they are the best solution for your beer garden or your outdoor lounge.



IP44 MOUNTING INCL.

No. 11036900.....black
No. 11036901.....white

OMNITRONIC OD-2 Wall Speaker 8Ohms 2x

Speaker pair with mount, 2.5" full-range speakers and 15 W RMS



IP44 MOUNTING INCL.

No. 11036906.....black
No. 11036907.....white

OMNITRONIC OD-22 Wall Speaker 8Ohms

2 speakers with mount, 2.5" full-range speakers and 15 W RMS



IP65 MOUNTING INCL.

No. 11036912.....black
No. 11036913.....white
No. 11036914.....100V black
No. 11036915.....100V white

OMNITRONIC OD-4 Wall Speaker 8Ohms

Weatherproof speaker pair with mount, 4" woofers 0.5" tweeter and 30 W RMS (80hms)



IP65 MOUNTING INCL.

No. 11036918.....black
No. 11036919.....white
No. 11036920.....100V black
No. 11036921.....100V white

OMNITRONIC OD-5 Wall Speaker 8Ohms

2 weatherproof speakers with mount, 5.25" woofers 0.5" tweeter and 35 W RMS (80hms)



ACTIVE MOUNTING INCL.

No. 11036922.....black
No. 11036923.....white

OMNITRONIC OD-5A Wall Speaker active

2 active speakers with mount, 5.25" woofers and 35 W RMS



IP65 MOUNTING INCL.

No. 11036924.....black
No. 11036925.....white
No. 11036926.....100V black
No. 11036927.....100V white

OMNITRONIC OD-6 Wall Speaker 8Ohm 2x

2 weatherproof speakers with mount, 6.5" woofers 1" tweeter and 40 W RMS (80hms)



ACTIVE MOUNTING INCL.

No. 11036928.....black
No. 11036929.....white

OMNITRONIC OD-6A Wall Speaker active

2 active speakers with mount, 6.5" woofers and 45 RMS



LI Series

The installation speaker of **Omnitronic's LI series** are coming in two parts. Part one is the LI-105. This is a cuboid fullrange speaker with spring clamps for parallel connection. The second part are the two 2 way speakers, LI-204, LI-206, with screw-plug-in-terminals and impact-resistant steel grille with acoustic foam. All versions come with a solid bracket for wall or ceiling mounting and have a wooden cabinet with durable textured coating in the colors black or white.

QI Series

The **Omnitronic QI** are coaxial wall speakers. The 66 ohm speakers convince with a very good sound pattern, come with 16 mm MDF cabinets and show a compact and cuboid design. That is why they are ideal solutions for bars, restaurants, shops and conference areas in hotels. It is a very stable and tiltable mounting bracket for wall and ceiling installation the series with 16 ohms speakers are equipped with. Moreover, you can find a screw-plug-in-terminal for easy installation and parallel connection.



MOUNTING INCL.

No. 11038978.....black
No. 11038979.....white

OMNITRONIC LI-105 Wall Speaker

Speaker with mount, 5" full-range speaker and 50 W RMS / 16 Ohm



MOUNTING INCL.

No. 11038940.....black
No. 11038941.....white

OMNITRONIC QI-5 Coaxial Wall Speaker

Speaker with mount, 5" woofer, 0,7" dome tweeter, 30 W RMS



MOUNTING INCL.

No. 11038981.....black
No. 11038985.....white

OMNITRONIC LI-204 MK2 2-Way Top

Speaker with mount, 4" full-range speaker and 1" horn tweeter, 30 W RMS



MOUNTING INCL.

No. 11038945.....black
No. 11038946.....white

OMNITRONIC QI-8 Coaxial Wall Speaker black

Speaker with mount, 8" woofer, 1" dome tweeter, 40 W RMS



MOUNTING INCL.

No. 11038983.....black
No. 11038987.....white

OMNITRONIC LI-206 MK2 2-Way Top

Speaker with mount, 6.5" full-range speaker and 1" horn tweeter, 50 W RMS

3 AUSGABEN PLUS PRÄMIE FÜR NUR 13,90€!

Testen Sie das **Magazin für Musik, DJ-ing und Produktion** im Probeabo und Sie erhalten ein Geschenk gratis dazu!




GRATIS PRÄMIE
← **NACH WAHL**



Natürlich auch
als ePaper...

...erhältlich in der
Kiosk-App „Beat“ für
Smartphone & Tablet.



Jetzt Probeabo bestellen:

Web: www.beat.de/probeabo
Tel: 0711 / 7252-292



No. 11037055
OMNITRONIC DX-822 3-Way Speaker 300 W
 Rugged full-range speaker-system with 8" woofer and 300 watts power



No. 11037061
OMNITRONIC DX-1022 3-Way Speaker 400 W
 Rugged full-range speaker-system with 10" woofer and 400 watts power



No. 11037071
OMNITRONIC DX-1222 3-Way Speaker 600 W
 Rugged full-range speaker-system with 12" woofer and 600 watts power



No. 11037081
OMNITRONIC DX-1522 3-Way Speaker 800 W
 Rugged full-range speaker-system with 15" woofer and 800 watts power



No. 11037085
OMNITRONIC DX-2022 3-Way Speaker 800 W
 Rugged full-range speaker-system with 2x10" woofer and 800 watts power



No. 11037087
OMNITRONIC DX-2222 3-Way Speaker 1000 W
 Rugged full-range speaker-system with 2x12" woofer and 1000 watts power



No. 11037091
OMNITRONIC DX-2522 3-Way Speaker 1200 W
 Rugged full-range speaker-system with 2x15" woofer and 1200 watts power



No. 11037635
OMNITRONIC TX-1220 3-Way Speaker 700W
 Full-Range speaker-system for disco or live music with 12" woofer and 700 watts power



No. 11037638
OMNITRONIC TX-1520 3-Way Speaker 900W
 Full-Range speaker-system for disco or live music with 15" woofer and 900 watts power



No. 11037644
OMNITRONIC TX-2520 3-Way Speaker 1400W
 Full-Range speaker-system for disco or live music with 2 x 15" woofer and 1400 watts power



No. 11038571
OMNITRONIC TMX-1230 3-Way Speaker 800W
 Full-Range speaker-system for disco or live music with 12" woofer and 800 watts power



No. 11038581
OMNITRONIC TMX-1530 3-Way Speaker 1000W
 Full-Range speaker-system for disco or live music with 15" woofer and 1000 watts power



No. 11037705
OMNITRONIC BX-1250 Subwoofer 600W
 12" Subwoofer with 600 watts power



No. 11037711
OMNITRONIC BX-1550 Subwoofer 800W
 15" Subwoofer with 800 watts power



No. 11037731
OMNITRONIC BX-1850 Subwoofer 1200W
 18" Subwoofer with 1200 watts power



No. 11037745
OMNITRONIC BX-2250 Subwoofer 800W
 2x12" Subwoofer with 800 watts power



No. 11037751
OMNITRONIC BX-2550 Subwoofer 1200W
 2 x 15" Subwoofer with 1200 watts power



ACTIVE
 No. 11037408
OMNITRONIC MagiCarpet-151A MK2 Active Subwoofer
 Active bassreflex subwoofer (15") with 250 watts power



ACTIVE
 No. 11037409
OMNITRONIC MagiCarpet-181A MK2 Active Subwoofer
 Active bassreflex subwoofer (18") with 250 watts power



No. 11038011
OMNITRONIC M-1220 Monitor 600W
 2-way stage monitor with 12" woofers and 600 watts power



No. 11038012
OMNITRONIC M-1230 Monitor 600W
 2-way stage monitor with 12" woofers and 600 watts power



No. 11038038
OMNITRONIC KM-110 Stage Monitor, coaxial
 Monitor with 10" woofer, 1.35" driver and 200 W RMS / 8 ohms



ACTIVE BI AMP
 No. 11038035
OMNITRONIC KM-110A Active Stage Monitor, coaxial
 Monitor, 10" woofer, 1.35" driver, LF: 150 W RMS, HF: 50 W RMS



No. 11038039
OMNITRONIC KM-112 Stage Monitor, coaxial
 Monitor with 12" woofer, 1.35" driver and 250 W RMS / 8 ohms



ACTIVE BI AMP
 No. 11038036
OMNITRONIC KM-112A Active Stage Monitor, coaxial
 Monitor, 12" woofer, 1.35" driver, LF: 250 W RMS, HF: 50 W RMS



No. 11038040
OMNITRONIC KM-115 Stage Monitor, coaxial
 Monitor with 15" woofer, 1.35" driver and 250 W RMS / 8 ohms



ACTIVE BI AMP
 No. 11038037
OMNITRONIC KM-115A Active Stage Monitor coaxial
 Monitor, 15" woofer, 1.35" driver, LF: 250 W RMS, HF: 50 W RMS



- Das unabhängige Webportal für Musik und Equipment
- Über zehntausend informative Testberichte und umfassende Vergleichstests
- Ständig neue Produkt-News, spannende Interviews und Künstlerportraits





Convincing sound
at an affordable price:

Omnitronic XKB Series

You have high demands on your speakers, but a small budget? If so, the XKB series by Omnitronic offers just the right boxes for you. With their equipment and their sound, they keep up with much more expensive systems. They are perfectly suited for mobile events with live bands and DJs.

Powerful bass, clear mids and highs define the sound of the XKB boxes.



Active version 212A and 215A



Active version 208A and 210A




Thanks to the well thought-out placement of the handles, the speakers can be carried comfortably with only one hand without tipping.

You can also use the boxes as floor monitor – that works just as well as mounting them on a stand or on a wall holder.

The active XKB-212A and 215A offer presets, which make it easier for you to contour the sound. An integrated Bluetooth player, a DSP-controlled biamp amplifier, 3-band EQ and an adjustable high-pass filter round up the equipment.

The active XKB-208A and XKB-210A feature a 2-band EQ, a XLR combination connector for line and mic in and an aux/Bluetooth input. They also show an XLR connector for looping-through the signals to another speaker. A Bluetooth player can be found as well.

Passive version



XKB

2-WAY PA SPEAKER



DSP
CONTROL



NEW

No. 11038761

OMNITRONIC XKB-208 2-Way Speaker

Passive speaker with 8" woofer, 1" driver and 100 W RMS



NEW

ACTIVE

BLUETOOTH

BI AMP

No. 11038793

OMNITRONIC XKB-208A 2-Way Speaker, active, Bluetooth

Active speaker with 8" woofer, 1" driver, LF: 70 W RMS, HF: 35 W RMS



NEW

No. 11038763

OMNITRONIC XKB-210 2-Way Speaker

Passive speaker with 10" woofer, 1,35" driver and 250 W RMS



NEW

ACTIVE

BLUETOOTH

BI AMP

No. 11038794

OMNITRONIC XKB-210A 2-Way Speaker, active, Bluetooth

Active speaker with 10" woofer, 1,35" driver, LF: 175 W RMS, HF: 75 W RMS



No. 11038797

OMNITRONIC XKB-212 2-Way Speaker

Passive speaker with 12" woofer, 1,35 driver and 300 W RMS



ACTIVE

BLUETOOTH

DSP

BI AMP

No. 11038795

OMNITRONIC XKB-212A 2-Way Speaker, active, DSP

Active speaker with 12" woofer, 1,35" driver, LF: 300 W RMS, HF: 60 W RMS



No. 11038798

OMNITRONIC XKB-215 2-Way Speaker

Passive speaker with 15" woofer, 1,75 driver and 300 W RMS



ACTIVE

BLUETOOTH

DSP

BI AMP

No. 11038796

OMNITRONIC XKB-215A 2-Way Speaker, active, DSP

Active speaker with 12" woofer, 1,75" driver, LF: 300 W RMS, HF: 60 W RMS



PAS Series

The PAS Series has the highest level of the Omnitronic speaker system range. It features stable wooden cabinets and high quality components. Outstanding, next to the price, is the excellent sound, the high sensitivity and the rugged construction.

There are active and passive versions of the subwoofers and the tops. All subs are bassreflex systems. The tops are multifunctional boxes and score with their mixture between first class workmanship, low weight and balanced sound. The built-in tweeter drivers from P.Audio are securely protected against overload by PTCs.

Active versions
(Tops):




Rotatable constant directivity horn (asymmetrical) with coil-driver



Flange for stand installation




Can be used lying, standing, on a subwoofer, on a speaker stand or stand or suspended





No. 11039436
OMNITRONIC PAS-210+ 2-Way Top
 PA speaker with 10" woofer, 1.4" horn and 250 W RMS, 8 ohms



No. 11039437
OMNITRONIC PAS-212+ 2-Way Top
 PA speaker with 12" woofer, 1.4" horn and 300 W RMS, 8 ohms



NEW ACTIVE DSP CLASS D
 No. 11039441
OMNITRONIC PAS-212+A 2-Way Top, active, DSP
 Active PA speaker with 12", 1.4" horn and 400 W RMS



No. 11039438
OMNITRONIC PAS-215+ 2-Way Top
 PA speaker with 15" woofer, 1.4" horn and 400 W RMS, 8 ohms



NEW ACTIVE DSP CLASS D
 No. 11039443
OMNITRONIC PAS-215+A 2-Way Top, active, DSP
 Active PA speaker with 15", 1.75" horn and 450 W RMS



No. 11039621
OMNITRONIC PAS-151PRO Subwoofer
 15" bassreflex subwoofer with 500 W RMS, 8 ohms



No. 11039622
OMNITRONIC PAS-152PRO Subwoofer
 15" bassreflex subwoofer with 1000 W RMS, 4 ohms



No. 11039623
OMNITRONIC PAS-181PRO Subwoofer
 18" bassreflex subwoofer with 600 W RMS, 8 ohms



No. 11039627
OMNITRONIC PAS-182PRO Subwoofer
 2 x 18" bassreflex subwoofer with 1300 W RMS / 4 ohms



ACTIVE DSP CLASS D
 No. 11039630
OMNITRONIC PAS-151A PRO DSP Active Subwoofer
 Active 15" PA bassreflex subwoofer, 500 W



ACTIVE DSP CLASS D
 No. 11039631
OMNITRONIC PAS-181A PRO DSP Active Subwoofer
 Active 18" PA bassreflex subwoofer, 600 W RMS



7 tops, 9 subwoofers and 3 monitors are part of the **K series**. It has been designed for small to middle-sized events with high demands regarding sound fidelity.

Besides the four 2-way-tops from 8" to 15" and the double version with 15", each with a rotatable 1" horn, there is also the top of the range, the K-315HD for biamp operation and equipped with 15"/6.5"/1.4".

The corresponding bassreflex subwoofers are available equipped either singly (12", 15", 18" or 21") or doubly (10", 12", 15" and 18"). The double 18 is also available as horn-loaded version.

The 2-way coaxial monitor speakers are available in three different versions: 10" with 1" voice coil, 12" with 1.4" voice coil and 15" with 2.8" voice coil.

The K series is designed for mobile use and permanent installations and comes completely equipped with Neutrik connectors.

K-208
K-210
K-212
K-215



K-215SE

K-315 HD



K-215DPX



Housing made of 15 mm birch plywood

Passive 2-way crossover
Bassreflex system



Parallel Neutrik Speakon connectors





No. 11041098
PSSO K-208 2-Way Top 200W
 Pro PA speaker with 8" woofer, 1" horn and 200 W RMS, 8 ohms



No. 11041100
PSSO K-210 2-Way Top 300W
 Pro PA speaker with 10" woofer, 1" horn and 300 W RMS, 8 ohms



No. 11041104
PSSO K-212 2-Way Top 300W
 Pro PA speaker with 12" woofer, 1" horn and 300 W RMS, 8 ohms



No. 11041108
PSSO K-215 2-Way Top 400W
 Pro PA speaker with 15" woofer, 1" horn and 400 W RMS, 8 ohms



No. 11041109
PSSO K-215SE 2-Way Top 600W
 Pro PA speaker with 15" woofer, 1,5" horn and 600 W RMS, 8 ohms



No. 11041096
PSSO K-215DPX 2-Way Top 1000W
 Pro PA speaker with 2 x 15" woofer, 1" horn and 100 W RMS, 4 ohms



BI AMP
 No. 11041112
PSSO K-315HD 3-Way Top 1000W
 Pro PA speaker, 15" woofer, 6,5" mid, 1,4" horn, 1000 W RMS (Biamp)




No. 11041115
PSSO K-210CM 2-Way Coaxial Wedge 300W
 Pro PA speaker, 10" woofer, 1" horn, 300 W RMS / 8 ohms




No. 11041117
PSSO K-212CM 2-Way Coaxial Wedge 400W
 Pro PA speaker, 12" woofer, 1,4" horn, 400 W RMS / 8 ohms



No. 11041119
PSSO K-215CM 2-Way Coaxial Wedge 400W
 Pro PA speaker, 15" woofer, 1,4" horn, 400 W RMS / 8 ohms





No. 11041126
PSSO K-121 Subwoofer 400W
 Pro PA bassreflex sub, 12" woofer, 400 W RMS, 8 ohms



No. 11041128
PSSO K-102 Subwoofer 600W
 Pro PA bassreflex sub, 2 x 10" woofer, 600 W RMS, 4 ohms



No. 11041130
PSSO K-122 Subwoofer 800W
 Pro PA bassreflex sub, 2 x 12" woofer, 800 W RMS, 4 ohms



No. 11041131
PSSO K-151 Subwoofer 500W
 Pro PA bassreflex sub, 15" woofer, 500 W RMS, 8 ohms



No. 11041132
PSSO K-152 Subwoofer 1000W
 Pro PA bassreflex sub, 2 x 15" woofer, 1000 W RMS, 4 ohms



No. 11041136
PSSO K-181 Subwoofer 1000W
 Pro PA bassreflex sub, 18" woofer, 1000 W RMS, 8 ohms




No. 11041140
PSSO K-182 Subwoofer 2000W
 Pro PA bassreflex sub, 2 x 18" woofer, 2000 W RMS, 4 ohms



No. 11041142
PSSO K-211 Subwoofer 1600W
 Pro PA horn-loaded sub, 21" woofer, 1600 W RMS, 4 ohms



No. 11043560
PSSO SUB-2180 Subwoofer
 Pro PA horn-loaded sub, 2 x 18" woofer, 1600 W RMS, 4 ohms





No. 20000456
PSSO PA Set PRO S

Set including:

- 2x 11041098: PSSO K-208 2-Way Top 200W
- 2x 11041126: PSSO K-121 Subwoofer 400W
- 1x 10451635: OMNITRONIC XDA-1002 Class D Amp
- 1x 10451636: OMNITRONIC XDA-2402 Class D Amp
- 1x 10356321: OMNITRONIC DXO-24E Digital Controller
- 2x 60004554: OMNITRONIC Distance Tube Subwoofer/Satellite
- 1x 30109784: ROADINGER Amplifier Rack PR-2, 4U, 47cm deep
- 4x 3022790C: PSSO Speaker cable Speakon 2x1.5 5m
- 4x 30227840: PSSO XLR cable 3pin 1m bk Neutrik
- 1x 30100150: OMNITRONIC Front Panel Z-19U-shaped, steel,black 1U
- 2x 59007073: EUROLITE SPA-10L Adapter



No. 20000457
PSSO PA Set PRO M

Set including:

- 2x 11041098: PSSO K-208 2-Way Top 200W
- 2x 11041130: PSSO K-122 Subwoofer 800W
- 1x 10451635: OMNITRONIC XDA-1002 Class D Amp
- 1x 10451636: OMNITRONIC XDA-2402 Class D Amp
- 1x 10356321: OMNITRONIC DXO-24E Digital Controller
- 2x 60004554: OMNITRONIC Distance Tube Subwoofer/Satellite 120cm
- 1x 30109784: ROADINGER Amplifier Rack PR-2, 4U, 47cm deep
- 4x 3022790C: PSSO Speaker cable Speakon 2x1.5 5m
- 4x 30227840: PSSO XLR cable 3pin 1m bk Neutrik
- 1x 30100150: OMNITRONIC Front Panel Z-19U-shaped, steel,black 1U
- 2x 59007073: EUROLITE SPA-10L Adapter



No. 20000458
PSSO PA Set PRO L

Set including:

- 2x 11041104: PSSO K-212 2-Way Top 300W
- 2x 11041132: PSSO K-152 Subwoofer 1000W
- 1x 10451635: OMNITRONIC XDA-1002 Class D Amp
- 1x 10451636: OMNITRONIC XDA-2402 Class D Amp
- 1x 10356321: OMNITRONIC DXO-24E Digital Controller
- 2x 60004554: OMNITRONIC Distance Tube Subwoofer/Satellite 120cm
- 1x 30109784: ROADINGER Amplifier Rack PR-2, 4U, 47cm deep
- 4x 30227915: PSSO Speaker cable Speakon 2x2.5 15m bk
- 4x 30227840: PSSO XLR cable 3pin 1m bk Neutrik
- 1x 30100150: OMNITRONIC Front Panel Z-19U-shaped, steel,black 1U

VFM series

Active and passive speaker systems with audio player and bluetooth

Your perfect mixture, the **VFM series**: The plastic cabinets are both lightweight and rugged, feature a powerful and rich sound as well as a fair price – the right tool for mobile DJs or musicians.

According to your demands you can choose the fitting VFM. You have 6 different sizes and 3 different equipment versions to choose from: The single versions with 8", 10", 12", and 15" and the double 12" and 15" versions.

There is an active and a passive version of each size. The double versions only feature active systems with additional audio player, bluetooth, SD card slot and USB port.

The two biggest VFMs have been equipped with wheels for easy transport. 8" and 10" models weigh less than 10 kg and can be transported comfortably with handles. The RMS varies from 80 to 180 watts.



MP3



Active with Player & Bluetooth:

- Built-in audio player and Bluetooth function
- Class A/B circuitry: optimum sound and power at low weight and compact dimensions
- LCD display indicates audio source and replay status
- 1/2 Mic inputs with separate level controls
- Line input, RCAMaster control with 2-way tone control, clip and power LED
- Line output for linking further active speaker systems

Passive:

- Speaker outputs

Active:

- Class A/B circuitry: optimum sound and power at low weight and compact dimensions
- 1/2 Mic inputs with separate level controls
- Line input, RCA
- Master control with 2-way tone control, clip and power LED
- Line output for linking further active speaker systems



No. 11038765
OMNITRONIC VFM-208 2-Way Speaker
 Passive speaker, 8" woofer, 1" driver, 80 W RMS, 8 ohms



ACTIVE BLUETOOTH SD^{HC} USB MP3 CLASS A/B
 No. 11038766
 No. 11038767..... with player & Bluetooth
OMNITRONIC VFM-208A 2-Way Speaker, active
 Aktive speaker, 8" woofer, 1" driver, 80 W RMS



No. 11038768
OMNITRONIC VFM-210 2-way Speaker
 Passive speaker, 10" woofer, 1" driver, 90 W RMS, 8 ohms



ACTIVE BLUETOOTH SD^{HC} USB MP3 CLASS A/B
 No. 11038769
 No. 11038770..... with player & Bluetooth
OMNITRONIC VFM-210A 2-Way Speaker, active
 Aktive speaker, 10" woofer, 1" driver, 90 W RMS



No. 11038771
OMNITRONIC VFM-212 2-Way Speaker
 Passive speaker, 12" woofer, 1" driver, 140 W RMS, 8 ohms



ACTIVE BLUETOOTH SD^{HC} USB MP3 CLASS A/B
 No. 11038772
 No. 11038773..... with player & Bluetooth
OMNITRONIC VFM-212A 2-Way Speaker, active
 Aktive speaker, 12" woofer, 1" driver, 140 W RMS



No. 11038774
OMNITRONIC VFM-215 2-Way Speaker
 Passive speaker, 15" woofer, 1" driver, 150 W RMS, 8 ohms



ACTIVE BLUETOOTH SD^{HC} USB MP3 CLASS A/B
 No. 11038775
 No. 11038776..... with player & Bluetooth
OMNITRONIC VFM-215A 2-Way Speaker, active
 Aktive speaker, 15" woofer, 1" driver, 150 W RMS



NEW

No. 11038777
OMNITRONIC VFM-2212 2-Way Speaker
 Passive speaker, 2 x 12" woofer, 1" driver, 150 W RMS, 4 ohms



NEW ACTIVE BLUETOOTH SD^{HC} USB
 MP3 CLASS A/B
 No. 11038778
OMNITRONIC VFM-2212AP 2-Way Speaker, active
 Speaker with 2 x 12" woofer, 1" driver, 150 W RMS
 player and Bluetooth



NEW

No. 11038779
OMNITRONIC VFM-2215 2-Way Speaker
 Passive speaker, 2 x 15" woofer, 1" driver, 180 W RMS, 4 ohms



NEW ACTIVE BLUETOOTH SD^{HC} USB
 MP3 CLASS A/B
 No. 11038792
OMNITRONIC VFM-2215AP 2-Way Speaker, active
 Speaker with 2 x 15" woofer, 1" driver, 180 W RMS
 player and Bluetooth



The name says it all: The **PSSO Prime System** is a professional PA system meeting the demands of contemporary club culture. What makes it so unique is the mixture between high quality technical components – all premium drivers come from the French company CELTO Acoustique – and an extravagant design.



The octagonal form deliberately stands out and brings variety into the usually rather monotonous appearance of PA systems. Thereby the colors of single parts (body, grille) can be chosen freely based on the RAL classic system. By doing this, it's possible to integrate the boxes into an existing interior.

Main systems are a double 8" (with 1" horn), a double 12" (with 1.5" horn) and a double 15" (with 6.5" horn for mids, dual 1.5" horn for highs). Prime-215 and -315 are operated bi-amplified.

For the lower frequencies a double 18" (PRIME-182) and a double 15 (PRIME-152) are attached. They have an RMS power of 3 and 1.4 kW respectively. The maximum sound pressure level: 142 and 136 dB respectively. Two coaxial systems with 10" woofer and 1" horn or 12" woofer and 1.4" horn can be used as main systems in smaller clubs or as background systems in larger venues. Due to their reduced dimensions a space-saving installation is made easy.

It is the Prime System Amplifier which completes the series. It has been developed especially for the system and brings out the best of all components.





No. 11041174
PSSO PRIME-10CX Coaxial Speaker, 300W
 Pro PA speaker, 10" woofer, 1" horn, 300 W RMS, 8 ohms



No. 11041175
PSSO PRIME-12CX Coaxial Speaker, 400W
 Pro PA speaker, 12" woofer, 1" horn, 400 W RMS, 8 ohms



No. 11041168
PSSO PRIME-208 Club Speaker System
 Pro PA speaker system (2 x 8") with 400 watts power



BI AMP
 No. 11041170
PSSO PRIME-212 Club Speaker System
 Pro PA speaker, 2 x 12" woofer, 1.5" horn, 1100 W RMS (Biamp)



BI AMP
 No. 11041172
PSSO PRIME-315 Club Speaker System
 Pro PA speaker, 2 x 15" woofer, 6.5" + 2 x 1.4" horn-loaded, 1800 W RMS (Biamp)




No. 11041178
PSSO PRIME-182 Subwoofer 3000W
 Pro PA bassreflex subwoofer, 2 x 18" woofer, 3000 W RMS, 4 ohms



No. 11041177
PSSO PRIME-152 Subwoofer 1400W
 Pro PA bassreflex subwoofer, 2 x 15" woofer, 1400 W RMS, 4 ohms



19" **PC connect** **RJ45** **DSP**
 No. 10451701
PSSO PRIME System Amplifier DSP
 6 channel PA amp with SMPS, 2 x 2400 W, 4 x 800 W



FREE
LINE ARRAY
SIMULATOR
SOFTWARE



CLA

COMPACT LINE ARRAY



The CLA fills a vacuum. It was developed for all those handling smaller-scaled events. They are not willing to renounce a high-quality line array. A line array which holds required certificates, meets all security demands and which has been reviewed by independent bodies and answers for safety. A system, which can be perfectly preconfigured, thanks to a simulation software. This group was left with almost no reasonable option so far – now there is the CLA.



BI AMP



No. 11040901

PSSO CLA-228 MK2 LINE ARRAY Top

Top speaker, 2 x 8" woofer, 1,73" driver, MF: 300 W RMS, HF: 60 W RMS



No. 11040909

PSSO CLA-212 LINE ARRAY Subwoofer

Subwoofer, 2 x 12" woofer, 700 W RMS, 4 ohms



No. 11040910

PSSO CLA-115 LINE ARRAY Subwoofer

Subwoofer, 15" woofer, 500 W RMS, 8 ohms, can be flown



No. 11040915

PSSO CLA-118 LINE ARRAY Floor Subwoofer


Bassreflex subwoofer, 18" woofer, 800 W RMS, 8 ohms



No. 11040917

PSSO CLA-218 LINE ARRAY Floor Subwoofer

Bassreflex subwoofer, 2 x 18" woofer, 2400 W RMS, 4 ohms



No. 11041056

PSSO CLA Basic System MK2 S complete

Compact line array for permanent installations and touring purposes

- Small basis set, also applicable as groundstack
- 2 x CLA-115 bass reflex subwoofers
- 8 x CLA-228 MKII top as well as two matching flying brackets




No. 11041057

PSSO CLA Basic System MK2 M complete

Compact line array for permanent installations and touring purposes

- Medium basis set, also applicable as groundstack
- 4 x CLA-115 bass reflex subwoofers
- 16 x CLA-228 MKII top as well as two matching flying brackets



No. 11041058

PSSO CLA Basic System MK2 L complete

Compact line array for permanent installations and touring purposes

- Large basis set suitable for large open airs
- 4 x CLA-115 bass reflex subwoofers
- 4 x CLA-118 floor subwoofers
- 16 x CLA-228 MKII top as well as two matching flying brackets



No. 11041065

PSSO Amp Set for Line Array S MK2

Set including:

- 1x 10451684: PSSO DDA-1700 Amplifier
- 1x 10451696: PSSO QCA-6400 4-Channel SMPS Amplifier
- 1x 10356362: PSSO DXO-26 PRO Digital Controller
- 1x 30100150: OMNITRONIC Front Panel Z-19U-shaped, steel,black 1U
- 1x 30109190: ROADINGER Rack Profi KM 6U 55cm with wheels



No. 11041067

PSSO Amp Set for Line Array L MK2

Set including:

- 1x 10451685: PSSO DDA-2500 Amplifier
- 1x 10451695: PSSO QDA-4400 4-Kanal-Endstufe
- 1x 10451696: PSSO QCA-6400 4-Channel SMPS Amplifier
- 1x 10356362: PSSO DXO-26 PRO Digital Controller
- 1x 30100150: OMNITRONIC Front Panel Z-19U-shaped, steel,black 1U
- 1x 30109192: ROADINGER Rack Profi KM 8U 55cm with wheels



No. 11041066

PSSO Amp Set for Line Array M MK2

Set including:

- 1x 10451695: PSSO QDA-4400 4-Kanal-Endstufe
- 1x 10451696: PSSO QCA-6400 4-Channel SMPS Amplifier
- 1x 10451697: PSSO QCA-10000 4-Channel SMPS Amplifier
- 1x 10356364: PSSO DXO-48 PRO Digital Controller
- 1x 30100150: OMNITRONIC Front Panel Z-19U-shaped, steel,black 1U
- 1x 30109192: ROADINGER Rack Profi KM 8U 55cm with wheels



No. 11040998
ROADINGER Flightcase 8x CLA-228
 Flightcase with castors for eight CLA-228 line array speakers



No. 11040951
PSSO Flying Bracket CLA-228/CLA-212
 Flying bracket for PSSO Line Array systems CLA-228 and CLA-212



No. 11040999
ROADINGER Flightcase 4x CLA-228
 Flightcase with castors for four CLA-228 line array



No. 11040952
PSSO Flying Bracket Extension CLA-228/CLA-212
 Flat-steel connector for the flying brackets type CLA-228 and CLA-115



No. 11041113
PSSO Rigging Plates for K-315HD, set left + right
 Mounting kit for model K-315HD



No. 11040970
PSSO U-Form Bracket for CSA-228/CSK-228 bk
 Mounting bracket for the CSA-228 and CSK-228, black



No. 11040920.....for CLA-115
 No. 11040921.....for CLA-212
 No. 11040922.....for CLA-118
PSSO Wheel Board for CLA
 Wheelboard for subwoofertype CLA



No. 11040995
PSSO Fastening Bolt for CLA/CSA/CSK, short




No. 11040996
ROADINGER Flightcase 2x CLA-212
 Flightcase with castors for two CLA-212 Line Array Subs



No. 11040997
ROADINGER Flightcase 2x CLA-115
 Flightcase with castors for two CLA-115 Line Array Subs



No. 11040950
PSSO Flying Bracket CLA-228/CLA-115
 Flying bracket for PSSO Line Array systems CLA-228 and CLA-115



BEAT REVEL

BEATREVEL S Mobile Bluetooth speaker system with built-in light show



BT Streaming via Bluetooth

**AUX
USB
MIC** Connection via jack, AUX In or USB

LED LEDs controlled by sound



ACTIVE | BLUETOOTH | USB | MP3 | RGB   

No. 13107021

OMNITRONIC BeatRevel S

Mobile Bluetooth speaker system with built-in light effect



UHF receiver unit and matching wireless microphone 865 MHz

2-way bassreflex system with 16 cm woofer (6.5") and 2.5 cm tweeter (1")

Dimensions (H x W x D): 218 x 235 x 348 mm
Total weight: 3.7 kg (w/o battery)



IR remote control



Accessories (E0055612):
Battery: 12 V DC, 2,9 Ah
Battery operation: 4 hours
Recharging time: 4-6 hours



Bluetooth
Stream music wirelessly from your mobile devices (e.g. smartphone, tablet)



WAMS-65BT

Wireless PA system

Inside the very compact dimensions of the **WAMS-65BT**, a 4-channel power mixer with 40 W is hidden. The 2-way bassreflex system features a 1" tweeter and a 6.5" subwoofer.

The small PA system is well suited for background music and announcements in mid-size venues up to 75 m².


An MP3 player with Bluetooth receiver as well as slots for SD cards and USB sticks provide for flexibility. Furthermore, a line and an XLR input stand by. The **WAMS-65BT** comes with a matching wireless microphone. The battery provides enough energy for 4 hours of operation and has to be ordered separately.



SD card slot and USB input



4-channel power mixer (40 W RMS) and MP3 player with Bluetooth receiver



Inputs:
Mic (XLR), line (stereo RCA)

Output:
Line (6.3 mm jack)

Power supply:
100-240 V AC, 50/60 Hz
or 12 V DC rechargeable battery (optionally available)



ACTIVE | BLUETOOTH | USB | SD^HC | MP3

No. 13107003

OMNITRONIC WAMS-65BT Wireless PA System

Portable 6,5"-PA with UHF receiver unit, audio player, Bluetooth and 40 W RMS



No. 13107004

OMNITRONIC WAMS-65BT Wireless Microphone



NEW

MOM-10BT4 Wireless PA system



A small mobile PA system with a modular structure - that's the **MOM-10BT4**. Are you a street musician or want to use the box at conferences? The 2-way system (10") can be perfectly adapted and expanded to meet your requirements. You need more microphones or a battery after all? Basic, business or fully loaded: Equip the MOM according to your ideas.

In the basic configuration (mainframe), **MOM** has a Bluetooth interface, 2 microphone inputs (with tone control and reverb function) and a line input (XLR or jack). With the mixer unit you regulate the individual components.

The following add-ons (described in more detail on the next page) are available:

- CD / MP3 player module
- Wireless microphone module
- Battery module
- Audio-Link module

The mobile system offers you additional features. You'll find talkover function (Voice Priority), a 5V 2A USB interface that lets you charge your mobile devices, a built-in trolley handle for easy transport, and a speaker stand flange. A protective transport cover with storage space for cables and UHF transmitters is optionally available.





Cover for transport protection with storage compartment available (item 13106977) – can be used during live performance as well

Trolley function for easy transport

CD player module

Unit with USB player and remote control (item 13106978)



Bluetooth

Stream music wirelessly from your mobile devices (e.g. smartphone, tablet)

Audio link module

That slot can be used for a receiver or transmitter module. You can receive wireless signals or link the mixer signal (mono/stereo R) to other speakers (with receiver module).

Receiver modules:

Up to 4 receiver modules with 16 channels can optionally be installed (item 13106971). They can be used with handheld mic (item 13106973) or bodypack (item 13106974) with headset (item 13106975) or with lavalier mic (item 13106976).

Mixing section for all inputs with additional 2-band EQ for master signal.

3 analog inputs with switchable line channel (mono/stereo)

Unique selection for line-in signals (wired/wireless) to link them in mono or stereo output.



Battery module


Battery for wireless power optionally available

Power bank function with integrated 5V 2A fast charger.

Heavy duty wheels

Switchable voice priority (talkover) function for ideal teaching or moderation use

LONG DISTANCE
MONO SETUP





No. 13106970
OMNITRONIC MOM-10BT4 Modular Wireless Mobile PA System
 Mobile PA system with battery operation and different equipment options



NEW
 No. 13106977
OMNITRONIC MOM-10BT4 Speaker Bag
 Protection cover for transport, with accessory compartments



NEW
 No. 13106971
OMNITRONIC MOM-10BT4 Receiver Module
 Receiving module for UHF frequencies (microphone + audio-link signal)



NEW
 No. 13106972
OMNITRONIC MOM-10BT4 Audio Link Module
 Modul to transmit the audio signal to other receiving speakers



NEW USB SD^{HC}
 No. 13106978
OMNITRONIC MOM-10BT4 CD Player with USB & SD
 Player module runs CDs, MP3s with USB and SD slots + remote control



NEW
 No. 13106975
OMNITRONIC MOM-10BT4 Headset Microphone



NEW
 No. 13106976
OMNITRONIC MOM-10BT4 Lavalier Microphone



NEW
 No. 13106973
OMNITRONIC MOM-10BT4 Wireless Microphone
 Dynamic mic with 16 transfer frequencies (823-832 & 863-865 MHz)



NEW
 No. 13106974
OMNITRONIC MOM-10BT4 Bodypack Transmitter
 Bodypack transmitter with 16 transfer frequencies (823-832 & 863-865 MHz)



via Bluetooth or cable connection



No. 13106991

OMNITRONIC WAMS-08BT Wireless PA System

Portable 8"-PA system with UHF receiver unit, audio player, Bluetooth and 60 watts power



No. 13106992

OMNITRONIC WAMS-08BT Bodypack Transmitter 863.975MHz

Pocket transmitter with headset microphone for WAMS-08BT



via Bluetooth or cable connection



No. 13106955

OMNITRONIC MES-12BT2 Wireless PA System

Portable PA system with 2 UHF receiver units, audio player and Bluetooth



No. 13106956green 830MHz
No. 13106957blue 864MHz

OMNITRONIC Wireless Microphone MES-12BT2



via Bluetooth or cable connection



No. 11038896

OMNITRONIC COMBO-150BT Active PA System

Portable 150 W PA system with 2 UHF receiver units, audio player and Bluetooth

NEW ACS-410BTS

Mobile column PA system with stereo Bluetooth link, 410 watts

The **ACS-410BTS** is an active column PA system. For mobile applications it features a high-power subwoofer with a 2-channel class D amplifier module and a full-range column speaker. The system offers mono inputs (XLR and 6.3 mm jack) for microphones and line sources, one stereo input (RCA and 6.3 mm jack), as well as one AUX input for portable audio players. You can stream music wirelessly from your mobile devices via Bluetooth.

The amplifier supplies a power of 310 W and 100 W and is protected with a limiter against overload. The column speaker mounts on top of the subwoofer with the included telescope bar. The integrated stereo Bluetooth link allows for wireless stereo operation with 2 systems linked together.



2 mono inputs mic/line with 2-band EQ and adjustable reverb

2 mono inputs mic/line with 2-band EQ and adjustable reverb



Additional stereo RCA and 6.3 mm jack input




Stereo Bluetooth link for wireless stereo operation with 2 systems linked together



Stereo RCA monitor output

Stereo mini jack input

BACKPANEL



Subwoofer with M20 threaded flange and locking features for secure transport of column speaker and distance tube



NEW ACTIVE BLUETOOTH

No. 11038866

OMNITRONIC ACS-410BTS Active Column Speaker System

Mobile column PA system with stereo Bluetooth link, 410 watts



NEW MAXX-1200DSP

High-power active PA system with DSP

The MAXX-1200DSP is your compact active PA system with a high power of 1200 watts RMS. You are a mobile DJ, a solo entertainer or are you playing in a small band? Then this mobile PA with its astonishing sound and good level stability is your perfect match.

Power is supplied via a subwoofer with 45 cm bass speaker and two satellite speakers each with a 25 cm bass-midrange speaker and a 3.5 cm driver. The amplifier is protected against overload and overcurrent. You can find a passive 2-way crossover with a PTC tweeter protection within the satellites.

You have 5 EQ presets, RCA and combined XLR and 6.3 mm inputs with XLR parallel output (to connect further systems) at your disposal. Whether you want to work with mixers, notebooks, smartphones or CD players – the Maxx gets along with all these sources.




Separate volume control for subwoofer and satellites
Adjustable crossover frequency 80-200 Hz

Balanced signal input
XLR/6.3 mm jack L/R, with level switch



Additional stereo
RCA input



Parallel XLR line output L/R

5 EQ presets with indicators,
DSP-controlled



NEW ACTIVE DSP CLASS D

No. 11038831

OMNITRONIC MAXX-1200DSP 2.1 Active System

High-power active PA system with DSP, 1200 watts (18" sub, 10" tops)



ACTIVE DSP CLASS D

No. 11038826

OMNITRONIC MAXX-1000DSP MK2 2.1 Active System

High-power active PA (15" sub, 8" tops) with DSP, 1000 watts

Welcome MIC!

Is it possible, to produce microphones at a fair price, which feature a first class workmanship, a high reliability and a premium sound? Omnitronic's MIC responds clearly: Yes, it is possible! Under the name **MIC**, vocal microphones, speech microphones and microphones for musical instruments are united – surely the best quality Omnitronic has ever supplied. Most of the articles come with ample and very helpful accessory.



No. 13030900
OMNITRONIC MIC 77-7LMH Drum Microphone Set
 Complete 7-part microphone set for drum kits



No. 13030902
OMNITRONIC MIC 77L Bass Drum Microphone
 Dynamic microphone for bass instruments like kick drums



No. 13030903
OMNITRONIC MIC 77M Rack Drum Microphone
 Dynamic microphone for toms and snare drums



No. 13030904
OMNITRONIC MIC 77H Overhead Drum Mic
 Condenser microphone for overhead and instrument recording



No. 13030905
OMNITRONIC MIC 77LM Holder
 Rim clamp



No. 13030907
OMNITRONIC MIC CM-4 Condenser Microphone
 Professional condenser microphone with cardioid pattern



No. 13030908
OMNITRONIC MIC CM-53 Condenser Microphone
 Professional condenser microphone with interchangeable characteristic



No. 13030922
OMNITRONIC MIC CM-78 Large Diaphragm Condenser Mic
 Large diaphragm condenser microphone for professional studio applications



No. 13030918
OMNITRONIC MIC CM-77 Condenser Microphone
 Condenser microphone for professional studio and live applications



No. 13030909
OMNITRONIC MIC 78PRO-C Condenser Microphone
 Professional vocal condenser microphone with cardioid characteristic



No. 13030906
OMNITRONIC MIC RM-8 Ribbon Microphone 'Lolly'
 Ribbon microphone for excellent sound



No. 13030913.....with Switch
 No. 13030914
OMNITRONIC MIC 85 Dynamic Microphone
 Dynamic vocal microphone for studio and stage



No. 13030912
OMNITRONIC MIC 85PRO Dynamic Microphone
 Professional dynamic vocal microphone for studio and stage



No. 13030911
OMNITRONIC MIC 75PRO Dynamic Instrument Microphone
 Professional dynamic instrument microphone for studio and stage



No. 13030917
OMNITRONIC MIC VS-1 Microphone Set
 Complete microphone set for studio and stage



No. 13030916
OMNITRONIC MIC SHD-1 Gooseneck Microphone
 Dynamic gooseneck microphone



No. 13030915
OMNITRONIC MIC SHC-1 Gooseneck Microphone
 Electret gooseneck microphone



No. 13030926
OMNITRONIC MIC SHC-2 Gooseneck Microphone
 Electret gooseneck microphone



USB
 No. 13030923
OMNITRONIC MIC MM-2USB USB Condenser Measurement Mic
 Precise USB measuring microphone with flat frequency response



No. 13030919
OMNITRONIC MIC MM-1C Condenser Measurement Mic
 Precise measuring microphone with flat frequency response



USB

No. 13000419

OMNITRONIC M-22 USB Dynamic Microphone

Dynamic USB microphone with stand



USB

No. 13000417

OMNITRONIC M-100 USB Dynamic Microphone

Dynamic USB microphone



No. 13000420

OMNITRONIC M-22 Dynamic Microphone

Unidirectional microphone with 3 m jack cable



No. 13000450

OMNITRONIC Partymic-1 Dynamic Microphone

Simple dynamic microphone including XLR/jack cable



No. 13000445

OMNITRONIC M-60 Dynamic Microphone

Dynamic microphone for studio and live applications



No. 80800270

OMNITRONIC GM-200 Gooseneck Microphone

Gooseneck condenser microphone with high pass filter



No. 13995010

OMNITRONIC CMK-10 Microphone Kit

Compact microphone set



No. 13030925

OMNITRONIC CMK-20 Microphone Set



No. 13030700

OMNITRONIC IC-1000 PRO Instrument Mic

Professional condenser microphone for wind instruments



No. 13030705

OMNITRONIC IC-1100 PRO Instrument Mic

Professional condenser microphone for wind instruments, with spring clamp



No. 13030570

OMNITRONIC DPM-1000 PRO Instrument Mic

Condenser microphone for drums and percussion



No. 13073012.....179MHz
 No. 13073014.....214MHz

OMNITRONIC VHF-250 Wireless Mic Set

Complete VHF diversity wireless microphone system



No. 13073013.....179MHz
 No. 13073015.....214MHz


OMNITRONIC VHF-250 Handheld Microphone



No. 13075006.....VHF179.000
 No. 13075008.....VHF214.000
 No. 13075013.....VHF174.100

OMNITRONIC TM-250 Transmitter

VHF pocket transmitter set for TM-250



No. 13073009

OMNITRONIC VHF-450 Wireless Mic System

Complete 2-channel wireless microphone system



No. 13073006.....211.7MHz
 No. 13073007.....174.1MHz

OMNITRONIC VHF-450 Handheld Microphone



No. 13072003

OMNITRONIC WM-224 2-Channel Wireless Microphone System 2.4GHz

Digital 2-channel wireless microphone system, 2.4 GHz



LICENSE FREE

No. 14013240

OMNITRONIC IEM-1000 In-Ear Monitoring Set

Multifrequency in-ear monitoring set, 823-832 MHz



No. 14013241

OMNITRONIC STR-1000 Bodypack Receiver for IEM-1000

Optional pocket receiver for IEM-1000, 823-832 MHz



UHF-100

MICROPHONES

Talk to me!

Good, affordable and reliable: these are no opposites, but the attributes of our new microphone series, the **UHF-100**. Altogether, there are eight frequencies to choose from. For a better overview, all microphones are marked with a color – and every color stands for a specific frequency. There are three different models of receivers: a one channel version, a two channel and a four channel receiver. Using the two channel

or four channel versions, you can also give out a signal mixed of several microphones directly, besides the usual single output. For all receiver types, there are matching rack installation brackets. Using them, you can build one or two receivers into a rack with only one unit in height. Pocket transmitters, lavalier and headset microphones for each frequency are available.

- Very easy to use
- License free and future-proof in large parts of the EU
- Bodypack optionally available
- XLR and jack output
- Rack angles available for one or two systems



NEW LICENSE FREE

OMNITRONIC UHF-101 Wireless Mic System

Wireless microphone system with UHF PLL technology

No. 13063260.....	863.1MHz
No. 13063261.....	864.8MHz
No. 13063262.....	864.1MHz
No. 13063263.....	863.8MHz
No. 13063264.....	823.5MHz
No. 13063265.....	828.1MHz
No. 13063266.....	825.3MHz
No. 13063267.....	830.3MHz



NEW LICENSE FREE

OMNITRONIC UHF-102 Wireless Mic System

2-channel UHF PLL microphone system

No. 13063268.....	823.5/863.1MHz
No. 13063269.....	828.1/864.8MHz
No. 13063270.....	825.3/864.1MHz
No. 13063271.....	830.3/863.8MHz



NEW LICENSE FREE 19"

OMNITRONIC UHF-104 Wireless Mic System

Complete 4-channel UHF PLL microphone system

No. 13063272.....	823.5/825.3/863.1/864.1MHz
No. 13063273.....	828.1/830.3/864.8/863.8MHz



NEW

OMNITRONIC UHF-100 Handheld Microphone

Hand-held microphone for UHF-100 receivers

- No. 13063274..... 823.5MHz (pink)
- No. 13063275..... 863.1MHz (purple)
- No. 13063276..... 828.1MHz (red)
- No. 13063277..... 864.8MHz (orange)
- No. 13063280..... 830.3MHz (green)
- No. 13063281..... 863.8MHz (blue)
- No. 13063278..... 825.3MHz (yellow)
- No. 13063279..... 864.1MHz (grey)



NEW

OMNITRONIC UHF-100BP Bodypack

Pocket transmitter with lavalier microphone

- No. 13063282..... 823.5MHz (pink)
- No. 13063283..... 863.1MHz (purple)
- No. 13063284..... 828.1MHz (red)
- No. 13063285..... 864.8MHz (orange)
- No. 13063286..... 825.3MHz (yellow)
- No. 13063287..... 864.1MHz (grey)
- No. 13063288..... 830.3MHz (green)
- No. 13063289..... 863.8MHz (blue)



NEW

No. 13063290

OMNITRONIC UHF-100 HS Headset Microphone

Lightweight skin-coloured headset microphone (condenser)




NEW

No. 13063292

OMNITRONIC UHF-100 LS Lavalier Microphone

Black, inconspicuous tie-clip microphone



NEW

- No. 13063291.....skin-coloured
- No. 13063293.....black

OMNITRONIC UHF-100 Windshield, 10x

Microphone windscreen



NEW

No. 13063294

OMNITRONIC UHF-100 RM-1 Rackmount Kit for 1x UHF-101/UHF-102



NEW

No. 13063296


OMNITRONIC UHF-100 RM-3 Rackmount Kit for 1x UHF-104



NEW

No. 13063295

OMNITRONIC UHF-100 RM-2 Rackmount Kit for 2x UHF-101/UHF-102



19"

LICENSE FREE

No. 13053520.....823-832MHz
 No. 13053530.....863-865 MHz


OMNITRONIC UHF-502 2-Channel Wireless Mic System
 2-channel UHF PLL microphone system



No. 13053518.....823-832MHz (CH A green)
 No. 13053519.....823-832MHz (CH B orange)
 No. 13053533.....863-865MHz (CH A red)
 No. 13053534.....863-865MHz (CH B blue)

OMNITRONIC UHF-502 Handheld Microphone

Replacement microphone for channel A of microphone system UHF-502



No. 13053521.....823-832MHz (CH A green)
 No. 13053523.....823-832MHz (CH B orange)
 No. 13053531.....863-865MHz (CH A red)
 No. 13053532.....863-865MHz (CH B blue)


OMNITRONIC UHF-502 Bodypack incl. lavalier
 Pocket transmitter with lavalier microphone



No. 13053522

OMNITRONIC UHF-502 Headset for Bodypack

Headset for UHF-502 Bodypack



No. 13055091

OMNITRONIC HM-1000 MK2 + DR-1000 MK2 Set
 Hand-held microphone and multifrequency wireless receiver



No. 13056035

OMNITRONIC HS-1100 XLR Headset Microphone

Lightweight skin-coloured headset microphone (condenser)



No. 13056030

OMNITRONIC HS-1000 XLR Headset Microphone
 Lightweight headset microphone (electret)



No. 13056041

OMNITRONIC SHS-1 Sports Headset Microphone

Headset condenser microphone for sports use



No. 13056020

OMNITRONIC LS-1000 XLR Lavalier Mic

Inconspicuous tie-clip microphone



No. 13063012.....black
 No. 13063013.....skin color

OMNITRONIC Microphone Cable Clip 5x



No. 11038882

OMNITRONIC BHD-02 Waistband Amplifier

Extremely compact 5 W waistband amplifier



19" 1U
 No. 13063002
OMNITRONIC Mounting Frame for Receiver DR-1000
 Rack mounting frame



No. 13063035
OMNITRONIC Antenna Cable BNC Set Rack-Mount
 BNC mounting set for receiver DR-1000



No. 13063010
OMNITRONIC Belt for Pocket Receivers/Transmitters
 Belt for pocket receivers/transmitters



No. 13063011
OMNITRONIC Armbelt for Pocket Receivers/Transmitters
 Arm belt for pocket receivers/transmitters



No. 13063038.....5 m
 No. 13063040.....10 m
OMNITRONIC Antenna Cable BNC Set
 BNC antenna cable



No. 13063044.....5 m
 No. 13063046.....10 m
OMNITRONIC Antenna Cable TNC Set
 TNC antenna cable



19" 1U
 No. 13063048
OMNITRONIC BNC-Set Rack Mount
 BNC mounting set



19" 1U
 No. 13063050
OMNITRONIC TNC-Set Rack Mount
 TNC mounting set



19" 1U
 No. 13063032
OMNITRONIC AD-500 Antenna Distributor Set
 Antenna distributor



No. 13063036
OMNITRONIC Antenna Cable BNC Set 3 m
 BNC antenna cable



 **Relacart**[®]
— Real Sound Always


For more than 20 years, Relacart has provided professional, reliable wireless technology for events and gatherings of all kinds. From the start, the Chinese manufacturer focused on microphones, conference systems and mixing consoles. Meanwhile, digital components and further additions have complemented the range.

For the production of systems, German SMT technology is used. Production meets the standards of CE, FCC, UL and ISO9001-2008. In the development and for quality control, a fully equipped sound laboratory is employed. Relacart is a pioneer in its home country and can easily keep up with European standards.

The results are products that are easy to use, durable enough for everyday wear “on tour”, yet affordable. The functionality and quality of the systems set the standard in this price range.



MANAGE YOUR FREQUENCIES



Relacart® HR-31S
TRUE DIVERSITY SYSTEM WITH
REAL-TIME MONITORING AND
DATA MANAGEMENT

- RWV is an intelligent and powerful software for remotely monitoring and controlling the HR-31 wireless microphone system in real-time.
- The software provides a convenient graphical user interface to display the RF spectrum and to set up free and compatible frequencies for multi-channel systems.
- The software can monitor the transmitter's battery status, AF/RF level and Antenna A/B strength.
- Multiple receivers can be linked and connected to a computer with the U485 USB interface.
- Remotely control up to 12 wireless receivers simultaneously (number is limited due to the frequency range used) from up to 300 meters away.

HR-31S

Wireless microphone system with PC control



The **HR-31S** is a premium true diversity system in the UHF spectrum that can fully exploit its strengths, in particular in connection with the RWV software. The transmission takes place either in the professional switchable band 731-790 MHz or in the license-free range 823-832 MHz. The other features also convince: quick setup via infrared and an exceptionally long service life of the transmitter from up to 15 hours on just one set of batteries.

PC connect LICENSE FREE

No. 13055200.....Receiver
No. 13055201.....Microphone
No. 13055202.....System

RELACART HR-31S 1-Channel True Diversity System

Wireless microphone system with PC control, 731-790 + 863-865 MHz

No. 13055203

RELACART T-31 Bodypack for HR-31S with Headset

Pocket transmitter with PLL multifrequency transmitter, 731-790 + 823-832 MHz



CREATE YOUR MIC SOUND

MagicEQ®
Software


Relacart® UR-260D
UHF SYSTEM WITH DSP MODELING



MagicEQ software

MagicEQ enables amazing microphone modeling of the hand-held microphones. Users can create their own sound and choose from 7 presets based on world-known microphone models (e835®, beta58®, e935®, D5®, SM57®, N/D767a®, SM58®)* and 2 user-definable presets.

*All product names are registered trademarks of the respective manufacturers, who are not connected to Relacart or Steinigke Showtechnic on any way. These trademarks are only mentioned to reference products of which sound and performance have been analyzed and imitated by Relacart. Sennheiser, e835 and e935 are registered trademarks of Sennheiser Electronic GmbH & Co. KG. Shure, SM57, SM58 and Beta 58 are registered trademarks of Shure Incorporated. AKG and D5 are registered trademarks of AKG Acoustic GmbH. N/D767a and Electro-Voice are registered trademarks of Bosch Communication Systems.



- 1 "System" menu
- 2 Connection status
- 3 Feedback killer on/off
- 4 Presets Favorite 1 and 2, freely adjustable
- 5 IP address receiver
- 6 Preset Relacart, freely adjustable
- 7 Presets Capsule 1-7, fixed
- 8 Set filter frequency
- 9 Set gain
- 10 Equalization on/off
- 11 Bypass/activate adjustments
- 12 Reset adjustments
- 13 Set filter quality factor
- 14 Select filter type
- 15 Frequency curve
- 16 Level control receiver unit 1/2



MagicEQ[®]



UR-260D

System with DSP for microphone modeling and PC software

The **UR-260D** is a dual-channel true diversity UHF system with a host of innovative features. In addition to automatic frequency scanning for interference-free transmission, one also finds an intelligent feedback suppression system. With MagicEQ, various sound characteristics of world-known microphone capsules can be emulated or created by yourself. The presets can be changed from a computer via software - even during live operation.

PCconnect DSP RJ45 LICENSE FREE

No. 13055208.....UH-222C Mikrofon
 No. 13055210.....Empfänger
 No. 13055212.....System

RELACART UR-260D 2-Channel UHF System

system with DSP for microphone modeling and PC software, 823-832 + 863-865 MHz



No. 13055211

RELACART UT-222 Bodypack with HM-800S Headset

Pocket transmitter with PLL multifrequency transmitter, 823-832 + 863-865 MHz



No. 13055218

RELACART HM-800S Headset

Lightweight skin-coloured headset microphone, 823-832 + 863-865 MHz



No. 13055193

RELACART R-M2 Rack Mount Kit

Rack mounting set for 2 receiver units



LICENSE FREE

No. 13055215.....Receiver
 No. 13055216.....Transmitter
 No. 13055217.....System

RELACART PM-160 Diversity In-Ear-Monitor System

In-ear stereo system with diversity technology, 823-832 MHz, 863-865 MHz



No. 13055197

RELACART R-M1 Rack Mount Kit

Rack mounting set for 1 receiver unit



The **WAM-400** is a wireless, DSP-based conference system that subtly and automatically carries out a number of functions in the background. Thus, it is also suitable for environments without present technical personnel such as video conferencing, large meetings or public sessions. Voice signals are detected intelligently, feedback and background noise thus successfully prevented. The WAM-400 is very flexible thanks to numerous accessories.

19" DSP LICENSE FREE 1U



No. 13055220.....Automatic Mixer
 No. 13055221.....UHF-Boundary Microphone
 No. 13055223.....Set

RELACART Set 1x WAM-400 and 4x UB-200 System

Digital conference system, 4-channel mixer & 4 UHF mics, 823-832 + 863-865 MHz

19" DSP LICENSE FREE 1U



No. 13055222.....UHF-Gooseneck Microphone
 No. 13055224.....Set

RELACART Set 1x WAM-400 and 4x UD-200 System


Digital conference system, 4-channel mixer and 4 UHF mics, 823-832 + 863-865 MHz



No. 13055219

RELACART UH-200 UHF Handheld Microphone for WAM-400

Microphone with PLL multifrequency transmitter for WAM-400, 823-832 + 863-865 MHz



No. 13055225

RELACART UT-200 Bodypack with HM-800S Headset

Pocket transmitter with PLL multifrequency transmitter, 823-832 + 863-865 MHz



LICENSE FREE

No. 13055205.....Receiver
 No. 13055206.....UH-222D Mikrofon
 No. 13055207.....System

RELACART UR-222S 1-Channel UHF System

True diversity wireless microphone system, 823-832 MHz + 863-865 MHz




LICENSE FREE

No. 13055189.....Receiver
 No. 13055192.....System

RELACART UR-222D 2-Channel UHF System

True diversity wireless microphone system with two channels, 823-832 MHz + 863-865 MHz



19" 1U

No. 13055194.....R-14D Antenna Distribution System
 No. 13055195.....R-22AU Wide-band directional active Antenna 2x

RELACART Antenna Distribution System

Antenna distributor (470 - 900 MHz)



No. 13055196

RELACART R-12S Antenna Divider/Hub

Passive antenna divider, 2-way (470 - 900 MHz)



No. 13055191

RELACART LM-C420 Lavalier unidirectional

Inconspicuous electret lavalier microphone



USB

No. 13055199

RELACART U485 USB-Interface

USB/RS-485 converter



"Connect 'n' Play" App is available for free in the

Available on the **App Store**

ANDROID APP ON **Google play**

Windows iOS **DLNA Compatible** **WiFi SYNC** Android External Storage AirPlay **HI-RES AUDIO**
24-bit/192kHz

Wireless multi-room streaming adapter Music for the entire apartment

With the multiroom streaming adaptor made by Omnitronic, you can enjoy your music in every room. After the **CNP-1** has been connected to your audio system, you can stream music from your mobile phone, tablet or PC via Wi-Fi and play it on your system. Additionally, other speakers in other rooms can be equipped with such an adaptor and play your music synchronously.

The **CNP app** makes it possible to easily select the speakers for playing. Furthermore it can be used as remote control for your own music library and stream music from online radio stations in the best HiFi quality. The app can be downloaded from iTunes and Google Play for free.



USB RJ45 2.4G

No. 13072201

OMNITRONIC CNP-1 WLAN Multi-Room Streaming System

Wireless multi-room streaming adapter



BLUETOOTH

No. 13072200

OMNITRONIC WR-1BT Bluetooth Receiver NFC

Bluetooth transmission in CD quality via aptX codec

Omnitronic WR-1BT - High Fidelity in the air!

Our **WR-1BT** brings along a new answer: streaming music files in first-class CD quality is possible via Bluetooth. It's the audio codec aptX which enables, despite the limited bandwidth of Bluetooth transfers, the streaming of considerably more data than ever before via Bluetooth – even flac files. Support for the old standard with A2DP protocol and SBC codec is, however, guaranteed. Besides the current analog output (3.5 jack) the receiver offers an optical digital output. Via NFC (Near Field Communication) the communication between receiver and source is moreover alleviated.



USB PCconnect 2.4G

No. 13072210..... WS-1T Transmitter
No. 13072211..... WS-1R Receiver

OMNITRONIC WS-1 2.4GHz

Digital audio transmission system 2.4 GHz, with USB



2.4G

No. 13072212

OMNITRONIC WS-1RA 2.4GHz Receiver, active

Digital audio transmission system 2.4 GHz, 2 x 20 watts/4 ohms



No. 13072230

OMNITRONIC WMT-1M UHF Transmitter, mono

Wireless mono audio transmission system, 823-832 MHz



No. 13072231

OMNITRONIC WMR-1M UHF-Receiver, mono

Wireless mono audio transmission system, 823-832 MHz

Das Magazin für Musik und Computer

Wir bieten Tests, Reportagen und Workshops zur elektronischen Klangwelt.

Jetzt günstiges Schülerabo online bestellen!

DVD
auf jedem
Heft!



Jetzt bestellen auf www.ppvmedien.de

Telefon +49 8131 565568 | bestellung@ppvmedien.de



19" 2U

OMNITRONIC MP PA Mixing Amplifier

PA mono mixing amplifier

- No. 80709610.....MP-60, 60 watts
- No. 80709620.....MP-120, 120 watts
- No. 80709630.....MP-180, 180 watts
- No. 80709640.....MP-250, 250 watts



19" MP3 USB SD^{HC} 2U

OMNITRONIC MP-60P PA Mixing Amplifier

PA mono mixing amplifier with MP3 player and IR remote control, 60 watts

- No. 80709611.....MP-60P, 60 watts
- No. 80709621.....MP-120P, 120 watts
- No. 80709631.....MP-180P, 180 watts
- No. 80709641.....MP-250P, 250 watts
- No. 80709645.....MP-350P, 350 watts
- No. 80709650.....MP-500P, 500 watts
- No. 80709655.....MP-650P, 650 watts



19" 2U

OMNITRONIC MPZ PA Mixing Amplifier

6-zone PA mono mixing amplifier, 180 watts, zones switchable

- No. 80709721.....MPZ-180.6, 180 watts
- No. 80709731.....MPZ-250.6, 250 watts
- No. 80709741.....MPZ-350.6, 350 watts
- No. 80709751.....MPZ-500.6, 500 watts



19" MP3 USB SD^{HC} 2U

OMNITRONIC MPZ-P PA Mixing Amplifier

6-zone PA mono mixing amplifier, MP3 player & IR remote, zones switchable, 120 watts

- No. 80709719.....MPZ-120.6P, 120 watts
- No. 80709722.....MPZ-180.6P, 180 watts
- No. 80709732.....MPZ-250.6P, 250 watts
- No. 80709742.....MPZ-350.6P, 350 watts
- No. 80709752.....MPZ-500.6P, 500 watts
- No. 80709755.....MPZ-650.6P, 650 watts



19" 2U

OMNITRONIC MPVZ PA Mixing Amplifier

6-zone PA mono mixing amplifier, 180 watts, adjustable zones

- No. 80709781.....MPVZ-180.6, 180 watts
- No. 80709786.....MPVZ-250.6, 250 watts
- No. 80709791.....MPVZ-350.6, 350 watts



MP3 USB SD^{HC} 19" 2U REMOTE CONTROL

OMNITRONIC MPVZ-P PA Mixing Amp

6-zone PA mono mixing amp, MP3 player & IR remote, zones switchable, 180 watts

- No. 80709783.....MPVZ-120.6P, 120 watts
- No. 80709782.....MPVZ-180.6P, 180 watts
- No. 80709787.....MPVZ-250.6P, 250 watts
- No. 80709792.....MPVZ-350.6P, 350 watts



Bluetooth
Stream music wirelessly from your mobile devices (e.g. smartphone, tablet)

CP-Serie

ELA mono mixing amplifiers with a compact design for applications where only little space is available, this is how the **Omnitronic CP** series is described best. The amps are available with 30, 60 and 120 watts. They are equipped with an audio player with USB-port and SD-slot and also a Bluetooth receiver as well as a FM-tuner with auto scan.

You can choose between mains and 24 V operation and between speaker connections for 70 V, 100 V and also low-resistance speakers. In combination with the remote control you can call the **CP mixing amps** little multi talents.



NEW MP3 USB SD^HC BLUETOOTH REMOTE CONTROL

No. 80709601
OMNITRONIC CP-30P PA Mixing Amplifier

PA mono mixing amplifier with audio player and Bluetooth, 30 watts



NEW MP3 USB SD^HC BLUETOOTH REMOTE CONTROL

No. 80709602
OMNITRONIC CP-60P PA Mixing Amplifier

PA mono mixing amplifier with audio player and Bluetooth, 60 watts



NEW MP3 USB SD^HC BLUETOOTH REMOTE CONTROL

No. 80709603
OMNITRONIC CP-120P PA Mixing Amplifier

PA mono mixing amplifier with audio player and Bluetooth, 120 watts



19"

OMNITRONIC PAP PA Amplifier

PA power amplifier

- No. 80709804.....PAP-60, 60 watts
- No. 80709806.....PAP-120, 120 watts
- No. 80709808.....PAP-240, 240 watts
- No. 80709810.....PAP-350, 350 watts
- No. 80709820.....PAP-650, 650 watts
- No. 80709830.....PAP-1000, 1000 watts



ODP Series

You want reliable and balanced sound for your bar, restaurant, shop or the conference area of your hotel? You need indoor and outdoor speakers? With the **ODP series** you get powerful installation speakers that meets all your requirements.

A rotatable mounting bracket is included in the delivery. A swivel wall mount with matching colors is optionally available. With their weather-proofed (IP54) plastic cabinet the **ODP speakers** are well prepared for outdoor use, indoor use is of course also possible.

The speakers have a brilliant sound pattern and are available in a low-ohm (16 ohms) and in a 100 V version. These two cover both small and large installations.



NEW IP54 MOUNTING INCL.

No. 11036950.....black
No. 11036951.....white

**OMNITRONIC ODP-204 Installation Speaker
16 ohms 2x**

2 weatherproof 4" wall speakers with mount and 40 W RMS



NEW 100V IP54 MOUNTING INCL.

No. 11036952.....black
No. 11036953.....white

**OMNITRONIC ODP-204T Installation Speaker
100V 2x**

2 weatherproof 4" wall speakers with mount, 10/20/40 W RMS



NEW IP54 MOUNTING INCL.

No. 11036954.....black
No. 11036955.....white

**OMNITRONIC ODP-206 Installation Speaker
16 ohms 2x**

2 weatherproof 6" wall speakers with mount and 80 W RMS



NEW 100V IP54 MOUNTING INCL.

No. 11036956.....black
No. 11036957.....white

**OMNITRONIC ODP-206T Installation Speaker
100V 2x**

2 weatherproof 6" wall speakers with mount, 20/40/80 W RMS



NEW IP54 MOUNTING INCL.

No. 11036958.....black
No. 11036959.....white

**OMNITRONIC ODP-208 Installation Speaker
16 ohms**

Weatherproof 8" wall speaker with mount and 150 W RMS



NEW 100V IP54 MOUNTING INCL.

No. 11036960.....black
No. 11036961.....white

**OMNITRONIC ODP-208T Installation Speaker
100V**

Weatherproof 8" wall speaker with mount, 37.5/75/150 W RMS



No. 11036990.....black
No. 11036991.....white

OMNITRONIC Wall Bracket ODP-204/206 2x



SOUNDCHECK

Das Bandmagazin

Das Magazin für alle Musiker




**Infos, Hintergründe
und Wissen für die
ganze Band in nur
einem Magazin!**

**Vergünstigte Schülerabos
jetzt online bestellen!**

Jetzt bestellen auf www.ppvmedien.de

Telefon +49 8131 565568 | bestellung@ppvmedien.de



Projector Speaker

Bring sound unobtrusively to a garden, a theme park, a pool area or a golf course. With these projector speakers you can handle both small and large projects. The latter can be realized with a transformer that brings the signal up to 100 volts. This small series consists of 2.5" speakers (black and white) and a subwoofer. For attaching the speakers you can choose between a ground stake and a wall mount which you can

also attach to trees or signs. You can dig the subwoofer in the ground, so that the mushroom-like umbrella stands out. Not only do the garden speakers perfectly blend with the environment. They also sound clean and provide a pleasant listening experience. The interplay of subwoofer and speakers results in an astonishing acoustic pattern.



NEW IP65 8 ohm

No. 80710375

OMNITRONIC PS-2.5GS Projector Speaker, black, 2x

2 weather-proof 2.5" garden speakers with ground stake, 70 W RMS/ 8 ohms



NEW IP65 8 ohm

No. 80710376.....white
No. 80710377.....black

OMNITRONIC PS-2.5WB Projector Speaker, 2x

2 weatherproof speakers, with mount, 70 W RMS / 8 ohms



NEW IP54 8 ohm

No. 80710155

OMNITRONIC GSUB-8 In-Ground Subwoofer

Weatherproof 8" subwoofer with 180 W RMS / 8 ohms

IP44 100V 8 ohm

No. 80710848.....GSG 20 W
No. 80710849.....GSG-30 30 W

OMNITRONIC GSG Garden Speaker

2-way coaxial speaker system, 100 V 10/20 W RMS





100V IP44

No. 80710362

OMNITRONIC PS-05 Projector Speaker

Bidirectional speaker with mount, 100 V 5/10W RMS



100V IP44

No. 80710366

OMNITRONIC PS-15 Projector Speaker

Weatherproof 5" speaker with mount, 100 V 5/10 W RMS



100V IP44

No. 80710368

OMNITRONIC PS-20 Projector Speaker

Weatherproof 6.5" speaker with mount, 100 V 10/20 W RMS



100V IP44 8 ohm

No. 80710374

OMNITRONIC PS-30S Projector Speaker

Weatherproof 5" speaker with mount, 100 V 3.8/7.5/30 W RMS



100V IP44

No. 80710370

OMNITRONIC PS-25 Projector Speaker

Bidirectional speaker (2 x 5") with mount, 100 V 5/10 W RMS



100V IP44

No. 80710372

OMNITRONIC PS-30 Projector Speaker

Bidirectional speaker (2 x 6.5") with mount, 100 V 10/20 W RMS



8 ohm IP44

No. 80710951

OMNITRONIC NOH-15R PA Horn Speaker

Horn speaker with 15 W RMS, 8 ohms



8 ohm IP44

No. 80710955

OMNITRONIC NOH-35S PA Horn Speaker

Horn speaker with 35 W RMS, 8 ohms



8 ohm IP44

No. 80710953

OMNITRONIC NOH-40R PA Horn Speaker

Horn speaker with 40 W RMS, 8 ohms



8 ohm IP44

No. 80710956

OMNITRONIC NOH-40S PA Horn Speaker

Horn speaker with 40 W RMS, 8 ohms



8 ohm IP44

No. 80710954

OMNITRONIC NOH-25S PA Horn Speaker

Horn speaker with 25 W RMS, 8 ohms



8 ohm IP44

No. 80710958

OMNITRONIC NOH-30R PA Horn Speaker

Horn speaker, 30 watt RMS, 8 ohms



100V IP44

No. 80710811

OMNITRONIC HS-35 PA Horn Speaker

Weatherproof horn speaker, 100 V 7.5/15 W RMS



100V IP44

No. 80710821

OMNITRONIC HS-45 PA Horn Speaker

Weatherproof horn speaker, 100 V 15/30 W RMS



100V IP44

No. 80710824

OMNITRONIC HS-60 PA Horn Speaker

Weatherproof horn speaker with tweeter, 100 V 4.5/9/12.5/25/50 W RMS




100V IP44

No. 80710826

OMNITRONIC HSO-50 PA Horn Speaker

Weatherproof horn speaker, 100 V 25/50 W RMS



100V IP44

No. 80710828

OMNITRONIC HS-80 PA Horn Speaker

Weatherproof speaker, LF: 6.5" HF: 1" - 100 V 20/40/80 W RMS



100V IP44

No. 80710822

OMNITRONIC HS-50 PA Horn Speaker

Weatherproof 5" speaker 100 V 15/30 W RMS



100V IP44

No. 80710830..... HR-15 15 W
 No. 80710832..... HR-20 20 W
 No. 80710834..... HR-25 25 W

OMNITRONIC HR PA Horn Speaker

Weatherproof horn speaker, 100 V 10/20 W RMS



100V IP44

No. 80710872.....EH-310
 No. 80710874.....EH-400
 No. 80710877.....EH-560

OMNITRONIC EH-310 Horn

Swivel-mounted horn made of aluminum, without driver



100V IP44

No. 80710890

OMNITRONIC ED-60T Horn Driver

Weatherproof driver, 70/100 V or 16 ohms, 60 W RMS



100V IP44

No. 80710891

OMNITRONIC ED-100T Horn Driver

Weatherproof driver, 70/100 V or 16 ohms, 100 W RMS




4/8 ohm IP44

- No. 80710863.....WF-4, 20 W, 4"
- No. 80710864.....WF-5, 45 W, 5"
- No. 80710865.....WF-6, 45 W, 6"

OMNITRONIC WF Flush-Mount Speaker

Weatherproof 2-way speaker, LF: 4" HF: 1", 20 W RMS / 8 ohms Ø 164 mm




100V

- No. 80710202.....white
- No. 80710203.....gold
- No. 80710204.....silver

OMNITRONIC CS-2.5 Ceiling Speaker

Flush-mount 2.5" speaker, 100 V, 6 W RMS Ø 80 mm



100V

- No. 80710205.....black
- No. 80710206.....white
- No. 80710207.....gold
- No. 80710208.....silver

OMNITRONIC CS-4S Ceiling Speaker

2-way 4" flush-mount speaker, 100 V, 6 W RMS, Ø 110 mm



4/8 ohm

No. 80710209

OMNITRONIC CS-3 Ceiling Speaker, white, 2x

3" flush-mount speaker, 15 W RMS / 8 ohms, Ø 90 mm



100V

No. 80710250

OMNITRONIC CSP-6 Ceiling Speaker

6" flush-mount speaker, 100 V, 6 W RMS, Ø 164 mm



100V

- No. 80710210.....white
- No. 80710211.....black

OMNITRONIC CS-5 Ceiling Speaker

5"-flush-mount speaker, 100 V, 5 W RMS, Ø 165 mm



100V

No. 80710212

OMNITRONIC CST-5 2-Way Ceiling Speaker

5" flush-mount speaker, 100 V, 20 W RMS, Ø 170 mm



100V

- No. 80710220.....white
- No. 80710221.....black

OMNITRONIC CS-6 Ceiling Speaker

6.5" flush-mount speaker, 100 V, 5 W RMS, Ø 195 mm



100V

No. 80710222

OMNITRONIC CST-6 2-Way Ceiling Speaker

6" flush-mount speaker, 100 V, 30 W RMS, Ø 200 mm



100V

- No. 80710230.....white
- No. 80710231.....black

OMNITRONIC CS-8 Ceiling Speaker

8" flush-mount speaker, 100 V, 10 W RMS, Ø 235 mm



100V

No. 80710232

OMNITRONIC CST-8 2-Way Ceiling Speaker

8" flush-mount speaker, 100 V, 40 W RMS, Ø 240 mm



100V

No. 80710240

OMNITRONIC CSE-5 Ceiling Speaker

5" flush-mount speaker, 100 V, 6 W RMS Ø 145 mm



100V

No. 80710241

OMNITRONIC CSE-6 Ceiling Speaker

6" flush-mount speaker, 100 V, 6 W RMS Ø 170 mm



100V

No. 80710242

OMNITRONIC CSE-8 Ceiling Speaker

8" flush-mount speaker, 100 V, 10 W RMS Ø 200 mm



100V

8 ohm

No. 80710243

OMNITRONIC CSX-5 Ceiling Speaker white

2-way coaxial speaker (Ø 174 mm), LF: 4" HF: 1", 100 V, 10 W RMS



100V

8 ohm

No. 80710245

OMNITRONIC CSX-6 Ceiling Speaker white

2-way coaxial speaker (Ø 202 mm), LF: 5,5" HF: 1", 100 V, 20 W RMS



100V

8 ohm

No. 80710247

OMNITRONIC CSX-8 Ceiling Speaker white

2-way coaxial speaker (Ø 245 mm), LF: 7" HF: 1", 100 V, 30 W RMS



100V

No. 80710335

OMNITRONIC CSQ-4 Ceiling Speaker

2-way coaxial speaker (155 x 155 mm), LF: 4" HF: 0.5" 100 V, 20 W RMS



100V

No. 80710345

OMNITRONIC CSQ-5 Ceiling Speaker

2-way coaxial speaker (185 x 185 mm), LF: 5", HF: 0.5", 100 V, 30 W RMS



100V

No. 80710355

OMNITRONIC CSQ-6 Ceiling Speaker

2-way coaxial speaker (220 x 220 mm), LF: 6" HF: 0.5" 100 V, 40 W RMS



100V

No. 80710259

OMNITRONIC CSC-3 Ceiling Speaker

2-way coaxial speaker, LF: 3.5" HF: 0.75", 100 V, 6 W RMS Ø 125 mm



100V

No. 80710260

OMNITRONIC CSC-4 Ceiling Speaker

4" full-range speaker with firedome, 100 V, 6 W RMS, Ø 150 mm



100V

No. 80710280

OMNITRONIC CSC-6 Ceiling Speaker

6" full range speaker with firedome, 100 V, 6 W RMS, Ø 185 mm



8 ohm

No. 80710150

OMNITRONIC CSUB-8 Ceiling Subwoofer

8" flush-mount speaker, dual voice coil, 60 W RMS, 2 x 8 ohms, 220 x 220 mm



8 ohm

No. 80710152

OMNITRONIC CSUB-10 Ceiling Subwoofer

10" flush-mount speaker, dual voice coil, 90 W RMS, 2 x 8 ohms, 268 x 268 mm



8 ohm

No. 80710154

OMNITRONIC CSUB-12 Ceiling Subwoofer

12" flush-mount speaker, dual voice coil, 110 W RMS, 2 x 8 ohms, 328 x 328 mm



100V

No. 80710330

OMNITRONIC CSS-5 Ceiling Speaker

2-way flush-mount speaker, LF: 5" HF: 0.5" 100 V, 5 W RMS, 243 x 155 mm



100V

No. 80710340

OMNITRONIC CSS-6 Ceiling Speaker

2-way flush-mount speaker, LF: 6.5" HF: 0.5" 100 V, 5 W RMS, 270 x 185 mm



100V

No. 80710350

OMNITRONIC CSS-8 Ceiling Speaker

2-way flush-mount speaker, LF: 8" HF: 1" 100 V, 10 W RMS, 326 x 226 mm



100V IP44

No. 80710401
OMNITRONIC WP-1H Ceiling Speaker
 Weatherproof 8" speaker, 100 V, 20 W RMS



100V

No. 80710435
OMNITRONIC WP-2H Ceiling Speaker
 5" speaker, 100 V, 10 W RMS



100V

No. 80710402
OMNITRONIC WP-5H Ceiling Speaker
 5" speaker, 100 V, 10 W RMS



100V

No. 80710403
OMNITRONIC WP-10H Ceiling Speaker
 6" speaker, 100 V, 30 W RMS



100V

No. 80710420.....black
 No. 80710421.....white
 No. 80710422.....blue
 No. 80710423.....red
OMNITRONIC WPC-5 Ceiling Speaker
 2-way speaker, LF: 5.5" HF: 0.5", 100 V, 10 W RMS



100V

No. 80710428.....black
 No. 80710429.....white
 No. 80710430.....blue
 No. 80710431.....red
OMNITRONIC WPC-6 Ceiling Speaker
 2-way speaker, LF: 6.5" HF: 0.5", 100 V, 10 W RMS



100V

No. 80710442
OMNITRONIC DAL-2 Ceiling Speaker
 6.5" full-range speaker, 100 V, 10 W RMS



100V IP44

No. 80710404.....10 W
 No. 80710406.....15 W
 No. 80710408.....20 W
 No. 80710410.....25 W
OMNITRONIC WP Ceiling Speaker
 Ceiling speaker in white aluminum housing



100V

No. 80710502
OMNITRONIC WC-1 PA Wall Speaker
 6.5" full-range speaker, 100 V, 10 W RMS



100V

No. 80710503
OMNITRONIC WC-2 PA Wall Speaker
 5.5" full-range speaker, 100 V, 6 W RMS



100V

No. 80710504
OMNITRONIC WC-4 PA Wall Speaker
 5" full-range speaker, 100 V, 6 W RMS



100V

No. 80710505
OMNITRONIC WC-3 PA Wall Speaker
 6" full-range speaker, 100 V, 10 W RMS



100V MOUNTING INCL.

No. 80710506.....black
No. 80710507.....white

OMNITRONIC WP-3 PA Wall Speaker

2-way speaker with mount, 100 V, 15 W RMS



100V MOUNTING INCL.

No. 80710508.....black
No. 80710509.....white

OMNITRONIC WPS-3 PA Wall Speaker

2-way speaker with mount, 100 V, 2.5/5/10/15 W RMS



100V MOUNTING INCL.

No. 80710510.....black
No. 80710511.....white

OMNITRONIC WP-4 PA Wall Speaker

2-way speaker with mount, 100 V, 20 W RMS



100V MOUNTING INCL.

No. 80710512.....black
No. 80710513.....weiß

OMNITRONIC WPS-4 PA Wall Speaker

2-way speaker with mount, 100 V, 2.5/5/10/20 W RMS



100V MOUNTING INCL.

No. 80710520.....black
No. 80710521.....white

OMNITRONIC WP-5S PA Wall Speaker

2-way speaker with mount, 100 V, 30 W RMS



100V MOUNTING INCL.

No. 80710522.....black
No. 80710523.....white

OMNITRONIC WPS-5 PA Wall Speaker

2-way speaker with mount, 100 V, 3.75/7.5/15/30 W RMS



100V MOUNTING INCL.

No. 80710530.....black
No. 80710531.....white

OMNITRONIC WP-6 PA Wall Speaker

2-way speaker with mount, 100 V, 40 W RM



100V MOUNTING INCL.

No. 80710532.....black
No. 80710533.....white

OMNITRONIC WPS-6 PA Wall Speaker

2-way speaker with mount, 100 V, 5/10/20/40 W RMS



100V MOUNTING INCL.

No. 80710536.....black
No. 80710537.....weiß

OMNITRONIC WMS-5 PA Wall Speaker

2-Wege-Lautsprecher mit Halterung, LF: 5" HF:1" , 100 V, 5/10/20/40 W RMS



100V 4 ohm

No. 80710550

OMNITRONIC FPS-5 PA Wall Speaker

Flat 2-way speaker with mount, LF: 5" HF:1.25" ,100 V, 10 W RMS



100V

No. 80710465

OMNITRONIC PAS-210-100V PA Speaker System

2-way speaker system, LF: 10" HF 1", 100 V , 200 W RMS



100V IP44

No. 80710750.....10 W
No. 80710760.....20 W
No. 80710770.....30 W
No. 80710780.....40 W

OMNITRONIC PCW Column Speaker IP44

Weatherproof column speaker, 100 V, 45 W RMS



100V

OMNITRONIC PA Volume Controller, mono wh

PA volume controller with 24 V emergency priority relay

No. 80711001.....	5 W mono
No. 80711002.....	10 W mono
No. 80711003.....	20 W mono
No. 80711004.....	30 W mono
No. 80711005.....	45 W mono
No. 80711006.....	60 W mono
No. 80711007.....	120 W mono



100V

OMNITRONIC PA Volume Controller, mono bk

PA volume controller with 24 V emergency priority relay

No. 80711008.....	5 W mono
No. 80711009.....	10 W mono
No. 80711010.....	20 W mono
No. 80711011.....	30 W mono
No. 80711012.....	45 W mono
No. 80711013.....	60 W mono
No. 80711014.....	120 W mono



100V

OMNITRONIC PA Volume Controller mono sil

PA volume controller with 24 V emergency priority relay

No. 80711015.....	10 W mono
No. 80711016.....	45 W mono



100V

OMNITRONIC PA Volume Controller stereo wh

Stereo volume controller

No. 80711151.....	5 W stereo
No. 80711152.....	10 W stereo
No. 80711153.....	20 W stereo
No. 80711154.....	30 W stereo
No. 80711155.....	45 W stereo



100V

OMNITRONIC PA Volume Controller stereo bk

Stereo volume controller

No. 80711158.....	5 W stereo
No. 80711159.....	10 W stereo
No. 80711160.....	20 W stereo
No. 80711161.....	30 W stereo
No. 80711162.....	45 W stereo



100V

OMNITRONIC PA Volume Controller 10W stereo sil

Stereo volume controller

No. 80711165



100V

OMNITRONIC PA Vol Contr/Prog Select mono bk

PA program selector and PA volume controller with 24 V emergency priority relay

- No. 80711088..... 5 W mono
- No. 80711089..... 10 W mono
- No. 80711091..... 30 W mono
- No. 80711092..... 45 W mono



100V

No. 80711095

OMNITRONIC PA Vol Contr/Prog Select 10W mono bk

PA program selector and PA volume controller with 24 V emergency priority relay



100V

OMNITRONIC PA Volume Controller/Program Selector mono wh

PA program selector and PA volume controller with 24 V emergency priority relay

- No. 80711081..... 5 W mono
- No. 80711082..... 10 W mono
- No. 80711083..... 20 W mono
- No. 80711084..... 30 W mono
- No. 80711085..... 45 W mono



100V

No. 80711071

OMNITRONIC PA Program Selector mono wh

PA program controller with 24 V emergency priority relay



100V

No. 80711072

OMNITRONIC PA Program Selector mono bk

PA program controller with 24 V emergency priority relay



100V

No. 80711073

OMNITRONIC PA Program Selector mono sil

PA program controller with 24 V emergency priority relay



- No. 80711301..... white
- No. 80711302..... black
- No. 80711303..... silver

OMNITRONIC PA Surface Housing

Surface-mount housing



- No. 80711311..... white
- No. 80711312..... black
- No. 80711313..... silver

OMNITRONIC PA-Combo Surface Housing

Combo surface-mount housing



100V 19" 2U

No. 80711321.....	5 W
No. 80711322.....	10 W
No. 80711323.....	20 W
No. 80711324.....	30 W
No. 80711325.....	45 W
No. 80711326.....	60 W



OMNITRONIC PA 6-Zone Mono Vol Contr 5W bk

6-way PA volume controller with 24 V emergency priority relays

4 ohm 19" 2U

No. 80711335.....	5 W
No. 80711336.....	10 W
No. 80711337.....	20 W
No. 80711338.....	30 W
No. 80711339.....	45 W



OMNITRONIC PA 6-Zone Stereo Vol Cont bk

Stereo volume controller for 6 zones

4/8 ohm

No. 80711350



OMNITRONIC ELA 2/4S-Zone Volume Controller 100W

4-channel volume controller for low-impedance speakers

100V

OMNITRONIC ELA-T Transformer 5 W

100 V audio transformer



No. 80711401.....	T5, 5 W
No. 80711402.....	T10, 10 W
No. 80711403.....	T20, 20 W
No. 80711404.....	T30, 30 W
No. 80711405.....	T50, 50 W
No. 80711406.....	T75, 75 W
No. 80711407.....	T100, 100 W

IP65

No. 80711410

OMNITRONIC ELA-T200D Transformer 20W IP65

Weather-proof 100 V audio transformer



100V

No. 80711500

OMNITRONIC ELA-100V-2-L Transformer

100 V transformer to units with line input





No. 80710910
OMNITRONIC MP-5 Megaphone
Small 5 watts megaphone with melody and recording function



No. 80710920
OMNITRONIC MP-10 Megaphone
Small 10 watts megaphone with melody



No. 80710930
OMNITRONIC MP-15 Megaphone
High-power 14 watts megaphone with melody



No. 80710932
OMNITRONIC MP-18 Megaphone
High-power 18 watts megaphone with siren



No. 80710934
OMNITRONIC MP-25 Megaphone
High-power 25 watts megaphone with siren

Lavoce
I T A L I A N A



The transducer for your most challenging projects

Lavoce is based in Italy. It is a dynamic company specialized in LF/HF transducer design and production for the pro audio market. The experienced Italian R&D team is known for its outstanding technical know-how.

Lavoce trusts on the strictest standards and tools in testing and validation, a modern and efficient production system with a carefully balanced level of automation and an extraordinary quality management. All products have the ISO 9001 certification strike with their aesthetical design.

The Lavoce experts believe that sound reproduction is a refined mix of technology and art, to which they devote their passion and professionalism, to satisfy the requirements and expectations of the customers.

Each Lavoce product is a masterpiece of electroacoustic excellence with reliability second to none, coming from the experience of the Italian R&D team and their passionate love for music.



**NEODYMIUM
LOW FREQUENCY
TRANSDUCERS**

**SMALL SIZE
FULLRANGES**

**FERRITE
LOW FREQUENCY
TRANSDUCERS**

**NEODYMIUM
HIGH FREQUENCY
COMPRESSION
DRIVERS**

**FERRITE HIGH
FREQUENCY
COMPRESSION
DRIVERS**

**SOFT DOME
TWEETERS**

COAXIALS

**BASS GUITAR
AND GUITAR
SPEAKERS**





No. 12602510
LAVOCE WSF041.00 4" Woofer Ferrite Magnet Steel Basket Driver
40 W AES, 8 ohms, 90 dB, 90-6000 Hz



No. 12602516
LAVOCE SSF081.50 8" Subwoofer Ferrite Magnet Steel Basket Driver
200 W AES, 8 ohms, 90 dB, 50-5000 Hz



No. 12602511
LAVOCE WSF051.02 5" Woofer Ferrite Magnet Steel Basket Driver
60 W AES, 8 ohms, 91.5 dB, 100-5000 Hz



No. 12602517
LAVOCE SSF082.00L 8" Subwoofer Ferrite Magnet Steel Basket Driver
350 W AES, 8 ohms, 87 dB, 50-5000 Hz



No. 12602512
LAVOCE MSF051.22 5" Midrange-Woofer Ferrite Magnet Steel Basket Driver
140 W AES, 8 ohms, 92 dB, 140-10000 Hz



No. 12602518
LAVOCE WAF082.00 8" Woofer Ferrite Magnet Aluminium Basket Driver
200 W AES, 8 ohms, 95.5 dB, 80-3000 Hz



No. 12602513
LAVOCE WSF061.52 6.5" Woofer Ferrite Magnet Steel Basket Driver
125 W AES, 8 ohms, 94.5 dB, 90-5000 Hz



No. 12602519
LAVOCE WSF101.82 10" Woofer Ferrite Magnet Steel Basket Driver
150 W AES, 8 ohms, 97.5 dB, 63-3000 Hz



No. 12602514
LAVOCE WAF061.80 6.5" Woofer Ferrite Aluminium Basket Driver
150 W AES, 8 ohms, 91 dB, 65-6000 Hz



No. 12602520
LAVOCE WSF102.00 10" Woofer Ferrite Magnet Steel Basket Driver
175 W AES, 8 ohms, 97 dB, 60-4000 Hz



No. 12602515
LAVOCE WSF081.82 8" Woofer Ferrite Magnet Steel Basket Driver
175 W AES, 8 ohms, 97 dB, 75-3000 Hz



No. 12602521
LAVOCE SSF102.40 10" Subwoofer Ferrite Magnet Steel Basket Driver
250 W AES, 8 ohms, 92 dB, 40-500 Hz



No. 12602522
LAVOCE WAF102.50 10" Woofer Ferrite Magnet Aluminium Basket Driver
250 W AES, 8 ohms, 97 dB, 70-4000 Hz



No. 12602528
LAVOCE WAF122.50 12" Woofer Ferrite Magnet Aluminium Basket Driver
350 W AES, 8 ohms, 97 dB, 55-3000 Hz



No. 12602523
LAVOCE WAF102.50A 10" Woofer Ferrite Magnet Aluminium Basket Driver
250 W AES, 8 ohms, 97 dB, 70-4000 Hz



No. 12602529
LAVOCE WAF123.01 12" Woofer Ferrite Magnet Aluminium Basket Driver
500 W AES, 8 ohms, 99 dB, 60-3000 Hz



No. 12602524
LAVOCE SSF102.50L 10" Subwoofer Ferrite Magnet Steel Basket Driver
400 W AES, 8 ohms, 90.5 dB, 50-500 Hz



No. 12602530
LAVOCE WAF123.00 12" Woofer Ferrite Magnet Aluminium Basket Driver
500 W AES, 8 ohms, 99.5 dB, 50-2500 Hz



No. 12602525
LAVOCE WSF122.02 12" Woofer Ferrite Magnet Steel Basket Driver
200 W AES, 8 ohms, 97.5 dB, 50-3000 Hz



No. 12602531
LAVOCE WSF152.02 15" Woofer Ferrite Magnet Steel Basket Driver
200 W AES, 8 ohms, 98 dB, 45-3000 Hz



No. 12602526
LAVOCE WSF122.50 12" Woofer Ferrite Magnet Steel Basket Driver
250 W AES, 8 ohms, 97.5 dB, 50-3000 Hz



No. 12602532
LAVOCE WSF152.50 15" Woofer Ferrite Magnet Steel Basket Driver
250 W AES, 8 ohms, 97.5 dB, 45-3000 Hz



No. 12602527
LAVOCE SSF122.50L 12" Subwoofer Ferrite Magnet Steel Basket Driver
400 W AES, 8 ohms, 93 dB, 40-500 Hz



No. 12602533
LAVOCE SSF153.00 15" Subwoofer Ferrite Magnet Steel Basket Driver
400 W AES, 8 ohms, 97 dB, 45-2000 Hz



No. 12602534
LAVOCE WAF153.00 15" Woofer Ferrite Magnet Aluminium Basket Driver
500 W AES, 8 ohms, 99 dB, 45-3000 Hz



No. 12602540
LAVOCE SAF184.02 18" Subwoofer Ferrite Magnet Aluminium Basket Driver
1200 W AES, 8 ohms, 97 dB, 40-1000 Hz



No. 12602535
LAVOCE WAF154.02 15" Subwoofer Ferrite Magnet Aluminium Basket Driver
800 W AES, 8 ohms, 96 dB, 40-1000 Hz



No. 12602541
LAVOCE SAF184.03 18" Subwoofer Ferrite Magnet Aluminium Basket Driver
1500 W AES, 8 ohms, 96 dB, 30-1000 Hz



No. 12602536
LAVOCE WAF154.01 15" Subwoofer Ferrite Magnet Aluminium Basket Driver
1000 W AES, 8 ohms, 97 dB, 40-1000 Hz



No. 12602542
LAVOCE SAF184.04 18" Subwoofer Ferrite Magnet Aluminium Basket Driver
1500 W AES, 8 ohms, 95 dB, 35-1000 Hz



No. 12602537
LAVOCE WAF154.00 15" Subwoofer Ferrite Magnet Aluminium Basket Driver
1500 W AES, 8 ohms, 96.5 dB, 40-1000 Hz



No. 12602610
LAVOCE WSN061.52 6.5" Woofer Neodymium Magnet Steel Basket Driver
125 W AES, 8 ohms, 94.5 dB, 90-5000 Hz



No. 12602538
LAVOCE SSF184.00 18" Subwoofer Ferrite Magnet Steel Basket Driver
1000 W AES, 8 ohms, 97 dB, 30-800 Hz



No. 12602611
LAVOCE MAN061.80 6.5" Midrange-Woofer Neodymium Magnet Aluminium Basket Driver
150 W AES, 8 ohms, 95.5 dB, 170-6000 Hz



No. 12602539
LAVOCE SAF184.01 18" Subwoofer Ferrite Magnet Aluminium Basket Driver
700 W AES, 8 ohms, 99 dB, 30-1500 Hz



No. 12602612
LAVOCE WAN082.00 8" Woofer Neodymium Magnet Aluminium Basket Driver
200 W AES, 8 ohms, 95.5 dB, 75-3000 Hz



No. 12602613
LAVOCE WAN082.50 8" Woofer Neodymium Magnet Aluminium Basket Driver
250 W AES, 8 ohms, 94 dB, 75-2000 Hz



No. 12602619
LAVOCE WSN152.50 15" Woofer Neodymium Magnet Steel Basket Driver
250 W AES, 8 ohms, 97 dB, 45-3000 Hz



No. 12602614
LAVOCE WSN102.00 10" Woofer Neodymium Magnet Steel Basket Driver
150 W AES, 8 ohms, 96 dB, 60-4000 Hz



No. 12602620
LAVOCE SSN153.00 15" Subwoofer Neodymium Magnet Steel Basket Driver
400 W AES, 8 ohms, 98 dB, 50-3000 Hz



No. 12602615
LAVOCE WAN102.50 10" Woofer Neodymium Magnet Aluminium Basket Driver
300 W AES, 8 ohms, 97 dB, 75-4500 Hz



No. 12602621
LAVOCE WAN153.00 15" Woofer Neodymium Magnet Aluminium Basket Driver
500 W AES, 8 ohms, 98.5 dB, 45-3000 Hz



No. 12602616
LAVOCE WAN103.00 10" Woofer Neodymium Magnet Aluminium Basket Driver
450 W AES, 8 ohms, 93 dB, 50-1500 Hz



No. 12602622
LAVOCE WAN154.01 15" Woofer Neodymium Magnet Aluminium Basket Driver
1000 W AES, 8 ohms, 98 dB, 40-1000 Hz



No. 12602617
LAVOCE WSN122.50 12" Woofer Neodymium Magnet Steel Basket Driver
250 W AES, 8 ohms, 98 dB, 50-3000 Hz



No. 12602623
LAVOCE WAN154.02 15" Woofer Neodymium Magnet Aluminium Basket Driver
700 W AES, 8 ohms, 99 dB, 40-3000 Hz



No. 12602618
LAVOCE WAN123.00 12" Woofer Neodymium Magnet Aluminium Basket Driver
500 W AES, 8 ohms, 99 dB, 50-3000 Hz



No. 12602624
LAVOCE WAN154.00 15" Subwoofer Neodymium Magnet Aluminium Basket Driver
1500 W AES, 8 ohms, 95.5 dB, 40-1000 Hz



No. 12602625
LAVOCE SAN184.02 18" Subwoofer Neodymium Magnet Aluminium Basket Driver
1200 W AES, 8 ohms, 96.5 dB, 40-1000 Hz



No. 12602713
LAVOCE DF10.14M 1" Compression Driver Ferrite Magnet
25 W AES, 8 ohms, 106 dB, 1500-20000 Hz



No. 12602626
LAVOCE SAN184.03 18" Subwoofer Neodymium Magnet Aluminium Basket Driver
1500 W AES, 8 ohms, 96 dB, 35-1000 Hz



No. 12602714
LAVOCE DF10.14 1" Compression Driver Ferrite Magnet
30 W AES, 8 ohms, 106 dB, 1500-20000 Hz



No. 12602627
LAVOCE SAN214.50 21" Subwoofer Neodymium Magnet Aluminium Basket Driver
1700 W AES, 8 ohms, 98.5 dB, 30-1000 Hz



No. 12602715
LAVOCE DF10.17 1" Compression Driver Ferrite Magnet
60 W AES, 8 ohms, 108 dB, 1200-18000 Hz



No. 12602710
LAVOCE DF10.10LM 1" Compression Driver Ferrite Magnet
15 W AES, 8 ohms, 107 dB, 1500-18000 Hz



No. 12602716
LAVOCE DF10.17T 1" Compression Driver Ferrite Magnet
60 W AES, 8 ohms, 106 dB, 1200-18000 Hz



No. 12602711
LAVOCE DF10.10L 1" Compression Driver Ferrite Magnet
20 W AES, 8 ohms, 107 dB, 1500-18000 Hz



No. 12602717
LAVOCE DF10.17M 1" Compression Driver Ferrite Magnet
55 W AES, 8 ohms, 108 dB, 1200-18000 Hz



No. 12602712
LAVOCE DF10.14LM 1" Compression Driver Ferrite Magnet
25 W AES, 8 ohms, 106 dB, 1500-20000 Hz



No. 12602810
LAVOCE DN10.14M 1" Compression Driver Neodymium Magnet
25 W AES, 8 ohms, 107 dB, 1500-20000 Hz



No. 12602811
LAVOCE DN10.14 1" Compression Driver Neodymium Magnet
30 W AES, 8 ohms, 107 dB, 1500-20000 Hz



No. 12602817
LAVOCE DN14.30T 1.4" Compression Driver Neodymium Motor
110 W AES, 8 ohms, 108 dB, 500-18000 Hz



No. 12602812
LAVOCE DN10.140 1" Compression Driver Neodymium Magnet
30 W AES, 8 ohms, 109 dB, 1500-20000 Hz



No. 12602910
LAVOCE FSN020.50 2" Fullrange Ferrite Magnet Steel Basket Driver
10 W AES, 8 ohms, 84.5 dB, 200-20000 Hz



No. 12602813
LAVOCE DN10.17 1" Compression Driver Neodymium Magnet
55 W AES, 8 ohms, 110 dB, 1200-18000 Hz



No. 12602911
LAVOCE FSN020.71 2" Fullrange Neodymium Magnet Steel Basket Driver
15 W AES, 8 ohms, 87 dB, 200-20000 Hz



No. 12602814
LAVOCE DN10.17M 1" Compression Driver Neodymium Magnet
50 W AES, 8 ohms, 110 dB, 1200-18000 Hz



No. 12602912
LAVOCE FSN020.71F 2" Fullrange Neodymium Magnet Steel Basket Driver
15 W AES, 8 ohms, 87 dB, 200-20000 Hz



No. 12602815
LAVOCE DN10.17T 1" Compression Driver Neodymium Magnet
55 W AES, 8 ohms, 107 dB, 1200-18000 Hz



No. 12602913
LAVOCE FSN020.72 2" Fullrange Neodymium Magnet Steel Basket Driver
15 W AES, 8 ohms, 85 dB, 200-20000 Hz



No. 12602816
LAVOCE DN14.25T 1.4" Compression Driver Neodymium Magnet
80 W AES, 8 ohms, 108 dB, 1000-18000 Hz



No. 12602914
LAVOCE FSN021.00 2" Fullrange Neodymium Magnet Steel Basket Driver
20 W AES, 8 ohms, 88 dB, 200-20000 Hz



No. 12602915
LAVOCE FSF030.70 3" Fullrange Ferrite Magnet Steel Basket Driver
30 W AES, 8 ohms, 87.5 dB, 120-21000 Hz



No. 12603010
LAVOCE CSF051.20 5" Coaxial Ferrite-Neodymium Magnet Steel Basket Driver
50 W AES, 4 ohms, 92 dB, 100-22000 Hz



No. 12602916
LAVOCE FSN030.71 3" Fullrange Neodymium Magnet Steel Basket Driver
30 W AES, 8 ohms, 89 dB, 120-21000 Hz



No. 12603011
LAVOCE CSF061.20 6" Coaxial Ferrite-Neodymium Magnet Steel Basket Driver
50 W AES, 4 ohms, 92 dB, 80-22000 Hz



No. 12602917
LAVOCE FSN030.72 3" Fullrange Neodymium Magnet Steel Basket Driver
30 W AES, 8 ohms, 91 dB, 130-20000 Hz



No. 12603110
LAVOCE TN100.70 1" Soft Dome Tweeter Neodymium Magnet
7.5 W AES, 8 ohms, 90 dB, 1500-30000 Hz



No. 12602918
LAVOCE FAN030.71 3" Fullrange Neodymium Magnet Aluminium Basket Driver
30 W AES, 8 ohms, 89.5 dB, 120-21000 Hz



No. 12603111
LAVOCE TN131.00 1.3" Soft Dome Tweeter Neodymium Magnet
15 W AES, 8 ohms, 92 dB, 1250-30000 Hz



No. 12602919
LAVOCE FSF041.00 4" Fullrange Ferrite Magnet Steel Basket Driver
40 W AES, 8 ohms, 88 dB, 100-18000 Hz



No. 12603210
LAVOCE FBASS10-18 10" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver
150 W AES, 8 ohms, 96 dB, 55-5200 Hz



No. 12602920
LAVOCE FSN041.00 4" Fullrange Neodymium Magnet Steel Basket Driver
40 W AES, 8 ohms, 91 dB, 110-20000 Hz



No. 12603211
LAVOCE NBASS10-20 10" Bass Guitar Woofer Neodymium Magnet Steel Basket Driver
150 W AES, 8 ohms, 96 dB, 50-5000 Hz



No. 12603212
LAVOCE LBASS12-15 12" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver
100 W AES, 8 ohms, 96 dB, 40-4000 Hz



No. 12603310
LAVOCE WSF121.70G 12" Guitar Woofer Ferrite Magnet Steel Basket Driver
100 W AES, 8 ohms, 99 dB, 70-5000 Hz



No. 12603213
LAVOCE FBASS12-20 12" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver
200 W AES, 8 ohms, 97 dB, 50-3000 Hz



No. 12603214
LAVOCE NBASS12-30 12" Bass Guitar Woofer Neodymium Magnet Steel Basket Driver
400 W AES, 8 ohms, 98 dB, 50-3000 Hz



No. 12603215
LAVOCE LBASS15-15 15" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver
100 W AES, 8 ohms, 97 dB, 35-3000 Hz



No. 12603216
LAVOCE FBASS15-20 15" Bass Guitar Woofer Ferrite Magnet Steel Basket Driver
200 W AES, 8 ohms, 98 dB, 40-4000 Hz



No. 12603217
LAVOCE NBASS15-30 15" Bass Guitar Woofer Neodymium Magnet Steel Basket Driver
400 W AES, 8 ohms, 98 dB, 40-4000 Hz



No. 11300040
OMNITRONIC AP-110 Piezo




No. 11300050
OMNITRONIC AP-210 Piezo horn

NEW SCOREBOARD DIMENSION




ONE SYSTEM FOR ALL SPORTS


- TIMEKEEPER, MATCH INFORMATION
- TEAM LOGOS, PLAYER CARDS
- VIDEO PLAYLISTS
- VIDEO ADVERTISEMENTS
- FULLY CUSTOMIZABLE
- DESIGN YOUR OWN TEMPLATES
- MORE ENTERTAINMENT FOR FANS



VIDEO

Media Systems	106
Displays	108
Mounts	109
Projection Canvas	110





LSD stands for EUROLITE LED Soft Displays, which start a competition with stiff LED panels. They are flexible curtains with a very low own weight. Just like a carpet they can be rolled up or folded. So transport as well as installation are alleviated enormously. Even huge surfaces can quickly be mounted by only two persons – connecting the different curtains is child’s play, thanks to a system of hook-and-loop fasteners and push buttons or a system with angled connectors.



Whether for clubs, halls, open airs, shop windows or exhibitions, the LSD curtains are suitable for any advertising and entertaining purpose. They meet the IP Code 44 and thus can be used outdoors. Ultra-bright tri-color SMD RGB LEDs are installed. They are capable of outputting up to 16.7 million colors. The real pixel pitch – one LED is able to deliver all RGB colors – guarantees a high resolution and full-color projection – even from a viewing angle of 120°.




The curtains are available in different pixel pitches: 100 mm, 75 mm, 50 mm, 37.5 mm, 25 mm, 20 mm and 18.25 mm. Customized versions, such as circles or special sizes, can also be ordered. In addition, all LSDs are available with Economic-LEDs (except 18.25) – for dark environments. All versions can show videos, graphic applications and backdrops. The crowd’s distance to the curtain should be adapted to the respective resolution.



A standard laptop with 1 Gbps NIC and the optionally available AIO network control system is everything you need for controlling the curtains. The latter consists of a network interface and the LED Show T9 software. So, the control does not demand a huge effort. A real benefit especially for mobile use. Compatibility to other media software programs, such as MADRIX, is given as well. Moreover, by means of sending and receiving card you can operate the curtains via DVI. Quite important when you decide to work with video processors and would like to include pictures of live cams.

Connectors



**push buttons/
hook-and-loop**




angled connector



... get flexible!

LED SOFT DISPLAYS



LSD Eco MK2

- RGB
- IP44
- RJ45
- TCL

EUROLITE LSD-20E MK2

No. 80503270LSD-20E MK2
No. 80503271 LSD-25E MK2
No. 80503272 LSD-37,5E MK2
No. 80503273 LSD-50E MK2
No. 80503274 LSD-75E MK2
No. 80503275 LSD-100E MK2

LSD MK2

- RGB
- IP44
- RJ45
- TCL

EUROLITE LSD-50 MK2

No. 80503240LSD-100 MK2
No. 80503244LSD-75 MK2
No. 80503248LSD-50 MK2
No. 80503252LSD-37,5 MK2
No. 80503256LSD-25 MK2
No. 80503260LSD-20 MK2
No. 80503264 LSD-18,25 MK2

Custom sizes available on demand!

No. 80503301

EUROLITE LSD AIO Network control system MK2

Mobile network control system for LSD displays

No. 80503311

EUROLITE LSD Receiving card MK2

Receiving interface of network control system LED Studio

EUROLITE LSD signal extension wire

No. 805032941 m
No. 805032951.5 m



EUROLITE LSD power link cable 1.5m

No. 80503296



General:



Power supply:	90 - 260 V AC, 50/60 Hz ~	Humidity:	10 to 90 %
Frame rate:	60 Hz	Pixel configuration:	tricolor RGB LEDs, type SMD 5050 (MKII)
Data refresh rate:	600 Hz		tricolor RGB LEDs, type SMD 3528 (E-Version)
Colors:	16.7 million (R 256, G 256, B 256)	Lifetime:	approx. 100000 hours
Protection rating:	IP 44	Display port:	DVI/RJ45
Operating temperature:	-10 to 45 °C	Display mode:	synchronous to video source

Model:	LSD-100 MK2	LSD-100E/E MK2	LSD-75 MK2	LSD-75E/E MK2	LSD-50 MK2	LSD-50E/E MK2
Power supply:	5 W/m ²	2,5 W/m ²	12 W/m ²	4 W/m ²	12 W/m ²	10 W/m ²
Screen resolution:	16 x 16 pixels	16 x 16 pixels	16 x 32 pixels	16 x 32 pixels	32 x 48 pixels	32 x 48 pixels
Pixel pitch:	100 mm	100 mm	75 mm	75 mm	50 mm	50 mm
Pixel density:	100/m ²	100/m ²	177/m ²	177/m ²	400/m ²	400/m ²
Drive mode:	1/8 scan	1/8 scan	1/8 scan	1/8 scan	1/8 scan	1/8 scan
Viewing angle:	110°	120°	110°	120°	110°	120°
Brightness:	185 cd/m ² (nits)	40 cd/m ² (nits)	286 cd/m ² (nits)	75 cd/m ² (nits)	520 cd/m ² (nits)	150 cd/m ² (nits)
Connectors:	push buttons/h&l	push buttons/h&l	push buttons/h&l	push buttons/h&l	push buttons/h&l	push buttons/h&l
Dimensions (WxH):	1600 x 1600 mm	1600 x 1600 mm	1200 x 2400 mm	1200 x 2400 mm	1600 x 2400 mm	1600 x 2400 mm
Weight:	1,8 kg/m ²	1,8 kg/m ²	2,2 kg/m ²	2,2 kg/m ²	2,9 kg/m ²	2,5 kg/m ²

Model:	LSD-37,5 MK2	LSD-37,5E/E MK2	LSD-25 MK2	LSD-25E	LSD-20 MK2	LSD-20E/E MK2	LSD-18,25 MK2
Power supply:	20 W/m ²	16 W/m ²	45 W/m ²	40 W/m ²	68 W/m ²	60 W/m ²	78 W/m ²
Screen resolution:	32 x 64 pixels	32 x 48 pixels	48 x 64 pixels	48 x 64 pixels	64 x 128 pixels	64 x 128 pixels	64 x 64 pixels
Pixel pitch:	37,5 mm	37,5 mm	25 mm	25 mm	20 mm	20 mm	18,25 mm
Pixel density:	711/m ²	711/m ²	1600/m ²	1600/m ²	2500/m ²	2500/m ²	3002/m ²
Drive mode:	1/8 scan	1/8 scan	1/8 scan	1/8 scan	1/8 scan	1/8 scan	1/8 scan
Viewing angle:	110°	120°	110°	120°	110°	120°	110°
Brightness:	1270 cd/m ² (nits)	260 cd/m ² (nits)	2330 cd/m ² (nits)	585 cd/m ² (nits)	3600 cd/m ² (nits)	940 cd/m ² (nits)	3680 cd/m ² (nits)
Connectors:	push buttons/h&l	push buttons/h&l	angled	angled	angled	angled	angled
Dimensions (WxH):	1200 x 2400 mm	1200 x 2400 mm	1200 x 1600 mm	1200 x 1600 mm	1280 x 2560 mm	1280 x 2560 mm	1170 x 1170 mm
Weight:	3,2 kg/m ²	4 kg/m ²	5,8 kg/m ²	6,5 kg/m ²	7,8 kg/m ²	7,8 kg/m ²	9 kg/m ²

eurolite® VIDEO KILLED THE RADIO STAR

realised with  software



No. 80503571
EUROLITE GD-25 LED panel 200x400mm

LED display for video and pixel mapping applications



No. 80503576
EUROLITE GD-37.5 LED panel 200x600mm

LED display for video and pixel mapping applications



No. 80503582
EUROLITE GD-8 AIO processor and software

Network processor and PC software for GD-37.5/25 LED displays



No. 80503583
EUROLITE GD-spacer with screws 8x



No. 3022803A 0,75 m
No. 3022803C 1 m
No. 3022803E 3 m
No. 3022803G 5 m

SOMMER CABLE HDMI cable Ergonomic
Sommer Cable HIE-HDHD0075 multimedia cable



No. 3030736B 3 m
No. 3030736C 5 m
No. 3030736D 10 m
No. 3030736F 20 m

SOMMER CABLE SUB-D cable bk
SVGA monitor cable



No. 80503130
EUROLITE PCI sending card and software

Network control system LED Studio for LED displays



No. 80503309
EUROLITE DVI sending card external

Mobile network control system LED Studio for LED displays



No. 81012408
EUROLITE LCH-32/47 Wall Mount for LCD Monitors
 Wall mount



No. 81012410
EUROLITE LCH-36/55 Wall Mount for Monitors
 Wall mount



No. 81012441
EUROLITE LSH-10/37 Wall Mount for Monitors
 Wall mount



No. 81012409
EUROLITE FWH-32/50 Wall Mount for Monitors
 Wall mount



No. 81012433
EUROLITE FWH-37/70 Wall Mount for Monitors
 Wall mount



No. 81012434
EUROLITE FWHD-32/60 Wall Mount for Monitors
 Flexible wall mount



No. 81012437
EUROLITE FWHD-26/55 Wall Mount for Monitors
 Wall mount



No. 81012512
EUROLITE PDH-80 Projector Ceiling Bracket
 Multifunctional ceiling bracket suitable for projectors



No. 81012501
EUROLITE PDH-43/65 Projector Ceiling Bracket wh
 Multifunctional ceiling bracket



No. 81012502
EUROLITE PDH-20 Projector Ceiling Bracket
 Multifunctional ceiling bracket



No. 81012525.....Plate
 No. 81012528.....Set, maximum load 35 kg
 No. 81012529.....Set, maximum load 30 kg
OMNITRONIC BST-1 Beamer Stand
 High-quality beamer stand



No. 81012530
OMNITRONIC BST-2 Projector Stand
 High-quality beamer stand



- No. 80901125.....4:3, 200 x 150 cm
- No. 80901127.....4:3, 240 x 180 cm
- No. 80901130.....16:9, 200 x 112.5 cm
- No. 80901132.....16:9, 300 x 168 cm

EUROLITE Projection Screen

Pull-down screen with spring-roller



- No. 80901135.....4:3, 240 x 180 cm
- No. 80901138.....4:3, 300 x 220 cm
- No. 80901140.....4:3, 360 x 270 cm
- No. 80901160.....16:9, 240 x 135 cm
- No. 80901163.....16:9, 300 x 168 cm
- No. 80901167.....16:9, 360 x 200 cm
- No. 80901405..... switch for projection screens

EUROLITE Motor Projection Screen

Screen with motor



- No. 80901175.....IR 4:3, 240 x 180 cm
- No. 80901177.....IR 4:3, 300 x 220 cm
- No. 80901179.....IR 4:3, 360 x 270 cm
- No. 80901185.....IR 16:9, 240 x 135 cm
- No. 80901187.....IR 16:9, 300 x 168 cm
- No. 80901189.....IR 16:9, 360 x 200 cm

EUROLITE Motor Proj.Screen IR

Screen with motor and remote-control



LIGHT

Moving Heads	112
Scanners	129
LED Lighting Effects	130
Party Spots	134
Hybrid Lasers	136
Accu Spots	138
Slimline Spots	142
LED PAR Spots	144
PAR Spots	145
Multilens Spots	146
PAR Spots	147
Filter Frames	149
Pinspots	150
Floodlights	151
Color Foils	154
LED Bars	156
Audience Blinders	160
Theater Spots	162
Profile Spots	164
Search Lights	166
Surface Light	168
Lasers	170
Mobile Light	172
Floodlights	174
PAR Spots	178
Wall Lights	180
Floodlights & Accessories	181
Party Light	182

DMH-200



Great power with huge LED!

It is one of the brightest moving heads ever offered by Futurelight. The light source, however, will surprise you. Inside no discharge lamp is used, but a 200 watt LED. This can easily replace MSR lamps with 1200 watts of power. Even modern discharge lamps like the Platinum 15R or the Sirius HRI 280 are not inferior in light output.

You can access a total of 14 images that are on 2 gobo wheels. There are 7 rotating gobos on the first wheel and they are interchangeable. Replacing these gobos is quite easy, thanks to a slot system. You do not even need special tools.

The choice of gobos is such, that you have interesting images for both projections and beam shows at your disposal. By the way, if two gobos lie on top of each other, you can use the motor focus to create perfect morphing. The one gobo is thus like in a cross-fade into the other gobo. With the rotating 3-facet prism you can triple the images and create an additional dynamic. Colors are provided by 8 dichroic color filters.

DMX COB CW RDM



No. 51841975


FUTURELIGHT DMH-200 LED Moving Head

PRO beam/wash Moving Head with 200 W COB LED and large zoom

With optional upgrade
WIRELESS SOLUTION
MADE IN SWEDEN



Outstanding is the huge zoom range. With the DMH 200, you can adjust the beam angle from narrow 7.5 degrees to a very wide 40°. From the narrow beam in fog, a huge projection on a screen can be seen in a fraction of a second. In addition, the spotlight has a stepless frost filter, which you can also use as a washlight. Despite the filter, the soft light is still bright and assertive.





DMH-80



Compact and very professional

The Futurelight DMH-80 is equipped with a 75 watt strong LED, which ensures fabulous light output – considering the moving head's size, it is more than remarkable.

The gobo wheel offers you 7 different images that you can easily exchange for individual representations. A especially beautiful effect is the 16- facet prism , which multiplies the image and creates additional movement through its rotation.

You can adjust the beam angle manually between 10 ° and 16 °. Therefore, you can adapt the spotlight to the given premises. Via 8 dichroic color filters you create colored accents. The DMH-80 is your ideal solution for clubs and venues that need smaller devices but do not want to forego professionalism.

- NEW
- DMX
- COB
- CW
- RDM



No. 51841841

FUTURELIGHT DMH-80 LED Spot

PRO Moving Head with 75 W LED and unique 16-facet prism



With optional upgrade
WIRELESS SOLUTION
MADE IN SWEDEN





DMB-50

True Colors

The DMB-50 is a very special beam spotlight. It has RGB color mixing, which mixes very cleanly and congruently, despite the narrow beam angle or when using the prism. That is not common and makes this beam something extraordinary.

You get the rich single colors red, green and blue. And moreover, you can use the full possibility of the RGB color mixture. In addition, you find a gobo wheel with a wide range of patterns, a rotating prism and a DMX-controllable focus. Add to that a frost filter that delicately softens and widens the whole picture.

Futurelight®



NEW DMX TCL RGB RDM MOTOR. FOCUS



No. 51841802

FUTURELIGHT DMB-50 LED Moving-Head

PRO beam Moving Head with a 50 W LED and very good RGB color mixing





EYE-37

EYEs wide open

The biggest EYE, for the really big stages. After the successes with the Eye 7 and Eye 19, Futurelight presents you the EYE-37. With this zoom wash and its 37 x 10 watts LED by Osram you get a powerful companion for the big shows.

Great colors, great zoom
The big EYE's color mixture is extraordinarily good. It is based on special RGBW LED units that mix perfectly congruent and evenly.

Outstanding in the entire EYE series is the huge zoom range from 6° to 60°. Additionally, if desired, you can control the pixels individually or ready-made patterns and can access animations via macros. Absolutely worth mentioning is the volume of the entire Eye series. It is simply imperceptible. The spotlights have a fan, but it runs so clean and slowly that it can not be heard even in an absolutely quiet room.



Futurelight®

NEW DMX QCL RGBW RDM MOTOR ZOOM

ART NET PIXEL CONTROL 6°-60°

No. 51841314

FUTURELIGHT EYE-37 RGBW Zoom LED Moving Head Wash

PRO washlight with RGBW color mixing and a very large zoom range





Wave



DMX COB CW RDM



No. 51839000

FUTURELIGHT Wave LED Moving Bar

PRO Moving Head with two tiltable LED bars and six powerful, white beams



DMX QCL RGBW RDM



No. 51839005

FUTURELIGHT Color Wave LED Moving Bar

Moving Head with two tiltable LED bars and colorful beams



DMB-160



DMX COB RDM CW



No. 51841807

FUTURELIGHT DMB-160 LED Moving Head

PRO beam Moving Head with 150 W COB LED and many features



DMX COB CW RDM IRIS 2x GOBO WHEEL



No. 51841971

FUTURELIGHT DMH-160 LED Moving Head

PRO Moving Head with a 150 W COB LED and extensive features



DMX QCL RGBW RDM MOTOR.ZOOM



No. 51841308

FUTURELIGHT EYE-7 RGBW Zoom LED Moving Head Wash

PRO washlight, compact with RGBW color mixing and very large zoom range



DMX QCL RGBW RDM MOTOR.ZOOM PIXEL CONTROL



No. 51841311

FUTURELIGHT EYE-19 RGBW Zoom LED Moving Head Wash

PRO washlight with RGBW color mixing and very large zoom range



DMX RDM OSRAM



No. 51838966

FUTURELIGHT PLB-280 Moving Head Spot/Beam


PRO spot, beam and washlight Moving Head with 280 W discharge lamp



PLB-280



EYE-19



PLB-280




DMH-160




EYE-19



Wave



EYE-7




DMH-160



The X Men

They are powerful, shine very bright, assert themselves and are fully equipped. To be true, these are characteristics many spots do have. But the X series shows another decisive benefit: its attractive price level, compared to other fixtures with this quality.

Especially in small and medium rental companies, in clubs, bands and by mobile DJs, the devices are often used.



TMH-XB130 NEW

Its extremely narrow beam angle of only 1 degree characterizes the beamlight XB130. The light output comes from an Osram Sirius HRI 132 discharge lamp. 17 various gobos and 14 different colors are available for your lighting design. In addition, the XB130 has a rotating prism allowing the images to multiply and vividly rotate. Furthermore, via a frost filter you can produce a softer light.





TMH-X10 NEW

The TMH X10 is a beam light with a powerful 150 watt LED. The beam angle is 4 ° and can be additionally narrowed by iris gobos. A total of 8 gobos and 8 dichroic colors provide a lot of variety. A rotating 8- facet prism brings in dynamic effects. With a frost filter you can transform the hard beam into a soft ray.



TMH-X Bar 5 NEW

This moving beam bar brings plenty of momentum to your show. It is equipped with 5 COB LEDs, which with 15 watts of power and a 3 ° beam angle generate a veritable wall of light. The colors are based on red, green, blue and white and mix very cleanly. You can control each LED individually. The range of PAN motion is 540 °, with TILT there is an infinity function, in which the spotlight can rotate endlessly on its own axis.



NEW TMH-X7

TMH-X7 /TMH-X19

7 colors in one single LED - including lemon and UV. The two moving head X7 and X19 are the first ones with this unique color mixture. The combination guarantees stunning light effects. A **zoom**, high-quality components and **other useful features** are also included.

Lemon and the wow factor

The very special feature: lemon. This color, a flamboyant yellow merging a bit with green, is not a monochromatic color, but very broadband. In a mixture with the broadband white and the other colors, you can not only produce particularly vibrant yellows and oranges. The whiteness meets even the most demanding requirements of professionals. So you get a warm white with a CRI of over 90. Ideal as a front light or for application in theaters.



NEW TMH-X19

7 colors

Precise colours can be achieved by using a mixture of the LEDs: red, green, blue, amber, white, lemon and UV. UV gives the colour spectrum its final touch, making fluorescent materials glow and producing unique, almost sparkling light effects by specialist blending.

Powerful LEDs, large zoom range



Each 7in1 LED has a power consumption of 25 watts. With an extremely bright output, these are capable of cutting through even on bigger stages, supported by the motorised zoom that adjusts the beam angle from 3° to 34° (X7) or from 4° to 31° (X19). The X-men cover everything from a sharp beam to a beautiful wash effect.

Silent, flicker free projection

Within this product class, flicker free projection is a basic requirement and makes the product suitable for TV and photo production. Even the illumination of galas and corporate evenings is no problem, with quiet and discreet performance. Power is supplied via P-Con plug, alongside an additional power-link output as well as 3-pin and 5-pin DMX connectors.




NEW DMX COB RGBW 





INFINITY MOVEMENT   3°

No. 51785905

EUROLITE LED TMH-X Bar 5 Moving-Head Beam

Narrow angle LED Moving Bar with 5 RGBW LEDs (15 W each) and unlimited TILT






COB RGBW    3° 





No. 51785988

EUROLITE LED TMH-X1 Moving Head Beam

60 W Beam, compact, narrow angle, particularly clean RGBW color mixing




DMX COB RGBW   MOTOR.ZOOM





    5°-47°

No. 51785989

EUROLITE LED TMH-X3 Moving Head Beam

60 W Beam, compact, RGBW color mixing, large zoom, 8-facet prism






NEW DMX COB 1x GOBO WHEEL     4°


No. 51785907

EUROLITE LED TMH-X10 Moving-Head Beam

Beam spot with 150 W LED, color wheel, gobos and rotating 8-facet prism




DMX COB CW 1x GOBO WHEEL  



MOTOR.FOCUS 


No. 51785992

EUROLITE LED TMH-X12 Moving-Head Spot

Bright spot with 120 W LED, rotating gobos, color wheel and prism




NEW DMX COB 2x GOBO WHEEL   MOTOR.ZOOM CW




MOTOR.FOCUS 

No. 51785987

EUROLITE LED TMH-X20 Moving Head Spot

Bright spot with 200 W LED, zoom, gobo wheels, color wheel, 2 prisms




CRI >90 **NEW** HPL DMX RGBAWL + UV   3°-34° 




MOTOR.ZOOM


No. 51785900

EUROLITE LED TMH-X7 Moving-Head Wash Zoom

Compact washlight, 7 intense 25 W LEDs (7in1), unique color mixing



CRI >90 **NEW** HPL DMX RGBAWL + UV   4°-31° 

MOTOR.ZOOM 

No. 51785903

EUROLITE LED TMH-X19 Moving-Head Wash Zoom

Washlight with 19 intense 25 W LEDs (7in1) and unique color mixing



DMX COB RGBW   MOTOR.ZOOM

  1°-28°

No. 51785990

EUROLITE LED TMH-X5 Moving Head Wash Zoom

Washlight with 12 W COB LEDs, RGBW color mixing and large zoom range



DMX COB RGBW   

  3°

No. 51785991

EUROLITE LED TMH-X25 Moving Head

5x5 Matrix Panel, bright 12 W RGBW LEDs, narrow beam angle




DMX COB RGBW   



     7,5°-60°

No. 51785910

EUROLITE LED TMH-X25 Zoom Moving-Head

5x5 Matrix Panel, bright 12 W RGBW LEDs, large zoom








DMX 1x GOBO WHEEL MOTOR.FOCUS     1°

No. 51786810


EUROLITE TMH XB-130 Moving-Head-Beam

Bright, extremely narrow beam with Osram Sirius HRI 132 W lamp





TMH-60



TMH-48



TMH-18



TMH-75

NEW **TMH-75**

With the TMH 75 you get two spots in one. It is not only a very good spot-light with a decorative LED ring. The LED ring itself is so bright that it is also a full-fledged wash light.

Within the ring nine 8-watt LEDs are used. These are based on the colors red, green, blue, white, amber and UV and leave nothing for you to be desired. In the middle of the LED ring is a lens, behind which a 75 watt white LED ensures a powerful performance.

The hybrid is equipped with a gobo wheel composed of 6 rotating images, 7 dichroic filters on a color wheel and a rotating 3- facet prism . With the motorized focus you can always set the desired sharpness. Take a real close look at this fully-fledged at a low price – it's worth it.



DMX 1x GOBO WHEEL CW 13°

No. 51785972

EUROLITE LED TMH-13 Moving Head Spot

Handy-size spotlight with 10 W LED, gobos and color wheel



DMX COB 1x GOBO WHEEL CW 12°

No. 51786065

EUROLITE LED TMH-17 Moving Head Spot

Handy-size spotlight with 30 W LED, gobos and color wheel



DMX COB CW 2x GOBO WHEEL MOTOR. FOCUS 14°

No. 51785983

EUROLITE LED TMH-60 MK2 Moving Head Spot COB

Bright spot with 60 W LED, 2 gobo wheels, color wheel and prism



NEW HCL RGBAW + UV COB CW 1x GOBO WHEEL Wash 24° Spot 12°

No. 51785982

EUROLITE LED TMH-75 Hybrid Moving-Head Spot/Wash COB

Bright spotlight and full-fledged washlight with 75 W LED



NEW HCL RGBAW + UV 24°

No. 51785982

EUROLITE LED TMH-46 Moving-Head Wash

Compact Moving Washlight with 6in1 LEDs



DMX TCL RGB 18°

No. 51785991

EUROLITE LED TMH-48 Moving Head Wash

Mini LED Moving Head with 9 W tricolor LEDs and RGB color mixing



DMX TCL RGB 25°

No. 51785973

EUROLITE LED TMH-7 Moving Head Wash

Compact washlight with 3 W tricolor LEDs and RGB color mixing



DMX QCL RGBW 18°

No. 51785964

EUROLITE LED TMH-9 Moving Head Wash

Compact washlight with 8 W quadcolor LEDs and RGBW color mixing



DMX QCL RGBW MOTOR. ZOOM 14°-32°

No. 51785977

EUROLITE LED TMH-14 Moving Head Zoom Wash

Compact washlight with 12 W RGBW LEDs and large zoom range



DMX QCL RGBW MOTOR. ZOOM 2°-31°

No. 51785978

EUROLITE LED TMH-16 Moving Head Zoom Wash

Compact washlight with 10 W RGBW LEDs and large zoom range



INFINITY MOVEMENT DMX QCL RGBW

No. 51785979

EUROLITE LED TMH-21.i Twin Moving Head Beam

RGBW Mini-Beam with 2 controllable heads and unlimited PAN movement

eurolite®

LED TMH HYPNO

Moving-Head



HYPNOtize me.

Let the Hynnos cast a spell over yourself and your audience. Benefit from the unique arrangement of LED rings around the primary light source – become a hypnotist!



Control the rings individually or via automatic programs. You have many possibilities to use the different LEDs. But, despite your enthusiasm, do not forget the powerful main illuminants. They are true eye-catchers themselves - just like the rings!



- DMX
- COB
- CW
- RGB
- TCL
- SMD
- 1x GOBO WHEEL

No. 51785895

EUROLITE LED TMH-41 Hypno Moving Head Spot

Narrow angled spotlight with 3 hypno rings, 30 W LED, gobo and color wheel




- DMX
- COB
- RGBW
- RGB
- TCL
- SMD

No. 51785896

EUROLITE LED TMH-61 Hypno Moving Head Beam

Beam with 4 hypno rings and 60 W LED in RGBW colors



- NEW**
- DMX
- COB
- QCL
- RGBW
- RGB
- TCL
- SMD
- 8°

No. 51785897

EUROLITE LED TMH-51 Hypno Moving-Head Beam


Mini-Beam with 60 W COB LED, RGBW color mixing and hypno ring in 4 segments

Small and surprisingly bright, this is how the moving head **TMH-51** will impress you. The LED is COB with a very good RGBW color mixture. The head also comprises a hypno ring of SMD LEDs, you can control in four segments.

MFX-3



MFX-7



eurolite®


MFX

LED MOVING EFFECTS

MFX-2



MFX-5



MFX Series - discover a new kind of light effects!

Are you looking for something to spice up your light equipment? Do you need some small, but eye-catching accents for your discotheque or party room? You'll find everything you want here:


Small devices, big effects!

Small in size and low in weight, but creating big, unconventional effects: The MFX devices offer you a maximum of variety – each spot in its own, unique way. Sharp beams, wave-like or ball-like light in extraordinary combinations – be prepared for colorful surprises!

Dwarfs with power

And how powerful are these lights? You'll be amazed: The MFX are equipped with modern illuminants, which prove once again, that power is not a question of size.

MFX-8



MFX-9





INFINITY MOVEMENT DMX QCL RGBW

No. 50944301

EUROLITE LED MFX-1 Beam Effect

Small Moving Head with 3 lenses in RGBW and unlimited TILT movement



INFINITY MOVEMENT DMX QCL RGBW

No. 50944302

EUROLITE LED MFX-2 Beam Effect

Small Moving Effect with 2 LED heads and 4 beams with unlimited PAN/TILT



INFINITY MOVEMENT DMX QCL RGBW SMD RGB

No. 50944303

EUROLITE LED MFX-3 Action Cube

Moving Effect with 6 light beams and Mood Light Strips on the edges



INFINITY MOVEMENT DMX QCL RGBW

No. 50944304

EUROLITE LED MFX-4 Beam Effect

RGBW Light Effect with 9 lenses, arranged in 3 LED bars and unlimited PAN



INFINITY MOVEMENT DMX QCL RGBW

No. 50944307

EUROLITE LED Mini MFX-4 Beam Effect

Light Effect with 9 lenses, arranged in 3 LED bars and unlimited PAN



DMX QCL RGBW 2.4°

No. 50944305

EUROLITE LED MFX-5 Beam Effect

Bar with 5 heads, separate TILT movement and RGBW colors



INFINITY MOVEMENT DMX QCL RGBW

No. 50944306

EUROLITE LED MFX-6 Beam Effect

RGBW Beam Effect with 3 lenses and 3 movement axes



INFINITY MOVEMENT DMX QCL RGBW

No. 50944320

EUROLITE LED MFX-7 Ball

LED Ball with narrow beams, 15 W 4in1 LEDs in RGBW



INFINITY MOVEMENT DMX QCL RGBW

No. 50944322

EUROLITE LED MFX-7 Action ball

LED Ball, unlimited PAN/TILT movement, 15 W 4in1 LEDs in RGBW



INFINITY MOVEMENT DMX QCL RGBW

No. 50944320

EUROLITE LED MFX-8 Action Barrel

LED Barrel, unlimited PAN/TILT movement, 15 W LEDs in RGBW



INFINITY MOVEMENT DMX QCL RGBW 1°

No. 50944308

EUROLITE LED MFX-9 Beam Effect

Beam Pyramid with unlimited PAN and with 9 RGBW LEDs




INFINITY MOVEMENT DMX QCL RGBW 8°

No. 50944309

EUROLITE LED MFX-10 Beam Effect

Effect Bar with 5 heads, separately controllable (TILT) with RGBW colors



FLOWER EFFECT

MOVING HEADS



DMX QCL RGBW

No. 51785955

EUROLITE LED TMH FE-1200 Flower Effect

RGBW Moving Flower with large zoom range 12 x 10 W LEDs



DMX QCL RGBW

No. 51785954

EUROLITE LED TMH FE-300 Beam/Flower Effect

Handy RGBW Moving Head flower with rotating lens and 12 W LEDs



DMX QCL RGBW

No. 51785956

EUROLITE LED TMH FE-600 Beam/Flower Effect

RGBW Moving Head flower with large zoom range and 6 x 12 W LEDs




DMX QCL RGBW


No. 51785957

EUROLITE LED TMH FE-1800 Beam/Flower Effect

RGBW Moving Flower with large zoom range and 18 x 12 W LEDs



DJ-LED Scan 100



MFE-20



DMX RGB ● ● ●

No. 51839175
FUTURELIGHT DJ-LED Scan 100

Flower matrix scanner with 16 different patterns in 3 colors



DMX COB CW 1x GOBO WHEEL ● ● ● ● ●

No. 51786119
EUROLITE LED TSL-150 Scan COB

Handy scanner with 30 W LED, gobo and color wheel



DMX COB 1x GOBO WHEEL ● ● ● ● ● 13°

No. 51786123
EUROLITE LED TSL-200 Scan COB

Scanner with 20 W COB LED, rotating gobos and color wheel



DMX MOTOR FOCUS 1x GOBO WHEEL ● ● ● ● ● 14°

No. 51786185
EUROLITE LED TSL-750 Scan

Scanner with 75 W LED, gobos, rotating prism, color wheel, motorized focus



DMX MOTOR FOCUS 1x GOBO WHEEL WW ● ● ● ● ● 14°

No. 51786190
EUROLITE LED TSL-1200 Scan

Scanner with 120 W LED, gobos, rotating prism, color wheel, motorized focus



DMX QCL RGBW ● ● ● ● ● ● ● ● ● ●

No. 51918682
EUROLITE LED MFE-20 Hybrid Beam Effect

Flower scanner with colorful beams in RGBW + 6 cold white strobe LEDs



DMX QCL RGBW ● ● ● ● ● ● ● ● ● ●

No. 51916151
EUROLITE LED PST-10 QCL Scan Light

Spot with 10 W LED with narrow light beams in RGBW



DMX QCL RGBW ● ● ● ● ● ● ● ● ● ●

No. 51786101
EUROLITE LED TBL-10 Barrel Effect


Very compact mirror effect with 10 W LED in RGBW



DMX COB QCL RGBW ● ● ● ● ● ● ● ● ● ●

No. 51786105
EUROLITE LED TBL-60 Barrel Effect

Very compact mirror effect with 60 W COB LED in RGBW



TBL-60



AUTOPLAY
RGBAW
●
●
●
●
○

No. 51918201
EUROLITE LED Mini D-5 Beam Effect
 Mini beam effect with LEDs in R, G, B, and W



AUTOPLAY
HCL
RGBAWL + UV
●
●
●
●
○

No. 51918664
EUROLITE LED D-25 Beam Effect
 Color intensive beam-effect with hexacolor LEDs (6in1) RGBAW+UV



DMX

AUTOPLAY
RGBAW
●
●
●
●
○

No. 51918210
EUROLITE LED D-400 Beam Effect
 Derby with LEDs in R, G, B, A and W and with DMX



DMX

AUTOPLAY
RGBAW
REMOTE CONTROL
●
●
●
●
○

No. 51918676
EUROLITE LED SCY-400 Beam Effect
 RGBAW beam effect with remote control and DMX



DMX
AUTOPLAY
RGBAW
●
●
●
○

No. 51918666
EUROLITE LED SDR-8 Beam Effect
 RGBW Beam Effect with 2 separately tiltable bars and 8 beams



AUTOPLAY
RGBAW + UV
●
●
●
●
○
●

No. 51918524
EUROLITE LED Z-20 Beam Effect
 Compact beam effect with beams in 6 colors (RGBAW+UV)



DMX

RGBAWP
●
●
●
●
○
●

No. 51918221
EUROLITE LED Z-1000 Beam Effect
 Mushroom with DMX and beams in the colors R, G, B, A, W and P



NEW

AUTOPLAY
HCL
RGBAWL + UV
●
●
●
●
○

No. 51918951
EUROLITE LED B-40 HCL Beam Effect
 LED beam effect with RGBAW+UV color mixing




DMX
AUTOPLAY
COB
RGBW
●
●
●
○

No. 51918320
EUROLITE LED BR-60 Beam Effect
 Beam effect with rotating mirror and 60 W COB LED (RGBW)




AUTOPLAY
REMOTE CONTROL
RGBW
●
●
●
○

No. 51918683
EUROLITE LED PUS-7 Beam Effect
 RGBW beam effect with broad beams and IR remote control



D-30



Gobo Derby Hybrid



NEW DMX AUTOPLAY RGB+UV

25° SMD QCL CW

No. 51918671

EUROLITE LED SCY-5 Hybrid Beam Effect

Effect spotlight with RGB+UV LEDs and additional strobe effect



DMX AUTOPLAY SMD CW

HCL RGBAWP

No. 51918310

EUROLITE LED D-30 Hybrid Beam Effect

Lighting effect with Derby (RGBAWP), strobe (white SMD LEDs) and DMX



AUTOPLAY SMD RGB CW

No. 51918198

EUROLITE LED Mini D-6 Hybrid Beam Effect

Handy effect with derby and strobe in one device



DMX AUTOPLAY SMD

QCL RGBW

No. 51918202

EUROLITE LED Mini D-20 Hybrid Beam Effect

Handy effect with derby, strobe and DMX



AUTOPLAY SMD RGB CW

No. 51918561

EUROLITE LED DMF-2 Hybrid Flower Effect

Double flower effect with matrix projections and 2 strobe effects



NEW DMX AUTOPLAY 1x GOBO RAD

RGBAW UV CW

No. 51918330

EUROLITE LED Gobo Derby Hybrid

Lighting effect with rotating gobos, UV LEDs, white strobe LEDs and DMX



DMX AUTOPLAY RGBAWP

No. 51918616

EUROLITE LED FE-700 Flower Effect

RGBAWP lighting effect with DMX and IR remote control



NEW DMX AUTOPLAY

RGBAW

No. 51918574

EUROLITE LED QDF-Bar RGBAW Light Set

Spotlight bar with 4 LED heads, LEDs in RGBAW and DMX



AUTOPLAY RGBW

No. 51918605

EUROLITE LED FE-60 IR Flower Effect

Compact flower effect with LEDs in the colors RGBW and IR remote control



AUTOPLAY RGB

No. 51918531

EUROLITE LED FE-19 Flower Effect

Simple flower effect with matrix projections

GKF-60 / GKF-150



WF-40



DMX COB CW ●

No. 51918540

EUROLITE LED GKF-60 DMX Kaleidoscope Effect

LED kaleidoscope effect with 60 W LED and DMX



DMX COB CW ●

No. 51918541

EUROLITE LED GKF-150 DMX Kaleidoscope Effect

LED kaleidoscope effect with 150 W LED and DMX



DMX COB RGBW WITHOUT FAN ●●●●

No. 51918544

EUROLITE LED WF-40 Water Effect

Projection effect for water reflections, RGBW color mixing, DMX

MSB-8i



INFINITY MOVEMENT DMX QCL RGBW ●●●○

No. 50900751

EUROLITE LED MSB-8i Bar

Moving Bar, with narrow beams & 4 lenses on the front & 4 on the backside



RGB AUTOPLAY ● ● ●

No. 51918802

EUROLITE LED BC-2 Beam Effect

Compact mirror ball effect with a radiating plexiglas dome



RGB AUTOPLAY ● ● ●

No. 51918803

EUROLITE LED BC-3 Beam Effect

Extremely compact mirror ball effect with a radiating plexiglas dome



RGBAWP AUTOPLAY ● ● ● ● ● ○

No. 51918989

EUROLITE LED BC-4 Beam Effect

Compact mirror ball effect (RGBW+orange+violet) with radiating plexiglas dome



🔊🔦 AUTOPLAY RGB ● ● ●

No. 51918804

EUROLITE LED BCW-4 Beam Effect

Compact mirror ball effect with a radiating plexiglas dome and LED ring



DMX RGBAW ● ● ● ● ○

No. 51918806

EUROLITE LED BC-6 Beam Effect

Compact mirror ball effect with a radiating plexiglas dome & DMX



DMX RGBAW REMOTE CONTROL

● ● ● ● ○

No. 51918807

EUROLITE LED BC-7 Beam effect with DOT-Effect

Compact mirror ball effect with a radiating plexiglas dome (matt) and DMX



RGBAWP MP3 SD^{HC} USB

● ● ● ● ○ ●

No. 51918808

EUROLITE LED BC-8 Beam Effect MP3

Compact mirror ball effect with integrated speaker and MP3 player



eurolite® PARTY



DMX RGB

No. 42110192

EUROLITE LED PARTY Spot

Compact spotlight with 12 x 1 W LED in RGBW and DMX control



DMX TCL RGB

No. 42110193

EUROLITE LED PARTY TCL Spot

Compact spotlight with 12 x 3 W 3in1 LEDs in RGB and DMX control



DMX RGBW

No. 42110195

EUROLITE LED Big PARTY Spot

Spotlight with 54 x 1 W LED in R, G, B, W and DMX control



DMX TCL RGB

No. 42110196

EUROLITE LED Big PARTY TCL Spot

Spotlight with 54 x 3 W LED in RGB and DMX control



DMX RGB+UV REMOTE CONTROL

No. 42110199

EUROLITE LED Party Panel RGB+UV

LED party panel with RGB+UV color mixing and DMX



DMX HCL RGBAW + UV REMOTE CONTROL

No. 51913503

EUROLITE LED PS-4 HCL Spot

Compact, fanless spot with 12 W 6in1 LEDs (RGBAW+UV)



DMX TCL RGB REMOTE CONTROL WITHOUT FAN

No. 51915450

EUROLITE LED TL-3 TCL 3x3W Trusslight

Spot with 3 x 3W RGB LEDs, mounting hole and IR remote control





GE Entertainment Lamps

Stage • Studio • Film • Event Lighting solutions



Single ended halogen HPL

- Superior field smoothness
- Integral heat sink base to reduce seal temperature
- Shock resistant filament array



CSR - single ended hot restrike metal halide

- Excellent colour rendering, Ra>90
- High luminance (up to 1650000 lm)
- Universal burn position



PAR range

- robust and flexible design solution for a wide range of applications






Lighting effects with built-in show lasers are becoming increasingly popular. Therefore, Eurolite offers a whole series of such effects. What makes Eurolite devices so special, is that the laser class is 2M (except LED FE-6). They do not have to be registered and also no laser safety specialist must be present during operation. Ideal for mobile use and applicable by everyone.

LED Triple FX Laser Box

The LED Triple FX Laser Box provides you with three powerful lighting effects in one box. The first is a Derby which creates a multitude of light rays in red, green, blue and white, which dance around in the room. Additionally, there are 105 LEDs with RGB color mixing arranged in a circle. These you can use as colored atmospheric lighting and stroboscope. The third effect is a laser that creates red and green laser animations on walls and ceilings with various shapes and movements.



LED Laser Slim FX Spot

This compact and flat spotlight not only houses 6 bright LEDs with RGBW color mixing. Inside, there is a ring of 12 cold white, extremely bright LEDs. You can control them in three groups and use them as a blinder and stroboscope. Right in the center is a show laser that lets red and green dots dance around in the room.



LED Mini FE-5 Laser Goboflower

In this compact housing you will discover 3 different lighting effects. The first consists of five 1 watt LEDs in the colors red, green, blue, amber and white, which create a nice atmosphere. The colorful gobos form effect 2. These patterns, which supply light rays and projections in different colors, then provide the dynamics. The third effect is a laser that produces red and green laser spots and lets them dance.



2M LASER RGB REMOTE CONTROL

No. 51741071

EUROLITE LED Mini FE-4 Hybrid Laser Flower

Party light effect with laser (cl 2M), mirror ball, strobe and wash effects



3R LASER SMD REMOTE CONTROL RGBW

No. 51741072

EUROLITE LED FE-6 Hybrid Laser Flower

Small beamer with mirror ball effect, strobe and 2 RG lasers class 3R



2M LASER DMX QCL SMD RGB+UV RGBA REMOTE CONTROL

No. 51741073

EUROLITE LED Penta FX Hybrid Laser Effect

Spotlight with 5 effects: flower, wash, UV, 2 lasers (2M), strobe



2M LASER REMOTE CONTROL NEW DMX QCL SMD RGBW

No. 51741074

EUROLITE LED Laser Slim FX Spot

Flat PAR spot with additional RG laser (2M) and stroboscope



2M LASER SMD UV CW NEW DMX RGBAW REMOTE CONTROL

No. 51741075

EUROLITE LED Multi FX Laser Bar

Lighting effect with RGBAW LED matrix, UV, RG laser (2M) and stroboscope



2M LASER NEW RGBAW REMOTE CONTROL

No. 51741076

EUROLITE LED Mini FE-5 Laser Goboflower

Small party light effect with LED flower, RG laser (2M) and stroboscope



2M LASER SMD RGB TCL NEW DMX QCL RGBW REMOTE CONTROL

No. 51741077

EUROLITE LED Triple FX Laser Box

3in1 lighting effect with derby, RG laser (2M) and stroboscope



2M LASER DMX RGBAW REMOTE CONTROL SMD

No. 51741080

EUROLITE LED FE-1500 Hybrid Laser Flower

Bright effect with derby, laser (2M) and stroboscope



2M LASER DMX RGBAW REMOTE CONTROL BCL

No. 51741082

EUROLITE LED FE-2000 Hybrid Laser Flower

Bright effect with derby, laser (2M) and colored strobe



2M LASER NEW DMX QCL RGBW REMOTE CONTROL

No. 51741086

EUROLITE LED Laser Derby

Lighting effect with derby and showlaser (laser class 2M)



DMX COB QCL RGBW SMD TCL RGB

No. 51918590

EUROLITE LED Flash Flower

Powerful effect with 3 rotating prisms and integrated stroboscope



DMX CW

No. 51812596

EUROLITE LED S-20 Laser simulator

Laser effect simulator with 20 W LED, directs beam via mirror, with DMX




BATTERY POWER...

Totally free

That is the motto of the akku series. No more annoying cables disrupting your assembly and wasting your time. Simply turn them on and get it going! 19 different spots from Eurolite and Futurelight are available with battery. Truss light, LED bar, wall effect, pinspots or a gobo projector: a great variety is guaranteed.

All models are equipped with IR remote control (except PST-3W & BC-9) for pro DMX – some even feature a wireless DMX receiver.




NEW REMOTE CONTROL RGB


BLUETOOTH

No. 51918811
EUROLITE AKKU Mini BCW-4 RGB Flower
 Portable disco ball with loudspeaker, Bluetooth and IR remote control



NEW REMOTE CONTROL QCL RGBW

No. 51916155
EUROLITE AKKU Mini PST-10 QCL Spot
 Pinspot with 10 W 4in1 LED in RGBW with DMX



NEW DMX RGBW

REMOTE CONTROL

No. 42110191
EUROLITE AKKU Mini PARty RGBW Spot
 DMX spotlight with 12 x 1 W LED in the colors red, green, blue and white



NEW RGB MP3 SD^{HC} USB

SMD REMOTE CONTROL


No. 51918809
EUROLITE AKKU LED BC-9 Beam Effect MP3 + FM Radio
 Effect with radiating dome, speaker, MP3 player and radio



NEW QCL RGBW REMOTE CONTROL

No. 41700310.....transparent
 No. 41700312.....black


EUROLITE AKKU BEK-10 Kaleidoscope
 Handy battery-powered kaleidoscope effect, transparent housing



NEW RGBAW REMOTE CONTROL


No. 41700300.....transparent
 No. 41700302.....black

EUROLITE AKKU BEL-15 Beam
 Handy battery-powered kaleidoscope effect




NEW COB IP44 RBW

No. 51914204
EUROLITE AKKU LED IP FL-10 COB SOS Lamp
 Rechargeable emergency light with 5400 mAh power bank, IP44




NEW CW

No. 41700640
EUROLITE AKKU LP-10 Gobo Projector
 Logo projector with 10 W LED, romantic designs (changeable) and magnetic base




NEW COB WW IP44

No. 51914203
EUROLITE AKKU LED IP FL-5 COB 3200K
 Weatherproof floodlight with rechargeable battery and 5 W LED




NEW COB IP44 RGB

No. 51914201
EUROLITE AKKU LED IP FL-20 COB RGB Spot
 Weatherproof floodlight with rechargeable battery and 20 W LED, IR RC



Flat Light



Flat Light

QCL RGBW REMOTE CONTROL 2.4G
QuickDMX 8°
 No. 41700001.....silver
 No. 41700011.....black
EUROLITE AKKU Flat Light 1
 Flat spotlight with 15 W RGBW LED, QuickDMX transceiver & bracket


IP65 QCL RGBW REMOTE CONTROL 2.4G
QuickDMX 8°
 No. 41700050
EUROLITE AKKU IP Flat Light 1 cr
 Flat chrome spotlight with 15 W RGBW LED, QuickDMX transceiver & bracket

NEW QCL RGBW REMOTE CONTROL 2.4G
QuickDMX 12°
 No. 41700015.....silver
 No. 41700016.....black
EUROLITE AKKU Flat Light 3
 Flat spotlight with 3 x 8 W RGBW LED, QuickDMX transceiver & bracket

NEW
 No. 41700055
EUROLITE Charger 4x Akku Flat Light Series
 Power supply with cable, simultaneous charging of 4 x Akku Flat Light 1/3



TL-3



TL-3

DMX TCL REMOTE CONTROL 16°
 No. 41700500
EUROLITE AKKU TL-3 TCL Trusslight
 Spotlight with 3 x 3 W 3in1 LED (RGB) for lighting within trussing

DMX TCL REMOTE CONTROL 2.4G
QuickDMX 11°
 No. 41700501
EUROLITE AKKU TL-3 TCL Trusslight QuickDMX
 Spot for lighting within trussing, 3 x 3 W 3in1 LED, QuickDMX transceiver

NEW
 No. 41700502
EUROLITE Rain Cover for AKKU TL-3 Trusslight QuickDMX

LUMINAIRES

Battery-powered Spots

eurolite®



No. 41700505

EUROLITE AKKU UP-1 QCL Flex Spot QuickDMX

LED Uplight with 15 W 4in1 LED, tiltable head and QuickDMX transceiver



No. 41700506

EUROLITE AKKU UP-1 Glow QCL Flex Spot QuickDMX

LED Uplight with 15 W 4in1 LED, tiltable head, QuickDMX & mood light



NEW

No. 41700507

EUROLITE Rain Cover for AKKU UP-1 QCL Flex Spot QuickDMX



No. 41700540

EUROLITE AKKU UP-4 QCL Spot QuickDMX

Bright Uplight with 4 x 8 W 4in1 LED and QuickDMX transceiver



No. 41700542

EUROLITE AKKU IP UP-4 QCL Spot QuickDMX

Weatherproof (IP65), Uplight with 4 x 10 W 4in1 LED, QuickDMX & diffusor disk



NEW

No. 41700541

EUROLITE Rain Cover for AKKU UP-4 QuickDMX

Weatherproof cover for AKKU UP-4 QCL Spot QuickDMX



No. 41700555

EUROLITE AKKU UP-4 QCL Spot WDMX

Uplight with 4 x 8 W 4in1 LED & wireless DMX receiver (Wireless Solution)



No. 41700550

EUROLITE AKKU UP-4 QCL Spot

Bright Uplight with 4 x 8 W 4in1 LED



No. 41700561

EUROLITE AKKU UP-4 HCL Spot WDMX wh

Uplight with 4 x 12 W 6in1 LED & wireless DMX receiver (Wireless Solution)



No. 41700560

EUROLITE AKKU UP-4 HCL Spot WDMX bk

Uplight with 4 x 12 W 6in1 LED & wireless DMX receiver (Wireless Solution)



No. 41700551

EUROLITE Rain cover for AKKU UP-4

Weatherproof cover for all UP-4 versions except QuickDMX



No. 41700565

EUROLITE AKKU IP UP-4 QCL Spot WDMX Tour Set

Case-Set, 6 Akku UP-4 Chrome IP 65 with 4 x 10-W-LED, with charger



DMX RGBW

No. 51915280

EUROLITE LED SLS-144 RGBW Floor

Flat spotlight with 144 LEDs in the colors red, green, blue and white



DMX RGB

No. 51915375

EUROLITE LED SLS-180 RGB 18x1W Floor

Flat spotlight with 18 x 1 W LED in R, G, B



DMX TCL RGB

No. 51915361

EUROLITE LED SLS-6 TCL Spot

Flat spotlight with 6 x 8 W 3in1LED with RGB color mixing



DMX TCL RGB UV REMOTE CONTROL

No. 51915358

EUROLITE LED SLS-603 TCL + UV Floor

Flat spotlight with 5 x 3 W 3in1 LED (RGB) & one 3 W UV LED



DMX QCL RGBW

No. 51915377

EUROLITE LED SLS-7 QCL 7x10W Floor

Flat spotlight with 7 x 10 W 4in1 LED with RGBW color mixing



DMX QCL RGBW

No. 51915371

EUROLITE LED SLS-9 QCL 9x10W Floor

Flat spotlight with 9 x 10 W 4in1 LED with RGBW color mixing



NEW DMX HCL RGBAW + UV

REMOTE CONTROL

No. 51915379

EUROLITE LED SLS-7 HCL Floor

Flat spotlight with 7 x 10 W 6in1 LED with RGBAW+UV color mixing



NEW DMX HCL RGBAW + UV

REMOTE CONTROL

No. 51915381

EUROLITE LED SLS-12 HCL MK2 Floor

Flat spotlight with 12 x 10 W 6in1 LED with RGBAW+UV color mixing



NEW QCL RGB+UV REMOTE CONTROL

No. 51915274

EUROLITE LED SLS-3 Hybrid Floor

Flat spotlight with 3 x 4 W 4in1 LED (RGB+UV) + 18 strobe LEDs



DMX HCL RGBAW + UV TCL RGBW SMD CW REMOTE CONTROL

No. 51915273

EUROLITE LED SLS-9 Hybrid HCL

Flat spotlight with strobe and UV effects, incl. IR remote control




NEW DMX HCL RGBAW + UV

TCL RGB SMD CW REMOTE CONTROL

No. 51915271


EUROLITE LED SLS-10 Hybrid HCL

Flat spotlight with RGBAW+UV LEDs (6in1) and stroboscope



PRO Slim Par

The Pro Slim Par series from Futurelight stands for professional technology without compromises. The spotlights have an extremely robust metal housing that also allows effective convection cooling. So there are no fans and therefore no noise and no dirt that gets inside. The power connections are via PowerCon or the compatible P-Con system and each spotlight also has a power out socket.



PRO Slim PAR-7 Hypno HCL

Here you not only get a professional spotlight that leaves nothing to be desired thanks to its color mixing with red, green, blue, amber, white and UV. The Pro Slim Par 7 Hypno HCL also has a ring of 144 SMD LEDs with RGB color mixing, a real eye-catcher. The LED ring can be controlled in 4 individual segments.

PRO Slim PAR-12 MK2 TCL

Do you need strong, trendy colors and do not want to do without professional quality? Then the PRO Slim Par-12 Mk2 TCL is just the right spot for you. Because even spotlights with few colors, like this slim par have their advantages. The LEDs are much cheaper yet each color has more power and therefore more brightness.

PRO Slim PAR-12 MK2 CW/WW/A

White all around! This spotlight is the absolute specialist when it comes to white light. It has 3in1 LEDs with the colors cool white, warm white and amber. Thus you can cover the whole spectrum. You can produce everything from very warm light of a candle to cool white daylight with 6000 Kelvin. And all this in very good quality with a CRI of about 80.



NEW DMX HCL RGBAW + UV
WITHOUT FAN SMD RGB

No. 51842548

FUTURELIGHT PRO Slim PAR-7 Hypno HCL

Flat PRO spot with RGBAW+UV LEDs (6in1) and RGB SMD ring



DMX HCL RGBAW + UV
WITHOUT FAN

No. 51842561

FUTURELIGHT PRO Slim PAR-12 MK2 HCL

Flat PRO LED spot with 12 x 10 W 6in1 LED (RGBAW+UV) without fan



NEW DMX CW+WW+A WITHOUT FAN

No. 51842563

FUTURELIGHT PRO Slim PAR-12 MK2 CW/WW/A

Flat PRO white light spot with LEDs in cold white, warm white and amber



NEW DMX TCL RGB WITHOUT FAN

No. 51842562

FUTURELIGHT PRO Slim PAR-12 MK2 TCL

Flat PRO LED spot with 12 x 9 W 3in1 LED (RGB) without fan

PAR-64 QCL




CW  $\angle 10^\circ$

No. 51913540.....silver
No. 51913550.....black

EUROLITE LED PAR-16 6500K 3W Spot

PAR-16 Spot with cold white 3 W LED

PAR-56 RGB



WW  $\angle 10^\circ$

No. 51913545.....silver
No. 51913555.....black

EUROLITE LED PAR-16 3200K 3W Spot

1 x 3 W LED Spot with classic PAR-16 housing, 3200 K



WW  $\angle 10^\circ$

No. 51913547.....silver
No. 51913557.....black

EUROLITE LED PAR-16 3200K 3x3W Spot

PAR-16 Spot with warm white 3 W LED



DMX COB RGB    $\angle 15^\circ$

No. 41607200.....black
No. 41607225.....silver

EUROLITE LED PAR-30 COB RGB 30W

PAR Spot with 30 W COB LED (RGB) & adjustable beam angle (15°/28°)



DMX RGB    $\angle 21^\circ$

No. 51913618.....silver
No. 51913619.....black

EUROLITE LED PAR-56 RGB 5mm Short 5CH

PAR-56 Spot with 151 LEDs in the colors red, green and blue



DMX COB    RGB 

$\angle 20^\circ+60^\circ$

No. 41607215.....black
No. 41607240.....silver

EUROLITE LED PAR-56 COB RGB 25W

PAR Spot with 25 W COB LED (RGB) & adjustable beam angle (60°/20°)



NEW DMX QCL RGBW    $\angle 8^\circ$

No. 51913592.....silver
No. 51913593.....black

EUROLITE LED PAR-56 QCL Short

PAR-56 Spot with 9 x 8 W 4in1 LED and RGBW color mixing



NEW DMX HCL RGBAW + UV 

$\angle 20^\circ$

No. 51913590.....silver
No. 51913591.....black

EUROLITE LED PAR-56 HCL Short

PAR-56 Spot with 9 x 10 W 6in1 LED and RGBAWUV color mixing




DMX COB RGB    $\angle 40^\circ$

No. 41607220

EUROLITE LED PAR-56 COB RGB 100W bk

PAR spot with 100 W COB LED and RGB color mixing



DMX RGB    $\angle 15^\circ$

No. 51913982

EUROLITE LED PAR-64 RGB 10mm Short silver

PAR spot with 183 LEDs in the colors red, green and blue



DMX RGBA  36°

No. 51916450

EUROLITE LED PAR-64 RGBA 10mm Short black

PAR spot with 177 LEDs in the colors red, green, blue and amber



DMX RGBA  36°

No. 51916470

EUROLITE LED PAR-64 RGBA 10mm Floor black

PAR spot with 177 LEDs in the colors red, green, blue, amber & double brackets



DMX QCL RGBW   14°

No. 51914030.....black
No. 51914031.....silver

EUROLITE LED PAR-64 QCL 12x8W floor

LED spot with 12 x 8 W 4in1 LED and RGBW color mixing



DMX HCL RGBAW + UV   33°

No. 51914026.....silver
No. 51914027.....black

EUROLITE LED PAR-64 HCL 12x10W Floor

LED spot with 12 x 10 W LED in R, G, B, A, W, UV



NEW DMX HCL RGBAW + UV 

SMD TCL RGB  

No. 51914023.....silver
No. 51914024.....black

EUROLITE LED PAR-64 HCL Hypno floor

PAR spot with 7 x 12 W 6in1 LED (RGBAW&UV) and 3 RGB hypno rings



NEW QCL RGBW   6°-29°

No. 51916501

EUROLITE LED Z-PAR RGBW 4x10W

Zoom spot with 4 x 10 W 4in1 LED (RGBW), beam angle from 6°-29°



ML-30 QCL



ML-56 HCL



DMX QCL RGBW  14°

No. 51913652.....black
No. 51913653.....silver

EUROLITE LED ML-30 QCL 7x8W Floor

ML spot with 7 x 8 W 4in1 LED and RGBW color mixing



DMX RGBAW  22°

No. 41607311.....black
No. 41607331.....silver

EUROLITE LED ML-46 COB RGBAW 50W Floor

ML spot with 50 W COB LED and RGBAW color mixing



DMX CW + WW  35°

No. 41607315.....black
No. 41607335.....silver

EUROLITE LED ML-46 COB CW/WW 50W Floor

ML spot with 50 W COB LED in cold and warm white



DMX HCL RGBAW + UV  33°

No. 51913677.....black
No. 51913678.....silver

EUROLITE LED ML-56 HCL 12x10W floor

ML spot with 12 x 10 W 6in1 LED and RGBAWUV color mixing

ML-56 COB RGB



ML-56 COB RGBAW



DMX COB CW+WW ● ●
 No. 41604022.....3200 K
 No. 41604019.....5600 K

EUROLITE LED ML-56 COB 80W Floor black

ML spot with 80 W COB LED in warm white



DMX COB CW+WW ● ●
 No. 41604047.....3200 K
 No. 41604044.....5600 K

EUROLITE LED ML-56 COB 80W Floor sil

ML spot with 80 W COB LED in warm white



DMX COB RGB ● ● ●
 No. 41607301.....black
 No. 41607321.....silver

EUROLITE LED ML-56 COB RGB 100W Floor

ML spot with 100 W COB LED and RGB color mixing



DMX COB RGBAW ● ● ● ● ●
 No. 41607310.....black
 No. 41607330.....silver

EUROLITE LED ML-56 COB RGBAW 100W Floor

ML spot with 100 W COB LED and RGBAW color mixing



DMX CW+WW ● ●
 No. 41607370.....black
 No. 41607371.....silver

EUROLITE LED ML-56 COB CW/WW 100W Floor

ML spot with 100 W COB LED in cold and warm white



No. 41600125.....black
 No. 41600130.....silver

EUROLITE ML-56 CDM Multi Lens Spot

Spot for CDM-T 150 discharge lamp with 4 lenses/beam angles



No. 41600080.....black
 No. 41600082.....silver

EUROLITE ML-575 MSR Multi Lens Spot

Spot for MSR-575 discharge lamp with 4 lenses/beam angles



No. 41600100.....black
 No. 41600120.....silver

EUROLITE ML-64 GKV Multi Lens

Spot for GKV halogen lamp with 4 lenses/beam angles



No. 41600122.....black
 No. 41600124.....silver

EUROLITE ML-64 ZOOM GKV Multi Lens Spot

Spot for GKV halogen lamp with double lens for zoom setting from 12°-27°



DMX CW ●
 No. 41600500

EUROLITE LED CSL-320 Show Light 6000K, black

Bright, cold white beam light, narrow beam angle and 32 x 10 W LED



No. 50850100.....silver
 No. 50850200.....black
 No. 50850300.....weiß

EUROLITE PAR-16 Spot MR-16

PAR-16 housing with GX-5.3 socket for 12 V MR-16 lamp



No. 50850340.....silver
 No. 50850350.....black
 No. 50850352.....white

EUROLITE PAR-16 Spot GU-10

PAR-16 housing with GU-10 socket (with plug + cable)



No. 42103580.....black
 No. 42103582.....silver

EUROLITE PAR-20 Spot

PAR-20 housing with E-27 socket (with plug + cable)



No. 42103520.....black
 No. 42103522.....silver

EUROLITE PAR-30 Spot

PAR-30 housing with E-27 socket (with plug + cable)



No. 41929100.....silver
 No. 41929130.....black

EUROLITE PAR-38 Spot

PAR-38 housing with E-27 socket (with plug + cable)



No. 41930100.....silver
 No. 41930200.....black

EUROLITE PAR-46 Spot E-27

PAR-46 housing with E-27 socket (with plug + cable)



No. 42000420

EUROLITE PAR-56 Lite Spot Set

PAR-56 housing including 300 W lamp, color filter frame and 4 color foils



No. 42000825.....black
 No. 42000826.....silver

EUROLITE PAR-56 Spot Short Set

PAR-56 housing including 300 W MFL lamp, color filter frame and 4 color foils



No. 42000800.....black
 No. 42000810.....silver

EUROLITE PAR-56 Spot Short with Cable

PAR-56 housing with silicone cable and open cable ends



No. 42000802.....black
 No. 42000812.....silver

EUROLITE PAR-56 Spot Short with Plug

PAR-56 housing, delivery with cable and plug



No. 42001007.....black
 No. 42001009.....silver

EUROLITE PAR-56 Spot Floor with Plug

PAR-56 housing with double bracket (with plug & cable)



No. 42000550.....silver
 No. 42000580.....black

EUROLITE PAR-56 Spot Long with Cable

Long PAR-56 housing (with open cable ends)



No. 42000552.....silver
 No. 42000582.....black

EUROLITE PAR-56 Spot Long with Plug

Long PAR-56 housing (with cable + plug)



No. 42000910.....silver
 No. 42000920.....black

EUROLITE PAR-56 Spot CDM150

Long PAR-56 housing for CDM-T 150 discharge lamps



No. 42101072.....black
 No. 42101092.....silver

EUROLITE PAR-64 Spot Short

Short PAR-64 housing (with open cable ends)



No. 42101310.....black
 No. 42101410.....silver

EUROLITE PAR-64 Spot Floor with cable

Short PAR-64 housing (double bracket), open cable ends



No. 42100950.....silver
 No. 42100960.....black

EUROLITE PAR-64 Spot Long with Cable

Long PAR-64 housing (open cable ends)



No. 42100952.....silver
 No. 42100963.....black

EUROLITE PAR-64 Spot Long with Plug

Long PAR-64 housing (with cable and plug)




No. 50850850.....schwarz
 No. 50850860.....silber
 No. 50850870.....weiß

EUROLITE Barndoors PAR-16 Spot




No. 42103600.....PAR-20, black
 No. 42103610.....PAR-20, silver
 No. 42103540.....PAR-30, black
 No. 42103545.....PAR-30, silver
 No. 42103300.....PAR-38, black
 No. 41929310.....PAR-38, silver
 No. 41931850.....PAR-46, black
 No. 41931900.....PAR-46, silver
 No. 42000840.....PAR-56, black
 No. 42000860.....PAR-56, silver
 No. 42102050.....PAR-64, black
 No. 42102080.....PAR-64, silver

EUROLITE Barndoors




No. 51913697.....silver
 No. 51913698.....black

EUROLITE Barndoors LED ML-56 spot



No. 51913836.....ML-46, silver
 No. 51913837.....ML-46, black
 No. 41600180.....ML Multi Spot, black
 No. 41600184.....ML Multi Spot, silver
 No. 51913687.....213 x 213 mm, silver
 No. 51913688.....213 x 213 mm, black

EUROLITE Barndoors for ML



No. 41602588
**EUROLITE Barndoors for LED CLS-18x8W
 4in1 RGBW bk**




No. 42103615
EUROLITE Filter Frame PAR-20 Spot black



No. 42103540.....black
 No. 42103545.....silver
EUROLITE Filter Frame PAR-30 Spot



No. 41930430
EUROLITE Filter Frame PAR-46 Spot bk




No. 42000730.....black
 No. 42000750.....silver
EUROLITE Filter Frame PAR-56 Spot 4 edges




No. 42100995.....black
 No. 42100996.....silver
EUROLITE Filter Frame PAR-64 Spot



No. 42000815.....black
 No. 42000816.....silver
EUROLITE Filter Frame PAR-56 Spot Short



No. 51913846.....ML-30, silver
 No. 51913847.....ML-30, black
 No. 51913691.....ML-56, silver
 No. 51913692.....ML-56, black
EUROLITE Filter Frame



No. 41600138.....black
 No. 41600139.....silver
EUROLITE Filter Frame ML-56/64




No. 51913838.....157 x 158 mm, silver
 No. 51913839.....157 x 158 mm, black
 No. 51913685.....189 x 189 mm, silver
 No. 51913686.....189 x 189 mm, black
EUROLITE Filter Frame



No. 51000750
EUROLITE Raylight PAR-64, GY-9.5 Socket long
 The alternative to traditional lamps



No. 51000780.....PAR-56
 No. 51000790.....PAR-64
EUROLITE Raylight, E-27
 Reflector for PAR-56 housing, enabling installation of E-27 lamps



PST-3W



CW + WW ● ● $\angle 6^\circ$
 No. 51916000.....6000 K
 No. 51916100.....3200 K

EUROLITE LED PST-3W Spot
 Narrow-beamed pinspot with 3 W LED



NEW ▶▶▶ AUTOPLAY QCL RGBW
● ● ● $\angle 5^\circ$ REMOTE CONTROL

No. 51916147
EUROLITE LED PST-5 QCL Spot bk
 Narrow-beamed pinspot with 5 W 4in1 LED in RGBW



DMX TCL RGB ● ● ● $\angle 6^\circ$

No. 51916200
EUROLITE LED PST-9W TCL DMX Spot
 Narrow-beamed pinspot with 9 W 3in1 LED in RGB and DMX



▶▶▶ AUTOPLAY TCL RGB REMOTE CONTROL
● ● ● $\angle 6^\circ$

No. 51916202
EUROLITE LED PST-9W TCL IR Spot
 LED pinspot with RGB color mixing and IR remote control



DMX QCL RGBW ● ● ● $\angle 6^\circ$

No. 51916250
EUROLITE LED PST-15W QCL DMX Spot
 Narrow-beamed pinspot with 15 W 4in1 LED in RGBW and DMX



DMX RGBW COB REMOTE CONTROL ● ● ● ● ○
 $\angle 4^\circ + 6^\circ + 20^\circ$

No. 51916251
EUROLITE LED PST-15W MK2 COB RGBW Floor Spot/Wash
 Pinspot with 15 W COB LED, beam angles 4°/6°/20° (frost filter)




NEW DMX WW RDM REMOTE CONTROL
● $\angle 4^\circ + 10^\circ + 25^\circ$

No. 51916252
EUROLITE LED PST-15W MK2 WW Floor Spot/Wash
 DMX-pinspot with warm white 15 W LED, beam angles 4°/6°/20° (frost filter)



No. 51916210.....OUT
 No. 51916211.....IN
EUROLITE DMX-Adapter OUT Jack 3,5/XLR 1m




Stage Panels


Moodlight for stages, tv studios or theaters, that is what the Eurolite Stage Panels provide you with. Both middle range floodlights color in the respective location quickly and beautiful – without acting like a real wide flood.

They are equipped with 16 and 32 LEDs respectively and feature a very good RGBAW&UV color mixture. Stage Panel 16 has a beam angel of 32°, its bigger brother radiates closer with 16°. You can control the LEDs in 4 or 8 segments and thus create

diversified effects. The 4 barn doors help you avoid glaring the audience. And they also serve as transport protection.

The Stage Panels a great spots, if you like to be mobile and produce quite some light with only a few devices. They are made for bands, mobile DJs or solo entertainers. And as they work flicker free and very silently, tv studios and theaters will have fun with them as well.




NEW HCL RGBAW + UV  32°


REMOTE CONTROL

No. 51913891

EUROLITE Stage Panel 16 HCL LED

Light effect bar with RGBAW+UV color mixing, with 5-pin QuickDMX connector




NEW HCL RGBAW + UV  16°


REMOTE CONTROL

No. 51913893

EUROLITE Stage Panel 32 HCL LED

Light effect bar with RGBAW+UV color mixing, with 5-pin QuickDMX connector



COB DMX RGB  25°

No. 41606450

EUROLITE LED PMC-8x30W COB RGB MFL

COB Performance Cluster with 25° beam angle



DMX QCL RGBW  12°

No. 51913888

EUROLITE LED CLS-9 QCL RGBW 9x8W 12°

Compact QCL spot light with 9 x 8 W LED




DMX QCL RGBW  12°

No. 51913889

EUROLITE LED CLS-18 QCL RGBW 18x8W 12°

Compact QCL spot light with 18 x 8 W LED



WW 

- No. 41600461.....silver
- No. 41600462.....black
- No. 41600463.....white

EUROLITE LED KKL-12 Floodlight 3200K

Warm white 12 W LED light on the extension arm with clamp holder



DAYLIGHT  COB

- No. 41600470.....silver
- No. 41600472.....black
- No. 41600474.....white

EUROLITE LED KKL-50 LED Flood 4100K


LED floodlight with extension arm and screw terminal for fixation



- No. 41600480.....silver
- No. 41600482.....black
- No. 41600484.....white

EUROLITE KKL-300 Halogene Flood

300 W halogen floodlight with extension arm and screw terminal for fixation



T-36 Pinspot



- No. 50800360.....black
- No. 50800405.....silver

EUROLITE T-36 Pinspot with Cable

Pinspot for PAR-36 6 V/30 W lamp



- No. 50800365.....black
- No. 50800410.....silver

EUROLITE T-36 Pinspot with Plug

Pinspot for 6 V/30 W PAR-36 lamp



- No. 50800530
- EUROLITE Color-Changer-Set + PAR-36 Pinspot**
For starters



- No. 50805090
- EUROLITE Color Wheel with Motor For T-36**
Color wheel for pinspots



- No. 50800440
- EUROLITE Stand for Pinspot, black**
Tripod for Pinspot



- No. 50900480
- EUROLITE TP-36 Rotatable Spot**
Rotatable pinspot for 6 V/30 W PAR-36 lamp



DER
THEATER
VERLAG

Testen Sie das digitale Monatsabo
mit Zugang zum aktuellen Heft ,
zum E-Paper und zum Archiv.
Jederzeit kündbar.

BÜHNEN TECHNISCHE RUNDSCHAU

Zeitschrift für Veranstaltungstechnik,
Ausstattung und Management

www.der-theaterverlag.de



No. 51104446.....	T5, blue, 113,9 cm
No. 51104447.....	T5, orange, 113,9 cm
No. 51104690.....	T8, red, 119 cm
No. 51104691.....	T8, pink, 119 cm
No. 51104692.....	T8, yellow, 119 cm
No. 51104693.....	T8, violet, 119 cm
No. 51104694.....	T8, green, 119 cm
No. 51104695.....	T8, turquoise , 119 cm
No. 51104696.....	T8, blue, 119 cm
No. 51104697.....	T8, orange, 119 cm
No. 511046A0.....	T8, red, 59 cm
No. 511046A1.....	T8, pink, 59 cm
No. 511046A2.....	T8, yellow, 59 cm
No. 511046A3.....	T8, violet, 59 cm
No. 511046A4.....	T8, green, 59 cm
No. 511046A5.....	T8, turquoise , 59 cm
No. 511046A6.....	T8, blue, 59 cm
No. 511046A7.....	T8, orange, 59 cm
No. 511046B0.....	T8, red, 59 cm
No. 511046B1.....	T8, pink, 59 cm
No. 511046B2.....	T8, yellow, 59 cm
No. 511046B3.....	T8, violet, 59 cm
No. 511046B4.....	T8, green, 59 cm
No. 511046B5.....	T8, turquoise , 59 cm
No. 511046B6.....	T8, blue, 59 cm
No. 511046B7.....	T8, orange, 59 cm

EUROLITE Color Filter for neon tube

Color filter to slip onto white neon tubes



No. 94000101.....	Color code 101, yellow
No. 94000104.....	Color code 104, deep amber
No. 94000105.....	Color code 105, orange
No. 94000106.....	Color code 106, primary red
No. 94000111.....	Color code 111, dark pink
No. 94000113.....	Color code 113, magenta red
No. 94000115.....	Color code 115, peacock blue
No. 94000116.....	Color code 116, blue green
No. 94000119.....	Color code 119, dark blue
No. 94000120.....	Color code 120, deep blue
No. 94000122.....	Color code 122, fern green
No. 94000124.....	Color code 124, dark green
No. 94000126.....	Color code 126, mauve
No. 94000128.....	Color code 128, bright pink
No. 94000132.....	Color code 132, medium blue
No. 94000135.....	Color code 135, deep gold
No. 94000139.....	Color code 139, green
No. 94000158.....	Color code 158, depp orange
No. 94000164.....	Color code 164, flame red
No. 94000165.....	Color code 165, dayblue
No. 94000181.....	Color code 181, congo blue

EUROLITE Color Foil 122x100cm


High-quality color foils



No. 9400101A.....	Color code 101, yellow
No. 94001030.....	Color code 103, straw
No. 94001040.....	Color code 104, deep amber
No. 94001050.....	Color code 105, orange
No. 94001060.....	Color code 106, primary red
No. 9400110A.....	Color code 110, middle rose
No. 94001110.....	Color code 111, dark pink
No. 94001130.....	Color code 113, magenta red
No. 9400115A.....	Color code 115, peacock blue
No. 9400116A.....	Color code 116, blue green
No. 9400118A.....	Color code 118, light blue
No. 9400119A.....	Color code 119, dark blue
No. 94001200.....	Color code 120, deep blue
No. 9400121A.....	Color code 121, james green
No. 9400122A.....	Color code 122, fern green
No. 9400124A.....	Color code 124, dark green
No. 9400126A.....	Color code 126, mauve
No. 9400128A.....	Color code 128, bright pink
No. 9400129A.....	Color code 129, heavy frost
No. 9400132A.....	Color code 132, medium blue
No. 9400135A.....	Color code 135, deep gold
No. 9400139A.....	Color code 139, primary green
No. 9400147A.....	Color code 147, apricot
No. 94001480.....	Color code 148, bright rose
No. 9400156A.....	Color code 156, chocolate
No. 9400158A.....	Color code 158, deep orange
No. 9400161A.....	Color code 161, slate blue
No. 9400164A.....	Color code 164, flame red
No. 9400165A.....	Color code 165, dayblue
No. 9400170A.....	Color code 170, deep lavender
No. 94001800.....	Color code 180, dark lavender
No. 9400181A.....	Color code 181, congo blue
No. 9400182A.....	Color code 182, light red
No. 94001830.....	Color code 183, moonlight

EUROLITE Color Foil 61x50cm

High-quality color foils



No. 94010170.....	Color code 021, gold
No. 94011010.....	Color code 101, yellow
No. 94011020.....	Color code 102, light amber
No. 94011030.....	Color code 103, straw
No. 94011040.....	Color code 104, deep amber
No. 94011050.....	Color code 105, orange
No. 94011060.....	Color code 106, red
No. 94011110.....	Color code 111, dark pink
No. 94011130.....	Color code 113, magenta red
No. 94011150.....	Color code 115, peacock
No. 94011190.....	Color code 119, dark blue
No. 94011200.....	Color code 120, deep blue
No. 94011210.....	Color code 121, james green
No. 94011220.....	Color code 122, fern green
No. 94011240.....	Color code 124, dark green
No. 94011260.....	Color code 126, mauve
No. 94011280.....	Color code 128, bright pink
No. 94011290.....	Color code 129, heavy frost
No. 94011320.....	Color code 132, medium blue
No. 94011340.....	Color code 134, gold amber
No. 94011390.....	Color code 139, prim green
No. 94011410.....	Color code 141, bright blue
No. 94011420.....	Color code 142, pale violet
No. 94011430.....	Color code 143, navy blue
No. 94011440.....	Color code 144, blue
No. 94011520.....	Color code 152, pale gold
No. 94011580.....	Color code 158, deep orange
No. 94011610.....	Color code 161, slate blue
No. 94011640.....	Color code 164, navy blue
No. 94011650.....	Color code 165, dayblue
No. 94011700.....	Color code 170, dp lavender
No. 94011740.....	Color code 174, steel blue
No. 94011790.....	Color code 179, orange
No. 94011810.....	Color code 181, congo blue
No. 94011820.....	Color code 182, light red
No. 94011870.....	Color code 187, cosm. rouge
No. 94011980.....	Color code 202, 1/2 CT blue
No. 94011981.....	Color code 203, 1/4 CT blue
No. 94011995.....	Color code 253, frost
No. 94012725.....	Color code 280, black wrap
No. 94012740.....	Color code F2, frost
No. 94012742.....	Color code 206, 1/4 CTO
No. 94012744.....	Color code 205, 1/2 CTO

ACCESSORY Color Foil 122x762cm

High-quality color foils



No. 94009957

ACCESSORY Color Foil Samples

Samples for choosing a color foil



No. 58000380

EUROLITE Colorfoil Clamp



- No. 94100200.....Color code 008, dark salomon
- No. 94100205.....Color code 010, medium yellow
- No. 94100210.....Color code 021, gold amber
- No. 94100215.....Color code 026, bright red
- No. 94100220.....Color code 036C, medium pink
- No. 94100225.....Color code 071C, tokyo blue
- No. 94100230.....Color code 101C, yellow
- No. 94100235.....Color code 105C, orange
- No. 94100240.....Color code 106C, primary red
- No. 94100245.....Color code 111C, dark pink
- No. 94100250.....Color code 113C, magenta
- No. 94100255.....Color code 115C, peacock blue
- No. 94100258.....Color code 116, medium blue green
- No. 94100260.....Color code 118, light blue
- No. 94100263.....Color code 119C, dark blue
- No. 94100267.....Color code 121C, evergreen
- No. 94100269.....Color code 126C, mauve
- No. 9410026D.....Color code 139C, primary green
- No. 9410026F.....Color code 158, deep orange

ACCESSORY C-Tube for T8 120cm

Increases the value of your neon-tubes



- No. 9410027A.....19 x 19 cm
- No. 9410045A.....24 x 24 cm

EUROLITE Color-Foil Set, four colors

High-quality color-foils



- No. 94100300.....19 x 19 cm
- No. 94100350A.....24 x 24 cm

EUROLITE Color-Foil Set, six colors

High-quality color-foils



- No. 9415010T.....Color code 010, medium yellow
- No. 9415015T.....Color code 015, deep straw/orange
- No. 9415046T.....Color code 046, dark magenta
- No. 9415058T.....Color code 058, lavender
- No. 9415079T.....Color code 079, just blue
- No. 9415116T.....Color code 116, medium bluegreen
- No. 9415118T.....Color code 118, light blue
- No. 9415119T.....Color code 119, dark blue
- No. 9415121T.....Color code 122, lee green
- No. 9415124T.....Color code 124, dark green

LEE HT-Foil 50x58cm

High-quality color foils



- No. 94151310.....Color code 010, medium yellow
- No. 94151320.....Color code 015, deep straw/orange
- No. 94151349.....Color code 027, medium red
- No. 94151360.....Color code 046, dark magenta
- No. 94151370.....Color code 058, lavender
- No. 94151380.....Color code 079, just blue
- No. 94151390.....Color code 116, medium bluegreen
- No. 94151400.....Color code 118, light blue
- No. 94151410.....Color code 119, dark blue
- No. 94151420.....Color code 122, lee green
- No. 94151430.....Color code 124, dark green

LEE HT-Foil 117x400cm

High-quality color foils



No. 94151620

LEE CL104 Cool Led Deep Amber 762x122cm



- No. 94201100.....red
- No. 94201200.....yellow
- No. 94201300.....deep green
- No. 94201350.....light green
- No. 94201400.....blue
- No. 94201450.....orange
- No. 94201500.....mauve
- No. 94201550.....pink

EUROLITE Color Cap for PAR-36

Color cap



No. 94201700

EUROLITE Color Cap Set for PAR-36, 4 colors


Set



No. 94201750

EUROLITE Color Cap Set for PAR-36, 8 colors

Set



STP Bars

You can see them on huge show stages as well as on small musician's stages or with mobile DJs: LED bars with white LEDs that project towards the audience. They produce either very narrow

beams or wide surfaces. It was high time to take up this basic idea and expand upon it with some new Eurolite STP versions.



LED STP-7 Beam Wash Bar

Narrow and wide radiating LEDs in one bar - also this LED bar is something very special. It is equipped with 14 LED units. Half of them are extremely narrow-angled with 2°. These cold white LEDs permeate fog beautifully. The other half radiate with an extremely broad 40° and provide the

basic color atmosphere. The color mixing of these LEDs is based on red, green and blue. You can control the narrow, white LEDs individually. The mix of colorful atmospheric light and narrow white LEDs is absolutely fascinating. Incidentally, the bars are designed to fit seamlessly together.



NEW CW RGB TCL PIXEL CONTROL

  $\angle 2^\circ + 40^\circ$


No. 51930390

EUROLITE LED STP-7 Beam/Wash Bar

LED light bar with 7 LEDs for beam and 7 LEDs for wash effects



NEW WW DMX PIXEL CONTROL

 $\angle 6^\circ$

No. 42103491

EUROLITE LED STP-10 Sunbar 3200K 10x5W Light Bar 6°

LED light bar with warm white beam effects and narrow beam angle



LED STP 10 Sunbar 3200K

The LED STP 10 Sunbar 3200K is an improvement of the previous LED version. The 10 warm white, narrow-beam LEDs feature 5 watts and are almost twice as strong as before. And the warm white tone has also been improved. You can control each LED individually and thus create beautiful chase effects.




LED STP-10 ABL Sunbar

Sunbar with ambient light. At first glance, this bar looks like a normal sunbar. It has 10 warm white LEDs, which you can control individually. The special feature lies between the LEDs.

The black front cover is translucent. Behind it 60 SMD LEDs are arranged with RGB color mixing. As a result, the entire bar can light


up in color. This is something new and really striking. If you like, you can control each of these 60 LEDs individually, in every color. You can control the bar via DMX and via Artnet as well. With the small DMX mode you can already create beautiful and surprising effects.



Stage Pixel Bar 5



Stage Pixel Bar 5 / 10



RGBW QCL DMX PIXEL CONTROL



No. 51841358

FUTURELIGHT Stage Pixel Bar 5

Bar with narrow beam 5 x 15 W RGBW LED and frost plate



RGBW QCL DMX PIXEL CONTROL




No. 51841359

FUTURELIGHT Stage Pixel Bar 10

Bar with narrow beam 10 x 15 W RGBW LED and frost plate



PIX-216



NEW DMX PIXEL CONTROL





No. 51930438

EUROLITE LED PIX-216 RGB Bar

Spotlight bar (105 cm) with 216 LEDs (RGB), control in 8 segments





RGB DMX 



No. 51930417
EUROLITE LED BAR-126 RGB 10mm 40°

LED bar with 126 LEDs in red, green and blue and 58 cm length

RGB DMX 



No. 51930420..... 20°
No. 51930422..... 40°

EUROLITE LED BAR-252 RGB 10mm black

LED bar with 252 LEDs in red, green and blue, 110 cm length and 20°/40°

NEW HCL RGBAW + UV DMX

REMOTE CONTROL  



No. 51930395
EUROLITE LED BAR-3 HCL Bar

Compact (9 cm) bar with 3 x 12 W 6in1 LED with RGBAW+UV color mixing

QCL RGBA RGBW DMX





No. 51930397.....RGBAW
No. 51930399.....RGBW

EUROLITE LED BAR-6 QCL Bar

Spotlight bar (60 cm) with 6 x 4 watt 4in1 LED (RGBAW)

QCL RGBA RGBW DMX





No. 51930396.....RGBAW
No. 51930398.....RGBW

EUROLITE LED BAR-12 QCL Bar

Spotlight bar (110 cm) with 12 x 4 watt 4in1 LED (RGBAW)

QCL RGB+UV DMX REMOTE CONTROL  



No. 51930433
EUROLITE LED BAR-650 RGB+UV 4in1

Spotlight bar (60 cm) with 6 x 5 W 4in1 LED (RGB+UV) and 3 segments

QCL RGB+UV DMX REMOTE CONTROL 





No. 51930440
EUROLITE LED BAR-1250 RGB+UV 4in1

Spotlight bar (110 cm) with 12 x 5 W 4in1 LED (RGB+UV) and 3 segments

HCL RGBAW + UV DMX REMOTE CONTROL 





No. 51930401
EUROLITE LED PIX-6 HCL Bar

Spotlight bar (44 cm) with 6 x 10 W 6in1 LED (RGBAW+UV), pixel control

HCL RGBAW + UV DMX REMOTE CONTROL 

PIXEL CONTROL  



No. 51930406
EUROLITE LED PIX-12 HCL Bar

Spotlight bar (100 cm) with 12 x 10 W 6in1 LED (RGBAW+UV), pixel control

NEW TCL DMX SMD 





No. 51930439
EUROLITE LED PIX-144 RGB Bar

Bar (100 cm) with 144 wide beam SMD LEDs (RGB), 8 segments



Audience Blinder

Cold and warm white LEDs united! Which color temperature should a blinder have? The naturally warm white of the classic halogen version that would probably be the most given answer. But does this still apply with an LED Blinder, like the two new Eurolite versions, which can also serve as a stroboscope? This question would be answered clearly: warm white and cold white at once.



Now you can get this mixture with the new COB blinders. They are available as 2-fold and 4-fold versions and are both equipped with cold white and warm white LEDs. So you can easily choose the desired color temperature yourself. Each LED has a whopping 100 watt COB power and a really wide beam angle. Power is supplied via P-Con connections and you can feed it through to the next device via an output socket.





NEW COB CW + WW PIXEL CONTROL

● ● ●

No. 41606122

EUROLITE Audience Blinder 2x100W LED COB CW/WW

Audience blinder, wide beam 2 x 100 W COB LED (warm/cold white)



NEW COB CW + WW

● ● ●

No. 41606147

EUROLITE Audience Blinder 4x100W LED COB CW/WW

Audience blinder, wide beam 4 x 100 W COB LED (warm/cold white)



COB RGB DMX PIXEL CONTROL ● ● ●

⏻ 60°

No. 51930284

EUROLITE LED PMB-4 COB RGB 30W Bar

Bright bar with 4 x 30 W COB LED, good RGB color mixture, wide beam angle



COB RGB DMX PIXEL CONTROL ● ● ●

⏻ 60°

No. 51930286

EUROLITE LED PMB-8 COB RGB 30W Bar

Bright bar with 8 x 30 W COB LED, good RGB color mixture, wide beam angle



NEW COB RGB DMX ● ● ●

⏻ 39° REMOTE CONTROL PIXEL CONTROL

No. 51930278

EUROLITE LED CBB-4 COB RGB Bar

LED light effect bar with RGB color mixing, incl. IR remote control



COB DMX WW PIXEL CONTROL

● ⏻ 60°

No. 41606120

EUROLITE Audience Blinder 2x100W LED COB 3200K

Audience blinder, wide beam 2 x 100 W COB LED (warm white)



DMX

No. 42103411.....silver
No. 42103413.....black

EUROLITE Audience Blinder 2xPAR-36 DMX


Audience blinder for 2 PAR 36 120V/650W lamps (with dimmer)



No. 42103412.....black, 2 x PAR-36
No. 42103420.....silver
No. 42103432.....black

EUROLITE Audience Blinder 4xPAR-36


Audience blinder for 4 PAR 36 120V/650W lamps



Theater spotlights

For years now, LED theater spotlights from Eurolite have been more than just an insider tip. Because here you get state-of-the-art technology with highest reliability and excellent optical values. And you get all that at a very fair price.

Even against specialized manufacturers, Eurolite has established itself more and more often. The vast majority of devices is whisper quiet or even without fans. And all are flicker-free, therefore suitable for television studios or professional theaters.




CRI >90

NEW WW WITHOUT FAN $\angle 19^{\circ}+26^{\circ}$

No. 41602070
No. 41602145.....Barndoors

EUROLITE LED THA-20PC TRC Theater-Spot bk

PC spot with 17 W white light LED, color rendering index (CRI) > 90




CRI >90

NEW WW WITHOUT FAN $\angle 12^{\circ}-36^{\circ}$

No. 41602082

EUROLITE LED THA-40PC TRC Theater-Spot bk

PC spot with 57 W white light LED, color rendering index (CRI) > 90




CRI >90

NEW DAYLIGHT WITHOUT FAN DMX COB $\angle 11^{\circ}-37^{\circ}$

No. 41602085.....black
No. 41602086.....white

EUROLITE LED THA-40PC DL Theater-Spot

PC spot (DMX), 40 W LED in neutral white, color rendering index (CRI) > 90



CRI >90

NEW WW WITHOUT FAN DMX COB $\angle 11^{\circ}-37^{\circ}$

No. 41602080.....black
No. 41602081.....white
No. 41602142.....Barndoors for THA-40/60PC black
No. 41602143.....Barndoors for THA-40/60PC white

EUROLITE LED THA-40PC Theater-Spot

PC spot (DMX), 40 W LED in warm white, color rendering index (CRI) > 90




COB RGBW DMX $\angle 7^{\circ}-39^{\circ}$

No. 41602110

EUROLITE LED THA-60PC Theater-Spot

PC spot with 60 W COB LED (RGBW), extremely quiet, DMX



COB WW DMX $\angle 7^{\circ}-35^{\circ}$

No. 41602100

EUROLITE LED THA-50F Theatre-Spot

Fresnel spot (fresnel lens), 50 W warm white LED, extremely quiet, DMX



COB WW DMX  10°-50°

No. 41602125
EUROLITE LED THA-100F Theatre-Spot

Fresnel spot (fresnel lens), 100 W warm white LED, extremely quiet, DMX



CRI >90
NEW COB WW DMX  6°-31°

No. 41602126
EUROLITE LED THA-100F MK2 Theater-Spot

Fresnel spot (fresnel lens), 100 W warm white LED, CRI > 90, quiet, DMX



COB RGBW DMX   3°-32°

No. 41602130
EUROLITE LED THA-120PC Theater-Spot

Fresnel spot (fresnel lens), 120 W COB LED (RGBW), extremely quiet, DMX



No. 41602584.....Filter Frame for THA
No. 41602585.....Barndoors for STL/THA

EUROLITE Zubehör

Recommended accessory



CRI >90
COB WW DMX   3°-45°

No. 41602140.....Barndoors
No. 41602141.....Barndoors

EUROLITE LED THA-250F Theater-Spot

Fresnel spot (fresnel lens), 200 W warm white LED, CRI > 90, quiet, DMX




NEW COB CW + WW DMX   6°-25°

No. 41602135.....Barndoors
No. 41602144.....Barndoors

EUROLITE LED THA-250F 2700K-6500K Theater Spot

Fresnel spot, 250 W LED, variable color temperature, CRI > 90, zoom




 5°-20°
No. 41900520.....Fresnel
No. 41900525.....Antihalo
No. 41900533.....Filter Frame
No. 41900535.....Barndoors

EUROLITE Theatre Spot 300/500 bk

Theatre spot for halogen lamp with 300 or 500 watt power



 10°-40°
No. 41901020.....Fresnel
No. 41901023.....Antihalo
No. 41901027.....Filter Frame
No. 41901029.....Barndoors

EUROLITE Theatre Spot 650/1000 bk

Theatre spot for halogen lamp with 650 or 1000 watt power



 10°-40°
No. 41901050.....Fresnel
No. 41901053.....Antihalo
No. 41901062.....Barndoors

EUROLITE Theatre Spot 2000 bk

Theatre spot for halogen lamp with 2000 Watt power



CW + WW DMX   20°

No. 41602000

EUROLITE LED Theatre 36x3W CW/WW

LED spot with barn doors and 36 x 3 W LEDs (cold white/warm white)



COB CW + WW DMX WITHOUT FAN

  35°
No. 41607600.....Barndoors
No. 41607601.....Barndoors

EUROLITE LED SFR-100 COB CW/WW 100W Floor

Silent spotlight with 100 W COB LED in cold white and warm white



COB RGB DMX 

WITHOUT FAN  16°/36°

No. 41602595

EUROLITE LED PML-80 COB RGB 80W Spot/Wash

Spotlight with 80 W COB LED (RGB), beam angle 16°/36° (lens)



FUTURELIGHT Profile 200

Excellent profiler

With the Futurelight Profile 200 series you can combine the benefits of LEDs with your high expectations. Especially when it comes to profile spotlights, very high standards are often set. And often enough, LED versions could not meet the expectations. But this is a thing of the past.

The two profile versions differ in their zoom range. Both do have the same excellent optical properties and very quiet operation. The warm-white light is not only very bright thanks to a 200 watt LED. It also has an excellent color rendering. The CRI value is over 90. Gobo frame and 4 shutter blades are included in delivery.



CRI >90

NEW COB WW DMX

No. 51840915..... 20-45°
No. 51840920..... 15-28°

FUTURELIGHT Profile 200

PRO profile spotlight, warm white 200 W LED, zoom, CRI > 90, extr. quiet



COB WW DMX 13°-28°

No. 40001990
No. 40001995..... Iris

EUROLITE LED Profile 100W WW

Professional stage spotlight



20°-40°

No. 40001961

EUROLITE Profile-Spot 650W 20-40°

Easy-to-handle profile spot



QCL RGBW DMX 14°-41°

No. 40001982

EUROLITE LED PFE-100 RGBW Profile Spot

PRO profile spotlight, 100 W 4in1 LED (RGBW), zoom, shutter blades



WW DMX 14°-41°

No. 40001981

EUROLITE LED PFE-120 3000K Profile Spot

PRO profile spotlight, 120 W warm white LED, zoom, shutter blades

CRI >90



NEW COB WW DMX 14°-41°

No. 40001970

EUROLITE LED PFE-250 3000K Profile Spot

PRO profile spotlight, 250 W warm white LED, zoom, shutter blades, CRI > 90



No. 40001983..... Iris
No. 40001984..... Gobo Holder
No. 40001985..... Filter Frame

EUROLITE Accessories for LED PFE-100/120

CRI >90



NEW WW DMX WITHOUT FAN 90°

No. 40001760..... white
No. 40001765..... black

EUROLITE LED PFE-10 3000K Profile Spot

Small profile spotlight, warm white 32 W LED, CRI > 90, shutter blades



CRI >80

COB WW

No. 40001800..... Iris
No. 40001816..... Iris

EUROLITE LED PFE-50 3000K Profile Spot

Handy stage spotlight with 50 W COB LED in modular construction system, CRI > 80



No. 40001810..... 19°
No. 40001811..... 26°
No. 40001812..... 36°
No. 40001813..... 50°

EUROLITE Lens Tube for LED PFE-50

Lens tube for EUROLITE LED PFE-50 3000K Profile Spot



DMX USB

No. 40001815

EUROLITE DMX-Interface for LED PFE-50

Control module with DMX interface for EUROLITE LED PFE-50 3000K Profile Spot



No. 40001817

EUROLITE Power Cable LED PFE-50, 1,5m, 230V

Profile spotlight with shutter blades for GKV 600 halogen lamp



No. 40001818

EUROLITE 230V Cable for LED PFE-50 1,5m



No. 40002500..... 19°
No. 40002510..... 26°
No. 40002520..... 36°
No. 40002530..... 50°
No. 40002701..... Gobo Holder
No. 40001962..... Filter Frame
No. 40001963..... Barndoors

EUROLITE FS-600 Spot GKV-600 bk



They are extremely compact and yet extremely bright.



The 300 watts LED of the SL-350 wins a brightness competition against a 1200 watt discharge lamp. Yet it is considerably lighter and by far smaller. LED spots have dramatically gained quality in the past years. So, there is no need to haul the 80 kilograms of a classic follow spot on the Z-bridge (illumination bridge). If you go for the SL-350 you only have to lift 10 kilograms.

It does not have to lie quiet regarding the quality of light and the equipment like a color wheel, CTO correction filter, iris, dimmer, focus or a mounting bracket. The operation is classic via control panel on the spotlight. There is also a DMX version that can be also controlled from the lighting console.

Even more power, SL-400

The bigger brother of the SL-350, the SL-400, gets even more power out of its 300 watts LED. And in addition, it features warm-white LED. In the past, the large follow spots have been equipped with cold-white LEDs, but only because it was technically impossible to do otherwise.

Now things have changed and you get a warm-white follow spot with good color rendering (CRI > 80), adjustable zoom and a control panel with dimmer, shutter, iris and color settings. Wherever the spot should fit into the overall picture and not stand out, than it is used ideally. The SL-400 can be controlled via panel or DMX command.



Even more distance, the SL-600

For the really big distances Eurolite can now offer you an LED follow spot. The SL-600 DMX is equipped with a 600 watts LED and is designed for distances of up to 100 meters.

It shows a warm-white LED as light source. You can adjust the beam angle from 7 ° to 13 ° and additionally narrow it via an iris. The dimmer, shutter, iris, a color wheel and a color correction wheel can be controlled via control panel, as well as via DMX.



IRIS CTO CW COB



No. 51787311

EUROLITE LED SL-160 Search Light

Follow spot with cold white 160 W LED for small to medium distances



IRIS CTO CW COB



No. 51787315

EUROLITE LED SL-350 Search Light

Follow spot with cold white 300 W LED for small to medium distances



DMX IRIS CTO CW COB



No. 51787316

EUROLITE LED SL-350 DMX Search Light

Follow spot with cold white 300 W LED for medium distances



CRI >80

NEW WW DMX IRIS CTB COB



No. 51787320

EUROLITE LED SL-400 DMX Search Light

Follow spot with 300 W warm white LED for medium distances, zoom, CRI > 80



NEW DMX IRIS CTO CW COB



No. 51787330

EUROLITE LED SL-600 DMX Search Light

Follow spot with 600 W cold white LED for long distances, zoom, DMX



EUROLITE LED PLL-360 Panel

All wide now!

Expansive light is indispensable for many applications. In photography, film, exhibitions and even on stage, a bright, planar and absolutely uniform light has to be used quite often.

With the PLL-360 panel, Eurolite has just such a spotlight in the range. Or rather two spotlights, because you can choose between a warm-white and a cool-white version. It is controlled via DMX.

Both panels have excellent color rendition and a CRI of over 90. The spotlights work absolutely fan-free and therefore silent. You can dim them steplessly. There are 4 dimmer speeds available. And they are also flicker-free for filming.

Via 4 barn doors, you can limit light and avoid glare. And in addition, the doors are also a good transport protection for the milky front surface of the PLL 360.



CRI
>90

NEW CW + WW DMX WITHOUT FAN

SMD 120°



No. 40001890.....3200 K
No. 40001891.....6000 K

EUROLITE LED PLL-360 Panel

Surface light with 360 white LEDs and DMX

OSRAM HMI®
50
YEARS

Licht ist eindrucksvoll

Warmes Licht für coole Szenen mit den HMI® STUDIO Lampen

Eine Evolution des Lichtes, die HMI® STUDIO Lampen Serie macht sein Debüt und liefert mühelose Leistung. HMI® STUDIO ist eine Metallhalogen Lampe mit 3200 K Wolfram Farbtemperatur für Filmsets, Bühnen und TV Studios. HMI® STUDIO Lampen arbeiten in Tageslichtvorrichtungen und beseitigt den Bedarf an getrennten Wolframhalogenvorrichtungen und Lampen.



Licht ist OSRAM

OSRAM



TCL RGB DMX CW 2M REMOTE CONTROL

FOOT SWITCH STAND ADAPTER

No. 51741090

EUROLITE LED KLS Laser Bar FX Light Set

Bar with 2 derbies, 2 spots, white strobe LEDs, laser (RG, 2M), foot switch

MOUNTING INCL.



TCL RGB DMX CW UV 2M


FOOT SWITCH REMOTE CONTROL STAND ADAPTER

No. 51741091

EUROLITE LED KLS Laser Bar PRO FX Light Set

Bar with 2 strong derbies and spots, white/UV strobe LEDs, laser (RG, 2M)

MOUNTING INCL.




DMX RGBY

No. 80503400

EUROLITE CRT-120 LED-Curtain

LED curtain with 120 LEDs RGB+yellow and suitable DMX controller (3 x 2 m)



DMX CW

No. 80503410

EUROLITE CRT-120 LED-Curtain 6400K

LED curtain with 120 cold white LEDs and suitable DMX controller (3 x 2 m)



DMX RGBA

No. 80503425

EUROLITE CRT-190 LED-Curtain 6x4m

LED curtain with 190 LEDs RGBA and suitable DMX controller (6 x 4 m)



MOM-10BT4

Wireless PA-system


A small mobile PA system with a modular structure - that's the MOM-10BT4. Are you a street musician or want to use the box at conferences? The 2-way system (10") can be perfectly adapted and expanded to meet your requirements. You need more microphones or a battery after all? Basic, business or fully loaded: Equip the MOM according to your ideas.

In the basic configuration (mainframe), the MOM-10BT4 has a Bluetooth interface, 2 microphone inputs (with tone control and reverb function) and a line input (XLR or jack). With the mixer unit you regulate the individual components.




The following add-ons are available:


- CD/MP3 player module
- Audio link module
- Wireless microphone module
- Battery module




SETUPS



MUSIC
STEREO SETUP



CONFERENCE
MONO SETUP



LONG DISTANCE
MONO SETUP

eurolite®

THE ORIGINAL

KLS LED compact light set

It's not for nothing that the Eurolite KLS series bears this by-name – as pioneer of mobile light sets with flat spots it has set the standard. Especially among mobile DJs, combos, small bands and solo entertainers it has been the epitome of mobile light sets for years.



Many compact light systems are prepared for the installation of further devices – on top of the bar via locking screw. The KLS Kombo Packs already consist of a selected KLS and additional light effects – all on one stand.



KLS systems require only little space, but they are able to bring far enough light to dance floors and rooms – in doing so, they are very versatile. Since its launch the variety of KLS has been greatly extended. Everything from a small fourfold spot with only 3 kg weight up to an effect bar with integrated laser is offered.



All systems are delivered pre-assembled, most of them in a protective transport bag. Using remote controls or foot switches for operation is possible with many models. Versions with Quick-DMX can also be operated via wireless DMX.

KLS-401



- TCL
- RGB
- CW
- DMX
- STAND ADAPTER
- MOUNTING INCL.
-
-
-
-
-
- UV
-



No. 42109620

EUROLITE LED KLS-170 Compact Light Set

Bar with 4 RGB spots, cold white + UV strobe LEDs, foot switch and bag

- RGB
- DMX
- TV pin
-
-
-
-
-



No. 42109700

EUROLITE LED KLS-200 Compact-Light-Set

Bar with 4 spots with 108 LEDs (RGB) each, inclusive transport bag

- RGB
- DMX
- TV pin
-
-
-
-
-



No. 42109781

EUROLITE LED KLS-401 Compact Light Set

Bar with 4 spots with 108 LEDs (RGB) each, inclusive transport bag

- TCL
- RGB
- DMX
- TV pin
-
-
-
-
-



No. 42109851

EUROLITE LED KLS-801 Compact Light Set

Bar with 4 spots with 7 x 3 W 3in1 LED (RGB) each, inclusive transport bag

- PCL
- RGBAW
- DMX
- TV pin
-
-
-
-
-



No. 42109892

EUROLITE LED KLS-2500 Compact-Light-Set

Bar with 4 spots with 7 x 10 W 5in1 LED each, with 5-pin QuickDMX connector

- QCL
- RGBW
- CW
- DMX
-
-
-
-
-



No. 42109630

EUROLITE LED KLS-180 Compact Light Set

Bar with 4 RGBW spots and 4 white strobe LEDs, with 5-pin QuickDMX connector

- TCL
- RGB
- DMX
-
-
-
-



No. 42109541

EUROLITE KLS-Kombo Pack 1

Light set consisting of KLS-200, SCY-Bar, stand, cable



No. 42109710

No. 42109711..... Extension Cord for FP-1

EUROLITE FP-1 Foot Pedal


Foot pedal for KLS-200, 401, 801, 2500

IP56 $\angle 30^\circ$

No. 51914510.....6400 K
 No. 51914520.....3000 K
 No. 51914527.....red
 No. 51914530.....green
 No. 51914533.....blue
 No. 51914536.....yellow

EUROLITE LED IP FL-8 30°

Outdoor spotlight (IP56) with 8 x 1 W LED and 30° beam angle




IP56 $\angle 60^\circ$

No. 51914515.....6400 K
 No. 51914525.....3000 K
 No. 51914528.....red
 No. 51914531.....green
 No. 51914534.....blue
 No. 51914537.....yellow

EUROLITE LED IP FL-8 60°

Outdoor spotlight (IP56) with 8 x 1 W LED and 60° beam angle




IP44 CW WW MOTION DETECTOR COB $\angle 120^\circ$

No. 51914542.....6400 K
 No. 51914547.....3000 K

EUROLITE LED IP FL-10 COB 120° MD

Outdoor spotlight (IP44) with 10 W LED and motion detector




IP44 CW WW MOTION DETECTOR COB $\angle 120^\circ$

No. 51914552.....6400 k
 No. 51914557.....3000 k

EUROLITE LED IP FL-30 COB 120° MD

Powerful outdoor floodlight (IP44) with 30 W LED and motion detector




IP44 CW MOTION DETECTOR COB $\angle 120^\circ$

No. 51914582

EUROLITE LED IP FL-50 COB 6400K 120° MD

Outdoor spotlight (IP44) with 50 W LED and motion detector




NEW IP54 CW WW COB $\angle 120^\circ$

No. 51914562.....6400 K
 No. 51914563.....3000 K

EUROLITE LED IP FL-10 COB 120° classic

Outdoor spotlight (IP54) with 10 W LED



NEW IP54 CW WW COB $\angle 120^\circ$

No. 51914565.....6400 K
 No. 51914566.....3000 K

EUROLITE LED IP FL-30 COB 120° classic

Outdoor spotlight (IP54) with 30 W LED



IP54 CW WW COB $\angle 120^\circ$

No. 51914568.....6400 K
 No. 51914569.....3000 K

EUROLITE LED IP FL-50 COB 120° classic

Outdoor spotlight (IP54) with 50 W LED



IP65 RGB REMOTE CONTROL COB $\angle 120^\circ$

No. 51914680

EUROLITE LED IP FL-10 COB RGB IR + Stake

Outdoor spotlight (IP65) with 10 W COB LED (RGB), IR remote control



No. 51914700.....40 x 160 mm
 No. 51914702.....45 x 210 mm
 No. 51914704.....60 x 265 mm

EUROLITE Stake

Ground stake for outdoor floodlight



IP65 RGB REMOTE CONTROL COB $\angle 120^\circ$

No. 51914600

EUROLITE LED IP FL-10 COB RGB 120° RC

Outdoor spotlight (IP65) with 10 W COB LED (RGB) and IR remote control



IP65 RGB REMOTE CONTROL COB $\angle 120^\circ$

No. 51914605

EUROLITE LED IP FL-30 COB RGB 120° RC

Outdoor spotlight (IP65) with 30 W COB LED (RGB) and IR remote control



OUTDOOR

Floodlights

eurolite®



IP65 RGB REMOTE CONTROL COB ● ● ●



No. 51914610

EUROLITE LED IP FL-50 COB RGB 120° RC

Outdoor spotlight (IP65) with 50 W COB LED (RGB) and IR remote control



IP65 RGB REMOTE CONTROL COB ● ● ●



No. 51914612

EUROLITE LED IP FL-80 COB RGB 120° RC

Outdoor spotlight (IP65) with 80 W COB LED (RGB) and IR remote control



IP65 RGB REMOTE CONTROL COB ● ● ●



No. 51914614

EUROLITE LED IP FL-100 COB RGB 120° RC

Outdoor spotlight (IP65) with 100 W COB LED (RGB) and IR remote control



IP65 RGB REMOTE CONTROL COB ● ● ●



No. 51914616

EUROLITE LED IP FL-150 COB RGB 120° RC

Powerful outdoor floodlight with 150 W RGB LED



NEW IP54 CW WW SMD ● ●

No. 51914780.....6400 K
No. 51914782.....3000 K

EUROLITE LED IP FL-100

Flat outdoor spotlight (IP65) with 20 SMD LEDs



NEW IP54 CW WW SMD ● ●

No. 51914785.....6400 K
No. 51914787.....3000 K

EUROLITE LED IP FL-150

Flat outdoor spotlight (IP65) with 36 SMD LEDs



IP65 CW WW SMD ● ● 120°

No. 51914710.....6000 K
No. 51914712.....3000 K

EUROLITE LED IP FL-10 SLIM

Flat outdoor spotlight (IP65) with 20 SMD LEDs



IP65 CW WW SMD ● ● 120°

No. 51914715.....6000 K
No. 51914717.....3000 K

EUROLITE LED IP FL-20 SLIM

Flat outdoor spotlight (IP65) with 36 SMD LEDs



IP65 CW WW COB ● ● 120°

No. 51914730.....6000 K
No. 51914732.....3000 K

EUROLITE LED IP FL-30 COB 120° SLIM

Flat outdoor spotlight (IP65) with 30 W LEDs



IP65 CW WW COB ● ● 120°

No. 51914735.....6000 K
No. 51914737.....3000 K

EUROLITE LED IP FL-50 COB 120° SLIM

Flat outdoor spotlight (IP65) with 50 W LEDs



NEW IP65 CW ● 4°

No. 51916158

EUROLITE LED IP PST-10W 6400K Pinspot

Weather-proof pinspot (IP65) with strong 10 W LED in cold white



NEW IP65 WW ● 4°

No. 51916159

EUROLITE LED IP PST-10W 2700K Pinspot

Weather-proof pinspot (IP65) with strong 10 W LED in warm white



IP65 DMX QCL RGBW REMOTE CONTROL



No. 51914156

EUROLITE LED IP PAD 4x8W QCL

Weather-proof DMX spot (IP65) with 4 x 8 W 4in1 LED (RGBW) + ground stake



IP65 DMX COB WW REMOTE CONTROL



No. 51914157

EUROLITE LED IP PAD COB 3000K 25W

Compact, weather-proof DMX spot (IP65) with warm white 25 W LED



IP65 DMX COB RGB



No. 51914155

EUROLITE LED IP PAD COB RGB 25W

Ultra-flexible architectural spot (IP65) with 25 W RGB COB LED



DMX QCL RGBW HCL RGBAW + UV

IP65 REMOTE CONTROL 15°+20°

No. 51914158..... QCL
No. 51914159..... HCL

EUROLITE LED IP PAD 9x8W

Weather-proof DMX spot (IP65) with 9 x 8 W LED



IP65 DMX QCL RGBW



No. 51914160

EUROLITE LED IP PAD 24x8W QCL

Weather-proof DMX spot (IP65) with 24 x 8 W 4in1 LED (RGBW)



IP65 DMX CW + WW



No. 51914164

EUROLITE LED IP PAD 60x3W CW/WW

Weather-proof DMX spot (IP65) with 40 x 3 W LED (cold and warm white)




IP65 DMX COB RGB



No. 51914165

EUROLITE LED IP PAD COB RGB 60W

Weather-proof DMX spot (IP65) with 60 W COB LED (RGB)




IP65 DMX COB RGB

REMOTE CONTROL 60°

No. 51914166
No. 51914169.....Barndoors

EUROLITE LED IP PAD COB RGB 150W

Weather-proof DMX spot (IP65) with 150 W COB LED (RGB)



Bright, efficient, low maintenance

The two architecture spotlights are IP 65 certified, so they are dustproof and protected against jet water. They have no fans or other mechanical parts that need to be serviced. Therefore they are ideal, even permanently, for outdoor use. The floods are equipped with 72, or respectively 96, state-of-the-art high-performance LEDs. The diodes generate tremendous brightness with very low power consumption.

The light radiates very wide with 120° and is therefore suitable for the illumination of large buildings and surfaces. The color temperature is cold white at 5000 Kelvin, but is not too bluish. Also, the color rendering index is very high with a value of over 80.



NEW IP65 CW SMD $\angle 120^\circ$

No. 51833556

FUTURELIGHT LED PRO IP Flood 72

Weather-proof outdoor floodlight (IP65) with 72 cold white high-power LEDs




NEW IP65 CW SMD $\angle 120^\circ$

No. 51833557

FUTURELIGHT LED PRO IP Flood 96

Weather-proof outdoor floodlight (IP65) with 96 cold white high-power LEDs





LED IP Outdoor spots

Especially in the mobile sector, it is important that you remain flexible and have the right answers for the corresponding tasks. For example, if you are required to illuminate outdoor areas and buildings from outside you can rely on a choice of outdoor PAR spots, the IP PAR series.

The IP PARs combine state-of-the-art technology with aesthetically designed housings. All spotlights fall under protection class IP 65, so they can even be operated in the pouring rain. There are versions with single color LEDs (RGB and warm white), with 3in1 LEDs (RGB) or with 6in1

LEDs (RGBAW+UV). You can even find an IP spotlight with DMX controllable zoom in this line. The entire series is equipped with weatherproof connectors, which of course are compatible with each other.

In addition are the new IP T-spotlight bars. These bars are available in 50 and 100 centimeters in length and are equipped with a variety of LEDs. The connectors are identical to the IP PAR range, so the two series can be easily combined as desired.



IP65 DMX RGB  $\sphericalangle 15^\circ$

No. 51914174

EUROLITE LED IP PAR 36x1W RGB

Weather-proof DMX spot (IP65) with 36 x 1 W LED in red, green and blue



IP65 DMX TCL RGB

 $\sphericalangle 20^\circ$

No. 51914175

EUROLITE LED IP PAR 12x3W TCL

Weather-proof DMX spot (IP65) with 12 x 3 W 3in1 LED (RGB)



IP65 DMX HCL RGBAW + UV 

$\sphericalangle 20^\circ$

No. 51914187

EUROLITE LED IP PAR 12x12W HCL

Weather-proof DMX spot (IP65) with 12 x 12 W 6in1 LED (RGBAW+UV)



IP65 DMX HCL RGBAW + UV 

$\sphericalangle 20^\circ$

No. 51914188

EUROLITE LED IP PAR 3x12W HCL

Compact, weather-proof DMX spot (IP65) with 3 x 12 W 6in1 LED (RGBAW+UV)



IP65 DMX WW  $\sphericalangle 6^\circ$

No. 51914189

EUROLITE LED IP PAR 5x5W WW

Compact, weather-proof DMX spot (IP65) with 5 x 5 W LED (warm white)



NEW IP65 DMX COB  RGBW

 $\sphericalangle 4^\circ-32^\circ$

No. 51914192

EUROLITE LED IP PAR Z60 RGBW

Weather-proof DMX spot (IP65) with 60 W LED with RGBW and zoom (4 to 32°)



NEW IP65 DMX WW QCL RGBW 

$\sphericalangle 10^\circ \times 40^\circ$

No. 51914108..... QCL
No. 51914109..... WW

EUROLITE LED IP T1000 Bar

Weather-proof bar (IP65) with 8 x 5 W LED, 52 cm length



NEW IP44 DMX TCL RGB 

$\sphericalangle 15^\circ$

No. 51914123

EUROLITE LED IP T1000 TCL Bar

Weather-proof bar (IP44) with 9 x 3 W 3in1 LED (RGB), 52 cm



NEW IP65 DMX HCL RGBAW + UV 

$\sphericalangle 30^\circ$

No. 51914121

EUROLITE LED IP T1000 HCL 9x12W

Weather-proof bar (IP65) with 9 x 12 W 6in1 LED (RGBAW+UV), 52 cm



NEW IP65 DMX QCL RGBW HCL 

RGBAW + UV $\sphericalangle 10^\circ \times 40^\circ$

No. 51914101..... QCL
No. 51914118..... HCL

EUROLITE LED IP T2000 Bar

Weather-proof bar (IP65) with 16 x 10 W 4in1 LED (RGBW), 100 cm



NEW IP65 DMX WW  $\sphericalangle 10^\circ \times 40^\circ$

No. 51914102

EUROLITE LED IP T2000 WW Bar

Weather-proof bar (IP65) with 16 x 5 W LED (warm white), 100 cm



NEW IP44 DMX TCL RGB 

$\sphericalangle 15^\circ$

No. 51914124

EUROLITE LED IP T2000 TCL Bar

Weather-proof bar (IP44) with 18 x 3 W 3in1 LED (RGB), 100 cm



IP CCR WALL LIGHT

Wide and bright!

Do you like to bring light to giant walls or masonry with only a few spotlights? Then the CCR Wall Lights are the perfect solution for you. Both floodlights transport lots of light over greater distances. The weatherproof wall lights with IP 65 protection class come in a practical flightcase and can also stand in the bottom lid (with castors) for mobile operation. Both floodlights have very good RGBW color mixing and a 15° beam angle. The simple version is equipped with 60 LEDs each with 8 watts of power, the double version has 120 LEDs with identical performance.

Control is carried out via DMX signal. There is a three-pin XLR-connector and an integrated wireless DMX receiver from Wireless Solution available. The power connection is carried out via 3-pin 16A CEE plug. The current can also be fed-through to following devices. Powerful are these floodlights for mobile operation as well as for fixed installations.



IP65	DMX	QCL	RGBW	WDMX
------	-----	-----	------	------

No. 51914133

EUROLITE LED IP CCR-600 QCL Wall Light incl. Flight Case

PRO outdoor spot (IP65) in case with 60 x 8 W 4in1 LED (RGBW)



IP65	DMX	QCL	RGBW	WDMX
------	-----	-----	------	------

No. 51914134

EUROLITE LED IP CCR-1200 QCL Wall Light incl. Flight Case

PRO outdoor spot (IP65) in case with 120 x 8 W 4in1 LED (RGBW)



IP65

No. 40000310

EUROLITE Outdoor Spot 150W WFL black A

Asymmetrical outdoor spot (IP65) for 150 W discharge lamp



IP65

No. 40000315

EUROLITE Outdoor Spot 150W WFL silver A

Asymmetrical outdoor spot (IP65) for 150 W discharge lamp



100°

No. 41907160

EUROLITE Pro-Flood 1000S sym, R7s + Filter Frame

Symmetrical floodlight for halogen pole burner with a maximum of 1000 W



100°

No. 41907170

No. 41907190.....Barndoors

EUROLITE Pro-Flood 1000A asym, R7s + Filter Frame

Asymmetrical floodlight for halogen pole burner with a maximum of 1000 W



No. 51914140.....2 m
 No. 51914141.....5 m
 No. 51914142.....10 m

EUROLITE DMX-Cable for LED Par/Flood IP65



No. 51914150

EUROLITE DMX-Cable for LED IP Par, 5m



No. 51914151

EUROLITE Power cable IP-Par, 1,8m, 230V



No. 51914149

EUROLITE 230V Cable for LED IP PAR/IP Pad 5m



No. 51914148..... for IP-Pad
 No. 51914154..... for IP-Par DMX

EUROLITE End Cap



No. 51914152..... OUT
 No. 51914153..... IN

EUROLITE DMX-Adapter LED IP-Par 1m

CPE-4



AUTOPLAY TCL RGB

No. 42110210

EUROLITE LED PK-3 RGB spot

Small spot with 6 LEDs and RGB color change

Mini-Party-Set



AUTOPLAY RGB TCL UV RGBW

No. 51915501

EUROLITE LED Mini Party Set

Set with flower effect, washlight and black light/stroboscope bar



AUTOPLAY RGBA

No. 42110240

EUROLITE LED KRF-140 4-Channel-Light-Bar

Sound to light unit with 140 LEDs in the colors red, green, blue and amber



AUTOPLAY QCL RGBA

No. 51918533

EUROLITE LED CPE-4 Flower Effect

RGBA lighting bar with 3 W LEDs



NEW RGBW

No. 51799307

EUROLITE LED LP-4 Party Logo Projector

Simple logo projector with 4 LEDs (RGBW) and 4 party motifs



NEW IP44 CW

No. 51799309

EUROLITE LED IP LP-4 Party Logo Projector

Weather-proof logo projector (IP44) with 12 party motifs



AUTOPLAY RGB

No. 51918539

EUROLITE LED FE-13 Battery-Powered Flower Effect

Mini flower (RGB) with battery operation



RGB

No. 51918536

EUROLITE LED FE-41 Flower Effect

Simple flower effect with 41 LEDs in red, green and blue



AUTOPLAY RGBAWP

No. 51918720

EUROLITE LED Mini FE-3 Flower 6x3W RGBAWP

Flower effect with 6 x 3 W high-power LED in RGBAW and purple



AUTOPLAY RGBAWP MP3

No. 51918199

EUROLITE LED Mini D-4 Beam Effect MP3

Effect with 6 x 1 W LED in RGBAW and purple, loudspeaker and MP3 player





No. 51812234
EUROLITE Mini Double ball Eeam Effect
 Simple light effect with double rotation for two E14 230V/15W lamps



No. 51812255
EUROLITE LED MSC-10 Mini Single Cylinder
 Simple light effect with rotating cylinder incl. E-14 LED lamp



No. 51812260
EUROLITE LED MSB-15 Mini Single Ball
 Simple light effect with rotating ball incl. E-14 LED lamp



NEW RGB
 No. 51812262
EUROLITE LED MDB-12 Mini Double Ball
 Simple light effect with rotation around 2 axis with RGB colors



CW
 No. 51918980
OMNILUX LED BC-1 E-27 Beam Effect 6400K
 Disco effect luminary with cold white light



RGB
 No. 51918801
OMNILUX LED BC-1 E-27 Beam Effect RGB
 Disco effect luminary



CW RGB
 No. 51918983
OMNILUX LED BCL-1 E-27 Hybrid Beam Effect
 Disco hybrid effect light with RGB or cold white LEDs



MULTICOLOR REMOTE CONTROL
 No. 51928523
OMNILUX LED A60 230V 5W E27 multicolor RC
 Decorative illumination with remote control




NEW RGB
 No. 51919250
OMNILUX LED GM-10 E-27 Nice Flower
 LED effect lamp "Nice Flower" colorfully illuminates the housing



NEW RGB
 No. 51919252
OMNILUX LED GM-10 E-27 Lucky Star
 LED effect lamp "Lucky Star" illuminates the housing with small stars



No. 51919200.....Love
 No. 51919210.....Christmas/Party
 No. 51919220.....Spring
 No. 51919230.....Winter
 No. 51919240.....Halloween
OMNILUX LED GM-1 E-27
 LED effect lamp projects themes on walls and ceiling





RGB TCL

No. 51930459

EUROLITE LED Twinkle Ball TC

Rotary 13 cm ball illuminating from the inside to outside



LED Twinkle Ball



No. 50603020..... yellow
 No. 50603025..... red
 No. 50603027..... blue
 No. 50603030..... green

EUROLITE Police Light DE-1

Classic warning beacon inclusive 230 V/18 W lamp



• •

No. 50603650..... blue
 No. 50603652..... red

EUROLITE LED Buzzer Police Light

LED warning beacon, activates with a push on the plastic cover



NEW USB

No. 50603660..... blue
 No. 50603662..... red

EUROLITE LED Mini Police Beacon USB/Battery

Mini LED rotating beacon for 3 x AA 1.5 V battery or USB



• •

No. 51931471..... red
 No. 51931472..... blue

EUROLITE LED Police Light 108 LEDs Classic

LED police beacon with 108 LEDs



12 V

No. 50603511

EUROLITE Police Beacon STA-1221S blue 12V/21W SIRE

Warning beacon with alarm tone, magnetic holder



12 V

No. 50603510..... blue
 No. 50603512..... red
 No. 50603514..... orange
 No. 50603516..... green

EUROLITE Police Beacon STA-1221 12V/21W

Warning beacon with magnetic holder and cable for the cigarette lighter



12 V

No. 50603520

EUROLITE Police Beacon COL-1221 blue 12V/21W

Warning beacon with magnetic holder and cable for the cigarette lighter



12 V

No. 50603600

EUROLITE Strobe Police Beacon Round blue 12V

Flashing blue light with connection cable for the cigarette lighter



12 V

No. 50603630

EUROLITE LED Police Light PRO 12V amber High Power

Luminaire in orange with different programs



LIGHTING CONTROLLERS

Color Chief	186
Bigfoot	188
DMX Controllers Intelligent	189
MADRIX	192
DMX Controllers	194
Wireless DMX	195
DMX splits	196
Dimmer Packs	197
DMX Switch Packs	198

NEW

COLOR CHIEF

eurolite® DMX Controller



Innovative control concept for colored spot lights

The Color Chief offers you an innovative control concept combining easy handling with astounding results. The DMX controller has been developed especially for both colored spot lights and simpler light effects. What makes the Color Chief so special is that it cannot only control individual spot lights but also fixtures with up to 4 individual segments. Thus you can easily control your KLS system or your light bars with 4 segments.

Altogether, the Color Chief can control a total of 8 spot lights with up to 4 segments each.



The power of colors

As the name suggests, the Color Chief's strong suit is its colors. It supports up to 6 colors, thus it does not matter whether you have a simple RGB spot light or a complex light effect unit with red, green, blue, amber, white and UV. Spot lights with individual colors, e.g. white light spot lights, can be integrated as well. The Color Chief's clear design makes it particularly easy to be always in control.

Smart color effects

Do you have a color effect with only one channel for various colors? Thanks to the color wheel function, this is not a problem for the Color Chief. The 8 already recorded smart color effects make the configuration even easier for you. It has never been easier to create such impressive color effects.

Special features

Of course, the Color Chief offers more than color control. You can also adjust the dimmer, shutter and three free channels, thus you can also control simple beam effects, lasers and projectors.





Easy memory procedure

Memorizing your scenes is just as easy. When you have created a nice scene and want to memorize it as a new step you just press the store button. This way you can easily create individual scenes and chases which can be stored on up to 24 memory banks. However, you can also easily add steps at any position, edit previously memorized scenes or delete steps.

Simultaneously running chases

With the Color Chief you can run more than one chase, thus you can use several chases and scenes simultaneously. What is more, every chase can have its own running time and fade time, i.e. you can determine for each chase how fast it should run and if the fade effect should be hard or soft. Of course, you can change these settings anytime.



Everything safe

The Color Chief has a USB interface that can be used to memorize the entire control panel with all its settings and programs. You can memorize up to 24 complete setups on a USB flash drive. This way you can easily manage different shows or fixture arrangements



NEW DMX USB 19" 3U

No. 70064575

EUROLITE DMX LED Color Chief Controller

DMX lighting desk with innovative control concept for LED spotlights





eurolite®

BIGFOOT

DMX foot controller



IT IS REALLY ALIVE!

DMX Move **BIGFOOT** Foot Controller 192

A full-fledged DMX light controller in a foot bar – with FX generator

- Quick programming thanks to the integrated FX generator with movement patterns and color effects
- For 12 fixtures with max. 16 control channels each
- Save shows on an USB-stick
- Solid metal housing with handle
- Simply preselect the desired program by foot and trigger it with the GO button



DMX USB

No. 70064517

EUROLITE DMX Move Bigfoot Foot Controller 192

A full-fledged DMX light controller in a foot bar, with FX generator

eurolite®

EASY OPERATOR

DMX LED EASY Operator Deluxe

Simply control either one spot system with 4 segments, like a KLS system for example. Or you control 4 single spots. For these two tasks the Easy Operator Deluxe has been developed.

You can adjust and save the 12 colors and the brightness – steplessly - for all spots or all segments. Then you can run them and adjust the speed or let the music take control. Smooth blendings and fast stroboscope blinking can be realized as well.



DMX LED EASY Operator 4x6

Lighting control is unlikely to be easier than with the Easy Operator 4x6. You can control 4 single spots with up to 6 colors each. And the spots do not have to be the same, they can be different types.

The key feature of this Easy Operator: Control is a child's play and still you have plenty of options to be creative. You can manually set the colors, choose chasers or let the light blink like a stroboscope.

DMX LED EASY Operator 4x4

This simple control helps you to operate spotlights with 4 colors each. This means you can control lights with RGB, RGBW and RGBA color mixture.

The spots do not have to be the same kind, just like for the EASY Operator 4x6. What the two devices also have in common is their very easy way of controlling and their surprisingly manifold control options.



NEW DMX

No. 70064574

EUROLITE DMX LED EASY Operator Deluxe

Controller for 4 colored LED spotlights or one KLS set with 4 segments



NEW DMX

No. 70064565

EUROLITE DMX LED EASY Operator 4x4

Compact DMX controller for 4 LED spotlights with up to 4 colors each





NEW DMX

No. 70064570

EUROLITE DMX LED EASY Operator 4x6

Compact DMX controller for 4 LED spotlights with up to 6 colors each





DMX USB 19" 4U MOTOR. FADER
MULTICHASE
No. 70064516
EUROLITE DMX Move Controller 512 PRO
DMX controller with FX generator for motions


Unique in its class

Such a quality has never been there for light controllers of this size. The Move Controller scores with its equipment, conception and a special feature: motorized faders.

With the DMX Move Controller 512 Pro, 24 DMX lighting effect devices with up to 34 channels per device can be controlled. It is perfectly suited for use with moving lights and devices having RGB or RGBW LEDs. The compact measurements make it the perfect companion for mobile users.




DMX USB 19" 3U
No. 70064515
EUROLITE DMX Move Controller 512
Controller with color & motion effects (28 fixtures, 18 control channels each)




DMX USB 19" 3U
No. 70064518
EUROLITE DMX Operator 240 Controller
Console for 12 light effect units (max.20 DMX channels), 2 jog wheels



DMX 19" 3U
No. 70064520
EUROLITE DMX Operator 192 Controller
DMX controller for 12 devices with max.16 DMX channels



NEW DMX USB 19" 3U
No. 70064526
EUROLITE DMX Scan Control 192 MK2 Controller
Console for 12 lighting effect units for up to 16 DMX channels, joystick



NEW DMX USB 19"
No. 70064522
EUROLITE DMX Operator 1610 Controller
Compact console for 16 lighting effect units up to 10 DMX channels + USB



DMX USB PC_{connect}
No. 51860156
EUROLITE SAP-512 MK2 Standalone Player



DMX USB PC_{connect}
No. 51860159
EUROLITE LED SAP-1024 HTS Standalone Player



The most intuitive light controlling app you have ever seen

YOU'RE WELCOME, MANKIND.



FREE DOWNLOAD

LIGHT'J

eurolite **freeDMX**

Eurolite freeDMX - Wireless and easy

Control your spots, flowers, bars or even moving heads simply via tablet or smartphone. The only thing you need besides the freeDMX_AP: Light'J- the most innovative light controlling app.



DMX 2.4G WDMX

No. 51860130

EUROLITE freeDMX AP Wi-Fi Interface

Wireless WLAN DMX interface for apps & programs like Steinigke Light'J

Just take the DMX cable from a spot and plug it into the freeDMX_AP interface. Then connect freeDMX_AP with your mobile device via the integrated Wi-Fi module. Now you can run your own show, as simple as that!



NEW DMX USB PCconnect

No. 51860121

EUROLITE USB-DMX512 PRO Interface MK2

USB DMX interface with stable DMX signal, due to integrated processor



NEW DMX USB PCconnect

No. 51860122

EUROLITE USB-DMX512 cable-interface PRO

USB DMX interface with stable DMX signal, due to integrated processor



DMX USB PCconnect

No. 51860118

EUROLITE USB-DMX512 Interface/Update Adaptor

USB DMX interface without software for use with lighting control programs



DMX ILDA RJ45 SDHC PCconnect

No. 51743200

LASERWORLD Showeditor Set - Lasershow Software

Set with Laserworld Showeditor 2015 and Laserworld ShowNET Network Interface



DMX USB PCconnect

No. 51860150

EUROLITE LED PC-Control 512

Lighting control software with USB interface to create professional shows



DMX USB PCconnect

No. 51860116

EUROLITE Pro Control DMX Software 1024

Lighting control software with USB interface and 2 DMX universes



ARTNET DMX USB PCconnect


No. 51860170

EUROLITE USB-ArtNet/DMX1024-PRO Interface

Lighting control software with licence for output of 32 DMX universes



*Lichtsteuerung für LEDs:
kreativ, flexibel, vielseitig.*



MADRIX Lighting Control

MADRIX® is a high-performance software solution to control your LEDs. The brand not only offers the software. It also produces hardware products, which perfectly complement the software. MADRIX® runs on Windows® and is first of all user friendly – and it is equipped with numerous innovations.

A multitude of well-known industry standards are supported by MADRIX®, such as: DMX512, Art-Net, Streaming ACN, DVI, Eurolite T9, ColourSmart Link, Colorlight 5A and Philips ColorKinetics. MADRIX® is both a generator for real time effects as well as a media server. The software thus features unique possibilities to display effects live and pixel after pixel.

You can control applications both in common 2D as well as 3D projects in all three levels without any difficulty. To control your installations you can use MADRIX alone or implement it in really extensive productions via Art-Net Remote, CITP, DMX-IN, MA-Net, MIDI-IN, Streaming ACN, Remote HTTP and Timecode.

With matching hardware products you can control all LED installations reliably on the basis of the MADRIX® software, the core of the MADRIX® product range. You can integrate software and hardware smoothly and thus create extraordinary effects.

You can find an overview of the current MADRIX® products in our online shop.





DMX USB PCconnect

with MADRIX 3

No. 51860350

MADRIX NEO - USB DMX512 interface+License

MADRIX USB/DMX interface to issue a DMX universe over XLR



ART NET DMX USB PCconnect RJ45

with MADRIX 3

No. 51860390

MADRIX Plexus (incl. License)

USB and Artnet interface to issue two DMX universes over XLR



ART NET USB PCconnect RJ45

No. 51860360

MADRIX NEBULA

USB and Artnet interface to control pixels of LED strips, LED stripes, and LED tape



ART NET USB PCconnect RJ45

No. 51860365

MADRIX STELLA

USB and Artnet interface to control two DMX universes with Madrix



USB PCconnect

No. 51860380

MADRIX USB Light Sensor

Light sensor to trigger MADRIX software



USB PCconnect

No. 51860381

MADRIX USB temperature Sensor

Temperature sensor to trigger the MADRIX software



DMX USB PCconnect

No. 51860355

MADRIX USBone DMX512 USB interface

USB-DMX cable to send/receive DMX signals with MADRIX software



DMX USB PCconnect

No. 51860383

MADRIX USB SMPTE

USB cable for sending SMPTE time code to the MADRIX software



DMX USB PCconnect RJ45 19" 1U

No. 70064844

MADRIX LUNA 4 Port USB / Art-Net Node

Artnet and USB interface to issue 4 DMX universes



DMX USB PCconnect RJ45 19" 1U

No. 70064845

MADRIX LUNA 8 Port USB / Art-Net Node

Artnet and USB interface to issue 8 DMX universes



DMX USB PCconnect RJ45 19" 2U

No. 70064846

MADRIX LUNA 16 Port USB / Art-Net Node

Artnet and USB interface to issue 16 DMX universes



DMX

No. 70063802

EUROLITE FD-6+1 DMX Dimmer Panel

Basic DMX controller for 6 channels with master fader



DMX

No. 70063813.....mounting frame
No. 70063815

EUROLITE FD-512 DMX Dimmer Panel

Compact DMX controller for 512 channels



NEW DMX

No. 70063830

EUROLITE FD-32+1 DMX Dimmer Panel

Basic DMX controller for 32 channels with master fader



DMX

No. 70064504
No. 70064509.....mounting frame

EUROLITE DMX LED Operator 4 Controller

Simple controller for 4 RGB spots as well as RGB KLS systems



DMX

No. 70064506
No. 70064508.....mounting frame

EUROLITE DMX LED Operator 6 Controller

Simple controller for 6 RGBAW+UV LED spots



DMX

No. 70064511

EUROLITE DMX LED Operator IR2DMX

IR control module to control 4 RGB spots and KLS sets



DMX

REMOTE CONTROL

No. 70064512

EUROLITE DMX LED Operator IR2DMX + IR RC

IR control module set with remote to control 4 RGB spots and KLS sets



DMX 19" 6U MULTICHASE

No. 70064540

EUROLITE DMX Scene Setter Controller

Theater light console for 24 DMX channels, each scene brightness control



DMX 6U MULTICHASE

No. 70064545

EUROLITE DMX Scene Setter 24/48

Theater light console for 48 DMX channels, each scene brightness control



DMX 19" 6U USB RDM

MULTICHASE

No. 70064550

EUROLITE DMX Commander 24/48 Controller

Theater light console for 48 DMX channels, each scene brightness control



QuickDMX

Cables can be annoying sometimes. With the Eurolite Quick DMX system, you can forget the cables; the DMX signal is transmitted wirelessly. The signal can be sent to several receivers and several systems with different DMX universes can be operated simultaneously.

The new EUROLITE QuickDMX Wireless transmitter/receiver can be used as transmitter or as receiver. It makes the wireless transmission of up to 512 DMX channels possible and switches automatically between transmitting and receiving operation. Besides eliminating the cable chaos, it saves you time and nerves.



DMX 2.4G

No. 70064700

EUROLITE QuickDMX Wireless Transmitter

Wireless DMX transmitter 2.4 GHz



DMX 2.4G

No. 70064701

No. 70064702.....phantom power

EUROLITE QuickDMX Wireless Receiver

Compact wireless DMX receiver 2.4 GHz



DMX 2.4G

No. 70064703

EUROLITE QuickDMX Wireless Transmitter/Receiver

Wireless DMX system 2.4 GHz



DMX 2.4G 

No. 51834021

FUTURELIGHT WDR-G4 wireless DMX receiver PCB

Wireless DMX receiver, 2.4 GHz




DMX 2.4G 

No. 51834022

FUTURELIGHT WDS-G4 TX Wireless-DMX-Transceiver

Wireless DMX system 2.4 GHz - compact transceiver with W-DMX unit by Wireless Solution



DMX 2.4G 

No. 51834023

FUTURELIGHT WDR-G4 RX Wireless-DMX-Receiver

DMX wireless receiver with technology from Wireless Solution



DMX RJ45

No. 70064842

EUROLITE Art-Net/DMX Node 1

LED controller and Art-Net/DMX converter



ART NET

DMX RJ45 19" 1U



No. 70064843

EUROLITE Art-Net/DMX Node 8 MK2


Art-Net interface distributes 8 universes to XLR

DMX 19" 1U

No. 70064820

EUROLITE Split 6X DMX Splitter

Splitter with 6 galvanized isolated outputs, 3-pin & 5-pin XLR sockets



DMX

No. 70064810

EUROLITE DMX Split 4 Splitter

Splitter with 4 galvanized isolated outputs, 3-pin & 5-pin XLR sockets




DMX 19" 1U

No. 70064825

EUROLITE DMX Split 8X Splitter

Splitter with 8 galvanized isolated outputs, 3/5-pin & QuickDMX XLR sockets



DMX 19" 1U RDM

No. 70064826

EUROLITE DMX Split 8X RDM Splitter

Splitter with 8 galvanized isolated outputs, 3/5-pin & QuickDMX XLR sockets



NEW DMX

No. 70064865

EUROLITE DXT-TSP 1in/2out PRO DMX Truss Splitter

Splitter for truss mounting with output on 2 galvanized isolated outputs



DMX

No. 70064868

EUROLITE DXT-ME PRO DMX merger

Professional DMX merger to combine 2 DMX signals into 1



NEW DMX RDM

No. 70064866

EUROLITE DXT-SP 1in/2out PRO DMX RDM Splitter

RDM capable DMX splitter, 1in/2out with signal processing



NEW DMX RDM 19" 1U

No. 70064869

EUROLITE DXT-SP 1in/8out PRO DMX RDM Splitter 3pol XLR

Splitter on 8 galvanized isolated outs, 3-pin XLR-sockets & RDM support



NEW DMX RDM 19" 1U

No. 70064867

EUROLITE DXT-SP 1in/4out PRO DMX RDM Splitter

Splitter on 4 galvanized isolated outs with 3-pin and 5-pin XLR-sockets



NEW DMX RDM 19" 1U

No. 70064870

EUROLITE DXT-SP 1in/8out PRO DMX RDM Splitter 5pol XLR

Splitter on 8 galvanized isolated outs, 5-pin XLR-sockets & RDM support




DMX 19" 2U





No. 70064120
EUROLITE DPX-610 DMX Dimmer Pack
 6 x 10A dimmer for DMX & analog signals, connection via terminal blocks

DMX 19" 2U



No. 70064125
EUROLITE DPX-610 MP DMX Dimmer Pack
 6 x 10A dimmer for DMX & analog signals with two 16-pin multipin outs

DMX 19" 3U



No. 70064136
EUROLITE DPX-1216 MP DMX Dimmer Pack
 12 x 16A dimmer with two 16-pin multipin outs









DMX 19" 3U




No. 70064182
EUROLITE DPMX-1216 S DMX Dimmer Pack
 12 x 16A dimmer, service friendly modules, 12 safety sockets







DMX 19" 3U



No. 70064185
EUROLITE DPMX-1216 MP DMX Dimmer Pack
 12 x 16A dimmer, service friendly modules, 2 16-pin multipin sockets





DMX

No. 70064192
EUROLITE DPMX Dimmer-Modul 1216 MK1
 Replacement module for DPMX-1216 dimmer packs

DMX 19" 2U



No. 70064122
EUROLITE DPX-610 S DMX Dimmer Pack
 6 x 10A dimmer for DMX & analog signals with safety out-sockets









DMX 19" 2U




No. 70064130
EUROLITE DPX-620 DMX Dimmer Pack
 Digital 6-channel dimmer pack

DMX 19" 3U














No. 70064180
EUROLITE DPMX-1216 DMX Dimmer Pack
 12 x 16A dimmer, service friendly modules, connection via terminal block

DMX 19" 3U



No. 70064183
EUROLITE DPMX-1216 CEE DMX Dimmer Pack
 12 x 16A dimmer, service friendly modules, 12 CEE sockets

DMX

No. 70064193
EUROLITE DPMX Dimmer-Modul 1216 MK2
 Replacement module for DPMX-1216 dimmer packs


DMX



No. 70064210

EUROLITE ERX-4 DMX Switch Pack

4-channel switch pack, up to 5 A load per channel, control with relay



DMX

RDM



No. 70064224

EUROLITE ESX-4R DMX RDM Switch Pack

4-channel DMX switch pack, up to 5 A load per channel, control per Triac




DMX



No. 70064065

EUROLITE EDX-1 MK2 DMX Dimmer Pack

4-channel dimmer pack, single phase connection, max. output power 5A/channel



DMX

RDM



No. 70064073

EUROLITE EDX-4R DMX RDM Dimmer Pack

4-channel dimmer pack, single phase connection, max. output power 5A/channel



DMX

RDM



No. 70064074

EUROLITE EDX-4RT DMX RDM Truss Dimmer Pack

4-channel DMX dimmer pack



USB



No. 51836903

FUTURELIGHT ULB-2 USB Upload Box

Upload box for fixture software upgrades

19"


2U



No. 70008271

EUROLITE Board 6 with 6x Safety-Outlets

Power distributor with switching panel with 6 safety sockets



19"

2U



No. 70008275

EUROLITE Board 6-S with 6x Safety-Plugs

6-fold switching panel for separate switching of 6 safety sockets



19"

1U



No. 70008277

EUROLITE Board 8-S with 8x IEC Outputs

8-fold switching panel for separate switching of 8 IEC outputs



19"


3U



No. 70008283


EUROLITE Board 10-ST with 10x Safety-Plug

Panel, 10 switches (10 x flash buttons), separate switching (10 safety sockets)



SHOW EFFECTS

Fog Machines	200
Hazers	210
Accessories	212
Fluids	216
Snow Machines	218
Bubble Machines	220
Strobes	222
Lasers	225
UV Effects	228
UV Light	230
Confetti Machines	232
Blowers	240
Air Effects	241
Projectors	242



hazebase .com – the upper class of professional foggers, Made in Germany

hazebase produces all its devices in Germany and pays major attention to high quality. For their fog machines, they set a high value on reliability and robustness. From a thick fog effect to the perfect haze for your moving head lights and lasers, hazebase has a machine for the right emotion and atmosphere. From the smallest venue to the largest stadium and festival there is a hazebase hazer or fogger that meets your needs.

In addition to the great variety of hazebase machines, there are accessories like fluid distribution systems, flying racks, road cases, remote controls and many different fluid choices to create the perfect atmosphere.



DMX

No. 51700105

HAZEBASE Base*Classic Fogger

Professional 1300 W fog machine with DMX connection



DMX

No. 51700110

HAZEBASE Base*Highpower Fogger

Professional 2600 W fog machine with MDX connection



DMX

No. 51700120

HAZEBASE Base*Classic*cased Fogger

Professional 1300 W fog machine in its own case with DMX connection



DMX

No. 51700125

HAZEBASE Base*Highpower*cased Fogger

Professional 2600 W fog machine in its own case with DMX connection



No. 51700115

HAZEBASE Base*Battery Fogger

Professional battery fog machine for up to 10 minutes of continuous fog



DMX

No. 51700130

HAZEBASE Base*Cap Fogger

Professional, compact fog machine with 650 watts of power



DMX

No. 51700135

HAZEBASE Base*Cap*Cased Fogger

Professional, compact fog machine in its own case with 650 watts of power



DMX

No. 51700145

HAZEBASE Base*Touring*Cased Fogger

Professional 2600 W fog machine with fan in its own case and DMX connection



DMX

No. 51700150

HAZEBASE Base*Low*Pro CO-2 Fogger

Fog cooling unit for ground fog with CO-2 bottle and riser

hazebase makes high demands on its suppliers regarding the quality of the raw materials in every hazer and fogger. This allows hazebase to provide best quality, longest lasting machines in the industry. Tour tested and the choice of professional worldwide.

Professional Cases



No. 51700200..... 5 l
No. 51700202.....25 l

HAZEBASE Base*S Fog Fluid

Quick smoke liquid



No. 51700205..... 5 l
No. 51700207.....25 l

HAZEBASE Base*M Fog Fluid

Medium lasting smoke liquid



No. 51700209..... 5 l
No. 51700211.....25 l

HAZEBASE Base*L Fog Fluid

Long lasting dust liquid



No. 51700214..... 5 l
No. 51700216.....25 l

HAZEBASE Base*XL Fog Fluid

Extreme long lasting smoke liquid



No. 51700218..... 5 l
No. 51700220.....25 l

HAZEBASE Base*Hazer Special Fluid

Special liquid for the base*hazer



No. 51700224..... 5 l
No. 51700226.....25 l

HAZEBASE Base*Battery Special Fluid

Special liquid for the base*battery



No. 51701925

ANTARI M-1 Mobile Fogger

Compact fog machine with rechargeable battery, charger, smoke fluid and case



DMX

No. 51701904

ANTARI M-4 Stage Fogger

Powerful 1500 W fog machine with DMX, vertical or horizontal operation



DMX

No. 51701905

ANTARI M-5 Stage Fogger with Controller

DMX controllable, high-performance 1500 W fog machine



DMX

RGBA



No. 51701907

ANTARI M-7E Stage Fogger with RGBA-LEDs

1500 W fog machine with LED illumination, vertical & horizontal operation



DMX

No. 51701908

ANTARI M-8 Stage Fogger with Controller

DMX controllable, high-performance 1800 W fog machine



DMX

No. 51701910

ANTARI M-10 Stage Fogger with Controller

DMX controllable, high-performance 3000 W fog machine



No. 51701943

EUROLITE N-10 Fog Machine silver

Compact 400 W fog machine with cable remote control



No. 51701944

EUROLITE N-10 Fog Machine black

Compact 400 W fog machine in black with cable remote control



N-11 LED Hybrid amber



No. 51701957

EUROLITE N-11 LED Hybrid blue Fog Machine

Compact 400 W fog machine with blue LEDs



No. 51701958

EUROLITE N-11 LED Hybrid amber Fog Machine

Compact 400 W fog machine with amber LEDs



No. 51701959

EUROLITE N-12 LED Hybrid multicolor Fog Machine milky

Compact 430 W fog machine with colorfully illuminated housing



No. 5170195A

EUROLITE N-19 Smoke Machine black

Compact 700 W fog machine in black



No. 5170195B

EUROLITE N-19 Smoke Machine silver

Compact 700 W fog machine in silver



No. 51701896

EUROLITE LED FF-5 Hybrid Fog Flower

450 W fog machine and lighting effect in one device



LED FF-5



No. 51701965
EUROLITE N-110 Fog Machine
 Powerful 1250 W fog machine



No. 51701964
EUROLITE N-110B Fog Machine black
 Powerful 1250 W fog machine in black



No. 51701981
EUROLITE N-150 MK2 Fog Machine
 DMX controllable fog machine with powerful 1500 watts



No. 51701963
EUROLITE N-200 Smoke Machine
 Powerful fog machine with 1800 watts



No. 51701997
EUROLITE Timer-Controller LCD-1
 Controller for Eurolite fog machines with 5-pin XLR-socket




No. 51701998
EUROLITE Timer-Controller LCD-2
 Controller for Eurolite NB-150 Ice



No. 51705145
EUROLITE LNB-600 LED Hybrid Fog Bubble
 Effect with haze, fog-filled bubbles and LED illumination






FOG MACHINES

dynamic

New looks – better technology

Eurolite's Dynamic series has a name which is to the point, as dynamics is what the new foggers are delivering. One main feature: the high quality technology inside the units. To have an even more powerful and even more reliable smoke machine with really low maintenance, an excellent pump system has been built in – an update of the already proven Eurolite quality.





Also characteristic about Dynamic: the looks. With the grill, based a bit on a radiator grill from a car, and its soft blue LED illumination the series also directs in a new, modern direction.

The different models of the series cover large fields of applications. There are Dynamics for large live stages, discotheques and clubs as well as small party rooms. The series consists of two hazers and 5 foggers.

Some units offer more control options than the classic cable remote or an DMX interface. The Fog 1200, 1500, 2000 and the Faze 1000 are also equipped with a wireless remote. The Fog 2000 has a control module, that is attached to the machine. But it can easily be loosened via four screws and then serves as cable remote with ample options.



No. 51702030
EUROLITE Dynamic Fog 600 Fog Machine
 Compact fog machine with 600 W power and cable remote control



DMX No. 51702037
EUROLITE Dynamic Fog 700 Fog Machine
 Compact DMX fog machine with 700 W power



DMX No. 51702040
EUROLITE Dynamic Fog 1200 Fog Machine
 DMX machine with 1200 W power, wireless remote control and timer



DMX No. 51702045
EUROLITE Dynamic Fog 1500 Flex Fog Machine
 DMX machine with 1500 W power, adjustable output angle, timer and remote



DMX No. 51702050
EUROLITE Dynamic Fog 2000 Fog Machine
 DMX fog machine with 2000 W power, timer and wireless remote



No. 51702055
EUROLITE Dynamic Faze 700 Fazer
 Compact fazer produces fine haze, operates with standard fluid



DMX No. 51702057
EUROLITE Dynamic Faze 1000 Fazer
 DMX fazer produces fine haze, operates with standard fluid



FOG YOU!

For that wow-effect on stage, fireworks are not always necessary: Fog “gushers” like the NSF machines are more than an attractive alternative: much less security restrictions, less expensive than pyro effects, more flexible and certainly as impressive.

The machines do not only create vertical fog fountains with several meters of height. They also bathe the geyser in colored light and thus create stunning effects. Precisely because they are such good alternatives to pyro effects, they can be found on numerous music stages, even on very big festival stages.



NEW DMX RGB

No. 51701961

EUROLITE NSF-100 LED DMX Hybrid Spray Fogger

DMX fog machine with 850 W, LED illumination, vertical fog output



DMX RGB REMOTE CONTROL

No. 51701966

EUROLITE NSF-250 LED DMX Hybrid Spray Fogger

DMX fog machine with 1000 W, LED illumination, vert./horiz. fog output




DMX RGB

No. 51701977

EUROLITE NSF-350 LED Hybrid Spray Fogger

DMX fog machine with 1500 W, LED illumination, vert./horiz. fog output



NSF-350

Antari
FOG MACHINE
www.antari.com

From Club to Arena.

Hazer Technology
HZ-1000



HZ-1000 Effect

3 Positions Are Available



DMX

No. 51702602

ANTARI FT-100 Fogger

1500 W fog machine for fire departments and rescue services



No. 51702603

ANTARI FT-200 Fogger

1600 W fog machine, vertical output, for fire and rescue services



No. 51702604

ANTARI FT-50 Fogger

Portable battery fog machine for fire departments and rescue services



NEW



No. 51702606

ANTARI FT-20 Fogger

Battery for machine for fire drills yet also for show events



No. 51703100

ANTARI FLP-700 Fire Fog Liquid



No. 51702607

ANTARI Z-800 MK2 + Z-10 ON/OFF-Controller

Compact 800 W fog machine, extremely fast heat-up time & remote control



DMX

No. 51702611

ANTARI Z-1000 MK2 + Z-10 ON/OFF-Controller

DMX controlled fog machine with 1000 W heater



DMX

No. 51702613

ANTARI Z-1200 MK2 with Z-8 Timer controller

DMX controlled fog machine with 1200 W heater



DMX

No. 51702616

ANTARI Z-1500 MK2 with Controller Z-20

DMX controlled fog machine with 1500 W heater



DMX

RGB



No. 51702618

ANTARI Z-1520 LED Spray Fogger

1500 W machine, extremely powerful vertical fog output with LED illumination





DMX

No. 51702617

ANTARI Z-3000 MK2 with Controller Z-20

DMX controlled fog machine with 3000 W heater



DMX

No. 5170261A

ANTARI Z-1020 with Z-10 ON/OFF-Controller

DMX controlled machine with 1000 W and vertical fog output



REMOTE CONTROL

No. 51702705

ANTARI W-508 Fogger

Compact 800 W machine, extremely fast heat-up time and remote control



DMX

REMOTE CONTROL

No. 51702707

ANTARI W-510 Fogger

DMX controlled machine with 1000 W heater power and wireless remote control



DMX

REMOTE CONTROL

No. 51702710

ANTARI W-515D Fogger

Controllable machine with 1500 W and built-in wireless DMX receiver



DMX

REMOTE CONTROL

No. 51702712

ANTARI W-530D Fogger

Controllable machine with 3000 W and built-in wireless DMX receiver



DMX

REMOTE CONTROL

No. 51702716

ANTARI W-715 Spray Fogger

Powerful 1600 W DMX fog machine with vertical fog output



IP63

No. 51702805

ANTARI IP-1000 Fog Machine IP63

Spray water protected 1000 W machine with cable remote control



DMX

IP53

REMOTE CONTROL

No. 51702815

ANTARI IP-1500 Fog Machine IP53

Spray water protected 1500 W machine with digital wireless control & DMX



No. 51702923

ANTARI F-80/Z Fog Machine

Compact fog machine with 700 W heater



DMX

No. 51700100

HAZEBASE Base*Hazer*Pro Hazer

Professional 1500 W hazer with DMX, installed in its own case



NEW DMX

No. 51701989

EUROLITE NH-110 Tour Hazer

Powerful 1000 W hazer (DMX/manual operation), in its own case



No. 51701946

EUROLITE NH-10 Hazer

Compact hazer with 400 W, remote control & adjustable output volume



DMX REMOTE CONTROL

No. 51701948

EUROLITE NH-30 MK2 DMX Hazer

Extremely compact, powerful machine (720 W) with timer, wireless remote & DMX



DMX

No. 51702673

ANTARI F-4 Fazer

Silent fazer in flightcase with wireless DMX receiver



DMX

No. 51702674

ANTARI Z-380 Fazer

Extremely compact fazer with adjustable output volume & DMX



DMX

No. 51702676

ANTARI F-5D Fazer

Silent fazer in flightcase with wireless DMX receiver



DMX

No. 51702677

ANTARI Z-350 Fazer

Extremely efficient fazer with DMX interface



No. 51702678

ANTARI F-1 Fazer

Silent fazer with 700 W & optional wireless control system



DMX WDMX WIRELESS SOLUTION MADE IN POLAND

No. 51702679

ANTARI F-7 Fazer

Heavy-duty fog machine with flightcase and adjustable output angle



No. 51702682

ANTARI HZ-100 Hazer

Compact hazer with cable remote control



DMX REMOTE CONTROL

No. 51702685

ANTARI HZ-350 Hazer

Hazer with digital wireless control system and DMX interface

ANTARI ICE-101



DMX

No. 51702690

ANTARI HZ-400 Hazer with Timer Controller

Powerful hazer with DMX interface and timer



DMX

No. 51702695

ANTARI HZ-500E Hazer

Silent hazer in flightcase



DMX

No. 51701983

EUROLITE NB-150 ICE Low Fog Machine

Simple floor fogger with 1500 W, fog cooled via ice cubes



NEW

No. 51701984

EUROLITE NB-60 ICE Low Fog Machine

Compact low fog machine with 600 W, timer, ice cubes cool the fog



NEW

No. 51701986

EUROLITE NB-40 MK2 ICE Low Fog Machine

Compact machine (450 W), 1.2 liter tank, remote control, ice cube cooling



NEW

No. 51701988

EUROLITE Mini Dry Ice 1 Ground Fog Machine

Compact ground fog machine for dry ice operation



DMX

No. 51702663

ANTARI DNG-200 Low Fog Generator

Heavy-duty low fog machine, generates enormous amounts with fluid



DMX

No. 51702664

ANTARI ICE-101 Low Fog Machine

Floor fog machine with remote control or DMX, ice cube cooled



DMX

No. 51702962

ANTARI DNG-100 Fog Cooler

Accessory for creating floor-fog, can be installed in front of the smoke machine



ANTARI DNG-200



No. 51700240
HAZEBASE Base*XLR-remote Control
 Cable remote-control



No. 51700242
HAZEBASE Base*Radio remote Control
 Radio remote-control with sender and receiver



No. 51700260
HAZEBASE Base*mounting Set for Classic and Highp.
 Flying bracket



No. 51700261
HAZEBASE Base*flyer for Base *Hazer Pro*
 Flying bracket



No. 51701949
EUROLITE WRC-2 Wireless Remote Control



No. 51701962
EUROLITE WRC-4 Wireless Remote Control



No. 51702027
EUROLITE WRC-4 Wireless Remote Control with Receiver
 Wireless control for NSF-100



No. 51702028
EUROLITE WRC-3 Wireless Remote Control



No. 5170298D
ANTARI Z-9 Wireless Controller
 Wireless controller set for ANTARI unit Z-1200II



No. 5170298G
ANTARI Z-6 Timer Controller
 Cable remote control with timer function for Z-300II



No. 5170298N
ANTARI SC-3 Timer Remote Controller



No. 5170298R
ANTARI Z-10 Controller
 Cable remote control for Z-800II, Z-1000II, Z-1020, B-200



No. 5170298X
ANTARI Z-4 Timer Controller



No. 5170298Y
ANTARI Z-8 Timer Controller

Cable remote control with timer function for Z-1200II and ICE-101



No. 5170299A
ANTARI Z-30 Wireless Controller
Wireless controller for ANTARI units Z-1500II and Z-3000II



No. 5170299B
ANTARI Z-50 Wireless Controller
Wireless controller set for ANTARI units Z-800II, Z-1000II, Z-1020



No. 5170299C
ANTARI M-30 Wireless Controller
Wireless controller set for ANTARI units M-5 and M-10



No. 5170299K
ANTARI BCR-1 Wireless Controller
Wireless controller set for ANTARI B-200T



No. 5170299M
ANTARI W-1 Wireless Controller



No. 5170299W.....Control W-2
No. 5170299X.....Control module WTR-20
ANTARI W Wireless Controller



No. 5170299P
ANTARI M-31 Wireless controller



No. 5170299R
ANTARI Z-3 Volume Controller
Cable remote control for Z-350



No. 5170299S
ANTARI HC-1 Timer Remote Controller



No. 5170299T
ANTARI BCT-1 Timer Remote Controller



No. 51702992
ANTARI FTA-1 Fog Hose Adapter
 Adapter for fog machines



No. 5170299N
ANTARI FTA-2A Fog Hose Adapter



No. 51702994
ANTARI FTA-3 Fog Hose Adapter
 Adapter for fog machines



No. 51702995
ANTARI EXT-1 Extension Cord, 6.3mm jack
 Extension cable



No. 51702998
ANTARI EXT-4 Extension Cord 3-pin XLR
 Extension cable



No. 51702997
ANTARI EXT-3 Extension Cord for 5-pin XLR
 Extension cable



No. 51702971
ANTARI FTA-664 T-Piece, 2x6mm / 1x4mm



No. 51702973
ANTARI FTA-64 Reducer 1x6mm / 1x4mm



No. 51702975
ANTARI FTA-66 Adapter 1x6mm / 1x6mm



No. 51702976
ANTARI FTA-200 Fog Hose Adapter



No. 517029776mm/10m
 No. 517029794mm/10m
ANTARI FT Fog Hose
 Hose adapter



DMX
 No. 51702961
ANTARI LCU-1SE Liquid Control unit
 Handy fluid distributor with DMX interface




No. 51702970.....clear
 No. 51702980.....black
ANTARI ST-10 Hose Extension, 10m



No. 51702981
ANTARI FT-10 Fog Hose, 10cm/10m




 No. 51704655.....Fog fragrance set with all 14 types
 No. 51704695.....lime
 No. 51704700.....mint
 No. 51704705.....strawberry
 No. 51704710.....cherry
 No. 51704715.....tutti-frutti
 No. 51704720.....vanilla
 No. 51704725.....apple
 No. 51704740.....coconut
 No. 51704755.....disco
 No. 51704760.....pina colada
 No. 51704765.....caipirinha
 No. 51704770.....peach
 No. 51704775.....coke
 No. 51704780.....raspberry

EUROLITE Smoke Fluid Fragrance, 20ml

Fragrance for smoke fluid



FLUIDS

for show effects



- No. 51704198..... 1 l
- No. 51704199..... 5 l
- No. 51704200..... 25 l

EUROLITE Smoke Fluid -B- Basic

Fog effect with medium density and hang time



- No. 51704201..... 1 l
- No. 51704203..... 5 l
- No. 51704205..... 25 l

EUROLITE Smoke Fluid -C- Standard

Long-lasting fog effect with medium density



- No. 51704209..... 1 l
- No. 51704210..... 5 l
- No. 51704239..... 25 l

EUROLITE Smoke Fluid -P- professional

Long-lasting fog effect with high density



- No. 51704324..... 1 l
- No. 51704325..... 5 l
- No. 51704334..... 25 l

EUROLITE Smoke Fluid -E- Extreme

Extremely long-lasting fog effect with high density



- No. 51704354..... 1 l
- No. 51704355..... 5 l
- No. 51704356..... 25 l

EUROLITE Smoke Fluid -X- Extreme A2

Extremely long-lasting fog effect with extremely high density



- No. 51704359..... 1 l
- No. 5170435A..... 5 l
- No. 5170435C..... 25 l
- No. 5170435D..... 200 l

EUROLITE Smoke fluid -DSA- effect

Very short-lasting fog effect with extreme density



- No. 51704368..... 1 l
- No. 51704370..... 5 l

EUROLITE D-5 Hazer-Fluid


Hazer fluid for hazer machines



- No. 51704592

EUROLITE Smoke Machine Cleaner

Suitable for almost all modern smoke-machines



Now without diethylene glycol (DEG)





Diethylene glycol, a substance which is often used in smoke fluids, was recently rated as hazardous substance by the European Union and classified higher regarding toxicity. According to this, new tightened labeling obligations have already come into force.

We reacted on that a developed an additional fluid without DEG. It has the same effect as the ones with DEG, but with the new fluid you ensure legal security and prevent legal disputes, liability claims, stiff penalties and health problems – this is why we really warmly recommend to use the new fluids.

At Eurolite, we test our fluids stringently. And in addition, we let independent bodies continuously check the liquids.

Everyone using our smoke fluids places his trust in us. We pay it back with rigid controls of these liquids – and both sides win.

 <p>A</p> <p>No. 51703740..... 1 l No. 51703742..... 5 l No. 51703744..... 25 l</p> <p>EUROLITE Smoke Fluid -A2D- Action Smoke Fluid</p> <p>Fog effect with low density and hang time</p>	 <p>B</p> <p>No. 51703750..... 1 l No. 51703752..... 5 l No. 51703754..... 25 l</p> <p>EUROLITE Smoke Fluid -B2D- Basic</p> <p>Fog effect with medium density and hang time</p>
 <p>C</p> <p>No. 51703796..... 1 l No. 51703798..... 5 l No. 51703803..... 25 l No. 51703805..... 200 l</p> <p>EUROLITE Smoke Fluid -C2D- Standard</p> <p>Fog effect with medium density and hang time</p>	 <p>P</p> <p>No. 51703830..... 1 l No. 51703832..... 5 l No. 51703834..... 25 l No. 51703836..... 200 l</p> <p>EUROLITE Smoke Fluid -P2D- professional</p> <p>Long-lasting fog effect with high density</p>
 <p>E</p> <p>No. 51703844..... 1 l No. 51703846..... 5 l No. 51703848..... 25 l No. 51703850..... 200 l</p> <p>EUROLITE Smoke Fluid -E2D- extreme</p> <p>Extremely long-lasting fog effect with high density</p>	 <p>No. 51704245</p> <p>EUROLITE Tap for 25l and 30l Tank</p> <p>Tap for big tanks</p>



DMX

No. 51706251

ANTARI S-100X DMX Snow Machine

Compact snow machine with cable remote control and DMX



DMX

No. 51706261

ANTARI S-200X silent Snow Machine

Silent snow machine with cable remote control and DMX



DMX

No. 51706268

ANTARI SW-250 Snow Machine

Compact machine with digital wireless control system and DMX interface



DMX

No. 51706270

ANTARI SW-250X Snow Machine

Compact machine with DMX interface and control module



DMX

No. 51706272

ANTARI S-500 Snow Machine

Heavy-duty snow machine with flightcase for touring



DMX

No. 51706273

ANTARI PM-1 Moving PAN-Motor for S-500

Pan motor for S-500 snow machine



No. 51706290

EUROLITE Snow 3001 Snow Machine

Powerful mini snow machine



TCL



No. 51706300

EUROLITE Snow 3010 LED Hybrid Snow Machine

Powerful small LED hybrid snow machine



NEW

DMX

No. 51706305

EUROLITE Snow 7001 Snow Machine

Mid-sized DMX snow machine with particularly large tank volume



No. 51706310

EUROLITE Snow 5001 Snow Machine

Mid-sized snow machine with cable remote control



DMX

No. 51706320
EUROLITE Snow 6001 Snow Machine

Mid-sized DMX controllable machine with cable remote control



No. 51706321
EUROLITE Remote Controller (DIN) for Snow 6001



No. 51706348..... 1 l
 No. 51706350..... 5 l
 No. 51706352..... 25 l

EUROLITE Snow Fluid
 Snow fluid for artificial snow



No. 51706349..... 1 l
 No. 51706351..... 5 l
 No. 51706353..... 25 l

EUROLITE S-2 Snow Fluid
 Snow fluid for artificial snow



NEW

No. 51707700
EUROLITE Foam 1500 MK2 Foam Machine

Foam machine with 5-liter tank and remote control - enough for 3 m³



No. 51707701
ANTARI S-120 Foam Machine
 Compact foam machine with 5-liter tank



No. 51707703
EUROLITE Foam 1200 Cannon
 Foam machine for big partys, directly connected with the fluid can



No. 51707708..... 1 l
 No. 51707710..... 5 l
 No. 51707712..... 25 l
 No. 51707714..... 200 l

EUROLITE Foam Concentrate
 Foam concentrate for all machines




RGB ● ● ●

No. 51705060

EUROLITE B-5 LED Bubble Gun

Bubble gun with LED illumination, operation with 3 x AA battery



No. 51705070

EUROLITE B-50 Mini Bubble Machine

Bubble machine for battery or adapter operation



No. 51705075

EUROLITE B-55 Bubble Machine

Compact bubble machine for battery or adapter operation



No. 51705080

EUROLITE B-60 Junior Bubble Machine

Compact bubble machine for battery or adapter operation



No. 51705090

EUROLITE B-80 Bubble Machine

Small and compact bubble machine



No. 51705100

EUROLITE B-90 Bubble Machine black

Bubble machine for hanging or standing installation



No. 51705101

EUROLITE B-90 Bubble Machine silver

Bubble machine for hanging or standing installation



DMX

No. 51705103

EUROLITE B-100 Bubble Machine black DMX

Bubble machine for hanging or standing installation



REMOTE CONTROL

No. 51705115

ANTARI W-101 Bubble Machine

Professional, compact bubble machine with digital wireless control system



No. 51705120

ANTARI B-100 Bubble Machine

Compact, powerful bubble machine with two rotating wheels



DMX

No. 51705125

ANTARI B-200 Bubble Machine

Powerful DMX machine for hanging or standing installation

SPECIAL MACHINES

Bubble Machines

eurolite®



No. 51705124

EUROLITE BW-100 Bubble Machine

Compact, powerful machine with wireless remote control



DMX

No. 51705130

EUROLITE BW-200 Bubble Machine

Powerful DMX machine for hanging or standing operation



DMX

No. 51705141

EUROLITE SD-201 DMX Super-Bubble Machine

Extremely powerful machine for standing operation with DMX



No. 51705280..... 1 l
 No. 51705300..... 5 l
 No. 51705308..... 25 l
 No. 51705310..... 200 l

EUROLITE Bubble Fluid

Bubble fluid for all machines



No. 51705210..... yellow
 No. 51705212..... red
 No. 51705214..... blue
 No. 51705215..... Set 3x1 l

EUROLITE UV Bubble Fluid 1l

Ready-to-use UV-active bubbles



No. 51705220..... yellow
 No. 51705222..... red
 No. 51705224..... blue

EUROLITE UV Bubble Fluid 5l

Ready-to-use UV-active bubbles

pma

Das Reportage-Magazin
für die Veranstaltungsbranche

Wir bieten Hintergrundinfos zur
Technik hinter den Veranstaltungen.
Licht|Ton|Bühnentechnik



Jetzt
Schülerabo
online
bestellen!

Jetzt bestellen auf www.ppvmedien.de

Telefon +49 8131 565568 | bestellung@ppvmedien.de



No. 52200201
EUROLITE LED Strobe E-27 clear
 Strobe lamp for E-27 socket



No. 5220070L
EUROLITE Strobe with E-27 Base, clear
 Strobe lamp for E-27 socket



No. 52200710
EUROLITE Strobe with Cable and Plug clear
 Practical decoration strobe



SMD CW

No. 52200590
EUROLITE LED Party strobe 36
 Ultra compact stroboscope with powerful LEDs




CW

No. 52200648
EUROLITE LED Disco Strobe white economic
 Compact strobe with adjustable speed



CW

No. 52200650
EUROLITE LED Disco Strobe white, sound
 Compact strobe, sound control and auto mode switchable



COB CW

No. 52200652
EUROLITE LED Disco Strobe COB white, sound
 Ultra compact Disco Strobe with powerful 20 W LED



COB RGB

No. 52200656
EUROLITE LED Disco Strobe COB multicolor, Sound
 Ultra compact Disco Strobe with powerful multicolor 20 W LED



CW

No. 5220060P
EUROLITE Disco Strobe 25
 Simple, compact strobe



CW

No. 52200611
EUROLITE Disco Strobe 50
 Compact stroboscope



CW

No. 52200822
EUROLITE LED Strobe 12x1W 6400K
 Compact strobe with 12 x 1 W LED in cold white



CW IP44

No. 50499015
EUROLITE BSL-10 Belt Strobe Chain
 Light chain (IP44) with 10 alternately flashing strobe units



CW ●

No. 52200828

EUROLITE LED Techno Strobe 250 EC

Compact strobe with 62 x 10 mm LED and adjustable flash frequency



CW

No. 52201070

EUROLITE Techno Strobe 250

Compact strobe with 40 W flash-tube and adjustable flash rate



CW ●

No. 52200830

EUROLITE LED Techno Strobe 250 Sound

Compact strobe with 74 x 10 mm LED and adjustable flash frequency



CW ●

No. 52200826

EUROLITE LED Techno Strobe 500 IR

Compact strobe with 164 x 10 mm LED and adjustable flash frequency



SMD CW ●

No. 52200864

EUROLITE LED Strobe SMD 270x5050 6400K

Compact strobe with 270 powerful SMD LEDs, adjustable flash frequency



COB CW ●

No. 52200867

EUROLITE LED Strobe COB 2x20W

Compact strobe with 2 x 20 W COB LED adjustable flash frequency



COB CW ●

No. 52200870

EUROLITE LED Strobe COB PRO 8x20W DMX

LED strobe with 8 x 20 W COB LED and adjustable flash frequency



DMX COB RGB ● ● ●

No. 52200872

EUROLITE LED Strobe COB PRO 8x20W DMX RGB

Strobe with 8 x 20 W COB LED with color mixing



DMX COB CW

No. 52200878

EUROLITE LED Strobe COB PRO 16x10W DMX

Strobe with 16 x 20 W COB LED and adjustable flash frequency



DMX COB CW ●

No. 52200890

EUROLITE LED Strobe COB PRO DMX

Strobe with 3 x 3 W COB LED and adjustable flash frequency



SMD DMX CW ●

No. 52201086

EUROLITE LED Mini Strobe Cluster SMD 48

Compact strobe with 48 SMD LEDs, adjustable flash frequency + DMX




DMX COB CW IP65 ●

No. 51914589

EUROLITE LED FL-50 COB Strobe with DMX

Strobe with 1 x 50 W COB LED and adjustable flash frequency

LED Strobe SMD PRO 540



NEW SMD DMX RGB ● ● ●

No. 52200913

EUROLITE LED Strobe SMD PRO 132 DMX RGB

Multifunctional strobe/flood/blinder with 132 bright SMD RGB LEDs



NEW SMD DMX RGB ● ● ●

No. 52200915

EUROLITE LED Strobe SMD PRO 540 DMX RGB

Multifunctional strobe/flood/blinder with 540 bright SMD RGB LEDs




NEW DMX SMD CW ●

No. 52201092

EUROLITE LED SLS-98 Strobe SMD

Compact strobe with 98 SMD LEDs & DMX, each ring individually controllable



LED SLS-98



No. 52202167

EUROLITE Superstrobe 1500

Classic strobe with 1500 W flash-tube



No. 52202174

EUROLITE Superstrobe 2700

Classic strobe with 1500 W flash-tube & analog controller connection



DMX

No. 52202176

EUROLITE DMX Superstrobe 2700

Classic strobe with 1500 W flash-tube & DMX control



DMX

No. 52202179

EUROLITE DMX Megastrobe 3000



Classic strobe with 3000 W flash-tube & DMX control



No. 52202207

EUROLITE ST-1 Strobe Control, 1 Channel

Strobe controller for all Eurolite strobes with analog control connection



NEW LASER 2M BLUETOOTH MP3



No. 51918812

EUROLITE LightBeat 1 Bluetooth Speaker with Laser Effect

Portable Bluetooth speaker with laser effect + blue mood lighting

Small light effects attached to speaker systems are not sensation-ally new. But a Bluetooth speaker with an integrated laser and a light blue, blurred mini water effect surely is something extraordi-nary. This small effect with its 5 watts speaker and its 4 hours of battery operation time is perfectly suited for nurseries, barbecue parties and recreation rooms. The laser is free from registration, of course, and be used by everybody.



NEW LASER 2M IP44

No. 51741115

EUROLITE LAS-16 IP Garden Laser Dot RG

Weatherproof garden laser (red/green), ground stake, stand + wall bracket



NEW LASER 2M REMOTE CONTROL IP44

No. 51741116

EUROLITE LAS-17 IP Solar Garden Laser Dot RG

Weatherproof garden laser (red/green), ground stake, stand + wall bracket




LASER 2M REMOTE CONTROL

No. 51741101

EUROLITE LAS-15 Shorty Dot RG

Small party show laser, laser class 2M



ELS-5000RGB



DMX LASER ILDA RGB

No. 51741565

FUTURELIGHT ELS-5000RGB 30k Showlaser


Professional class 4 ILDA showlaser with 5000 mW power




No. 51741495

EUROLITE ILDA cable 20m

ILDA cable DB25



EL-60G



EL-120R



ILDA ●

No. 51743201

LASERWORLD EL-60G MKII

Show laser class 3 with 60 mW power in green



ILDA ●

No. 51743202

LASERWORLD EL-120R MKII

Show laser class 3 with 120 mW power in red



ILDA ● ● ●

No. 51743203

LASERWORLD EL-200RGB

Show laser class 3 with 200 mW power and three lenses for red, green, blue



DMX ILDA ● ● ●

No. 51743204

LASERWORLD EL-230RGB

Show laser class 3 with 230 mW power in red, green, blue



DMX REMOTE CONTROL ILDA ● ● ●

No. 51743205

LASERWORLD EL-500RGB KeyTEX

RGB text projection laser (500 mW), with keyboard & infrared remote control



DMX ILDA ● ● ●

No. 51743206

LASERWORLD EL-400RGB

Show laser class 3 with 400 mW power in red, green, blue



ILDA ●

No. 51743212

LASERWORLD EL-150B

Show laser class 3 with 150 mW power in blue



DMX ILDA ● ● ●

No. 51743220

LASERWORLD CS-1000RGB

Show laser class 4 with 1000 mW power in red, green, blue



DMX ILDA ● ● ●


No. 51743221

LASERWORLD CS-2000RGB

Show laser class 4 with 2000 mW power in red, green, blue



CS-2000RGB



BeamBar 10G-532



DMX ILDA ●

No. 51743230

LASERWORLD BeamBar 10R-638

Laser bar class 3b with 10 x 120 mW laser power in red



DMX ILDA ●

No. 51743231

LASERWORLD BeamBar 10G-532

Laser bar class 3b with 10 x 90 mW laser power in green




DMX ILDA ● ● ●

No. 51743233

LASERWORLD BeamBar 10RGB

Laser bar class 3b with 10 x 350 mW laser power in red, green, blue



BeamBar 10RGB



DMX ILDA ● ● ●

No. 51743234

LASERWORLD BeamBar 10RGB-W

Laser bar with class 3b in red, green and blue with 10 x 120/90/140 mW




DMX ILDA ●

No. 51743232

LASERWORLD BeamBar 10B-450

Laser bar class 3b with 10 x 140 mW laser power in blue



PRO-1600RGB



DMX ILDA REMOTE CONTROL ● ● ●

No. 51743240

LASERWORLD PRO-1600RGB

PRO-show laser class 4 with 1600 mW power in red, green and blue



UV

No. 5110060A

EUROLITE Black Gun UV-spot for E-40/400W

Black light housing with narrow beam for E-40/400 W UV-lamp



NEW UV

No. 51100701

EUROLITE UV-Spot with UV LED 5W

Compact UV spot with E-27 socket including 5 W UV LED



No. 51100801

EUROLITE Black Floodlight 160W

Black light housing with wide beam for E-27/160 W UV lamp



No. 51100805

EUROLITE Black Floodlight 250W

Black light housing with wide beam for E-40/250 W UV lamp



No. 5110080A

EUROLITE Black Floodlight 125W

Black light housing with wide beam for E-27/125 W UV lamp



No. 51100810

EUROLITE Black Floodlight 400W

Black light housing with wide beam for E-40/400 W UV lamp



DMX

No. 51100818

ANTARI DarkFX Drive 4

DMX control for a total of 4 Antari DarkFX Strips or DarkFX Spots



DMX UV

No. 51100819

ANTARI DarkFX Spot 670

PRO DMX UV spot with 9 x 1.9 W UV LED, deep wavelength (365 nm)



DMX UV

No. 51100820

ANTARI DarkFX Wash 2000

PRO DMX UV spot with 27 x 1.9 W UV LED, deep wavelength (365 nm)



IP65 UV

No. 51100821

ANTARI DarkFX Spot 510 IP

Weatherproof PRO UV spot with 6 x 1.9 W UV LED, wavelength (365 nm)



UV

No. 51100822

ANTARI DarkFX Strip 510

PRO UV spot with 6 x 1.9 W UV LED, deep UV wavelength (365 nm)



DMX UV

No. 51913862

EUROLITE LED FLD-252 UV 10mm Flood

DMX controlled UV floodlight with 252 x 10 mm LED



DMX UV COB

No. 51930320

EUROLITE LED ML-56 COB UV 80W Floor bk

DMX controlled UV floodlight with 80 W COB LED



UV IP56

No. 51914539

EUROLITE LED IP FL-8 UV

Weatherproof (IP56) UV spot with 8 x 1 W COB UV LED



COB UV IP54

No. 51914549

EUROLITE LED IP FL-10 COB UV

Weatherproof (IP54) UV spot with 10 W COB UV LED



COB UV IP54

No. 51914559

EUROLITE LED IP FL-30 COB UV

Weatherproof (IP54) UV spot with 30 W COB UV LED



COB UV IP65

No. 51914619

EUROLITE LED IP FL-50 COB UV

Weatherproof (IP65) UV spot with 50 W COB UV LED



COB UV IP65

No. 51914629

EUROLITE LED IP FL-100 COB UV

Weatherproof (IP65) UV spot with 100 W COB UV LED




DMX UV REMOTE CONTROL

No. 51915282

EUROLITE LED SLS-6 UV Floor

DMX controlled UV spot with 6 x 3 W UV LED



LED SLS-360 UV



DMX UV

No. 51915287

EUROLITE LED SLS-180 UV 18x1W Floor

DMX controlled UV spot with 8 x 1 W UV LED



DMX UV

No. 51915289

EUROLITE LED SLS-360 UV 36x1W Floor

DMX controlled UV spot with 36 x 1 W UV LED



UV 

No. 51930304

EUROLITE LED Party UV Bar-9

Simple UV lighting bar with 9 x 1 W UV LED



UV 


No. 51930306

EUROLITE LED Party UV Bar-18

Simple UV lighting bar with 18 x 1 W UV LED



No. 5110120V.....45 cm, 15 W
 No. 5110130U.....60 cm, 18-20 W
 No. 5110140U.....120 cm, 36-40 W



EUROLITE Fixture Neon Tube

Fixture with fluorescent tube



UV

No. 51101442.....60 cm, 13 W
 No. 51101444.....120 W, 28 W


EUROLITE UV Tube Complete Fixt. ultra slim

Set, ready for connection with tube, mounting materials + power cord



UV

No. 51101450.....45 cm, 15 W
 No. 51101452.....60 cm, 18 W
 No. 51101454.....120 cm, 36 W
 No. 51101456.....150 cm, 58 W



EUROLITE UV-Tube Complete Fixture slim

Set, ready for connection with UV tube



UV


No. 51101460.....45 cm, 15 W
 No. 51101462.....60 cm, 18 W
 No. 51101464.....120 cm, 36 W

EUROLITE Complete Fixture UV & white

Set, ready for connection with UV tube and cold white fluorescent tube



No. 51101465.....45 cm, 15 W
 No. 51101466.....60 cm, 18 W
 No. 51101467.....120 cm, 36 W
 No. 51101468.....150 cm, 58 W



EUROLITE Neon Tube Complete Set 6400K

Set, ready for connection with cold white fluorescent tube



UV

No. 51101501

EUROLITE UV Complete Fixture 45cm 15W ABS blue

Set, ready for connection with UV tube and blue UV active housing



UV

No. 51101505.....45 cm, 15 W
 No. 51101510.....60 cm, 18 W
 No. 51101520.....120 cm, 36 W

EUROLITE UV Fixture metal UV-Tube

Complete set with UV tube



UV 

No. 51930322.....144 LED, 60 cm
 No. 51930324.....288 LED, 120 cm

EUROLITE UV-Tube Complete Fixture slim

Set with slim UV tube



UV 

No. 51930332.....48 LED, 60 cm
 No. 51930334.....96 LED, 120 cm

EUROLITE UV-Bar Complete Fixture classic slim

Set with slim UV tube




Ready to take over the stage!

**Clust off your classics. Restage your acts
– with LED light!**

The enormous developments in LED technology are no longer denied, even by theater people. After all, the diodes are a more than adequate replacement for classic halogen light. High color rendering indices, a low consumption and the quiet operation of the latest generation of LED spots make it possible.

Discover the various EUROLITE theater spots!



LED THA Series

PC- and Fresnel Lenses

- No. 41602070..... THA-20PC TRC
- No. 41602080..... THA-40PC, 3000K black
- No. 41602081..... THA-40PC, 3000K white
- No. 41602082..... THA-40PC TRC
- No. 41602085..... THA-40PC DL black
- No. 41602086..... THA-40PC DL white
- No. 41602110..... THA-60PC, RGBW
- No. 41602100..... THA-50F, 3200K
- No. 41602125..... THA-100F, 3200K
- No. 41602126..... THA-100F MK2, 3200K
- No. 41602140..... THA-250, 2800K
- No. 41602135..... THA-250F, 2700K - 6500K



LED Profile Series

Profile Spots

- No. 40001981..... PFE-120, 3000K
- No. 40001982..... PFE-100, RGBW
- No. 40001800..... PFE-50, 3000K
- No. 40001760..... PFE-10, 3000K white
- No. 40001765..... PFE-10, 3000K black
- No. 40001990..... Profile 100W WW
- No. 40001970..... PFE-250, 3000K



LED SL Series

Follow Spots

- No. 51787311..... SL-160
- No. 51787315..... SL-350
- No. 51787316..... SL-350 DMX
- No. 51787320..... SL-400 DMX
- No. 51787330..... SL-600 DMX

THE CONFETTI MAKER

CONFETTI FOR PROFESSIONALS



Confetti and fog effects by and for professionals!

NEW

Special effects are the wow factor at many shows. The use of confetti, CO2 fog bursts and flames turns your ordinary show into a really spectacular one.

But especially when such effects are in use, the topic of security is, of course, plays a vital role. In the end, the technology and the used substances are not exactly without danger. That's why we work closely with the company "The Confetti Maker". They are experts for their field and their products are known for their excellent quality and security features.

In this way we can offer you a wide selection of high quality equipment and accessories. Examples are a handheld confetti shooter for small parties, a fog shooter for extremely high and far flying fog fountains or a huge confetti cannon for sport arenas.



No. 51708000
TCM FX E-Shot

Electric firing unit for confetti and streamers



No. 51708005
TCM FX WI-Shot

Electric firing unit with battery operation for confetti and streamers



No. 51708010
TCM FX Confetti Gun

Portable firing unit for confetti and streamers



No. 51708020
TCM FX Confetti Booster 1, manual

Manual confetti blower, CO2 is needed for firing



No. 51708025
TCM FX Confetti Booster 2, manual

Large manual confetti blower, CO2 is needed for firing



No. 51708030
TCM FX Confetti Booster 3, manual

Very large manual confetti blower, CO2 is needed for firing



No. 51708060
TCM FX Stage Cannon

Confetti canon for electric triggering, compressor needed for firing



No. 51708065
TCM FX Stadium Cannon 1

Large confetti canon for electric triggering, compressor needed for firing



No. 51708075
TCM FX Mega Cannon

Very large confetti canon for electric triggering, compressor needed



No. 51708100
TCM FX CO2 Jet

Produces up to 8 meter long fog bursts, adjustable shooting angle



No. 51708105
TCM FX CO2 Gun

Produces up to 8 meter long fog bursts, hand held



No. 51708110
TCM FX CO2 LED

Produces up to 10 meter long, illuminated fog bursts, adjustable angle



No. 51708115
TCM FX Turbo Jet

Produces up to 20 meter long fog bursts, adjustable shooting angle



No. 51708200
TCM FX Dropper

Triggering device can bear a load up to 30 kg, i.e. to throw off a curtain



No. 51708250
TCM FX FX-Control

Controller to fire off up to 4 separate devices



No. 51708255
TCM FX Wireless-Control

Battery control for electric firing unit (WI-Shot), 500 m range



No. 51708260
TCM FX DMX Switchpack I

DMX control for electric firing unit (eg. E-Shot)



No. 51708265
TCM FX DMX Switchpack II

DMX control with 19" for electric firing unit (eg. E-Shot)



No. 51708300
TCM FX Groundplate

Mounting plate for electric fire unit



No. 51708302
TCM FX Groundplate XL

Mounting plate for electric fire unit



- No. 51708350.....5 m
- No. 51708352.....10 m
- No. 51708354.....15 m

TCM FX CO2 Hose (3/8)

- No. 51708356.....5 m
- No. 51708358.....10 m
- No. 51708360.....15 m

TCM FX CO2 Hose (3/4)



- No. 51708362.....
- No. 51708364.....90°

TCM FX CO2 Bottle to Hose Quick Connector

No. 51708366

TCM FX CO2 Combiner (2 CO2 Bottles to 1 CO2 Jet)



No. 51708368
TCM FX CO2 Splitter (2 CO2 Jets to 1 CO2 Bottle)



No. 51708370
TCM FX CO2 Manual Release Valve



- No. 51708372.....(4x3/8 in to 1x3/8 out)
- No. 51708374.....(4x3/8 out to 1x3/8 in)
- No. 51708376.....(4x3/8 in to 1x3/4 out)
- No. 51708378.....(4x3/8 out to 1x3/4 in)

TCM FX CO2 Distribution Block



- No. 51708380.....male
- No. 51708382.....female

TCM FX CO2 Quick Connector (Update Part)



- No. 51711050..... white
- No. 51711052..... white/silver
- No. 51711054..... black
- No. 51711056..... red
- No. 51711058..... pink
- No. 51711060..... purple
- No. 51711062..... orange
- No. 51711064..... yellow
- No. 51711066..... dark green
- No. 51711068..... light green
- No. 51711070..... dark blue
- No. 51711072..... light blue
- No. 51711074..... multicolor
- No. 51711076..... gold
- No. 51711078..... silver
- No. 51711080..... metallic, red
- No. 51711082..... metallic, green
- No. 51711084..... metallic, blue
- No. 51711086..... metallic, pink
- No. 51711088..... metallic, multicolor

TCM FX Handheld Streamer Cannon 80cm

Handheld streamer cannon



- No. 51710050..... white
- No. 51710052..... white/silver
- No. 51710054..... black
- No. 51710056..... red
- No. 51710058..... pink
- No. 51710060..... purple
- No. 51710062..... orange
- No. 51710064..... yellow
- No. 51710066..... dark green
- No. 51710068..... light green
- No. 51710070..... dark blue
- No. 51710072..... light blue
- No. 51710074..... multicolor
- No. 51710076..... gold
- No. 51710078..... silver
- No. 51710080..... metallic, red
- No. 51710082..... metallic, green
- No. 51710084..... metallic, blue
- No. 51710086..... metallic, pink
- No. 51710088..... metallic, multicolor

TCM FX Handheld Streamer Cannon 40cm

Handheld streamer cannon



- No. 51708600..... white
- No. 51708602..... white/silver
- No. 51708604..... black
- No. 51708606..... red
- No. 51708608..... pink
- No. 51708610..... purple
- No. 51708612..... orange
- No. 51708614..... yellow
- No. 51708616..... dark green
- No. 51708618..... light green
- No. 51708620..... dark blue
- No. 51708622..... light blue
- No. 51708624..... multicolor
- No. 51708626..... gold
- No. 51708628..... silver
- No. 51708630..... metallic, red
- No. 51708632..... metallic, green
- No. 51708634..... metallic, blue
- No. 51708636..... metallic, pink
- No. 51708638..... metallic, multicolor

TCM FX Electric Streamer Cannon 40cm

Electric streamer cannon



- No. 51708650..... white
- No. 51708652..... white/silver
- No. 51708654..... black
- No. 51708656..... red
- No. 51708658..... pink
- No. 51708660..... purple
- No. 51708662..... orange
- No. 51708664..... yellow
- No. 51708666..... dark green
- No. 51708668..... light green
- No. 51708670..... dark blue
- No. 51708672..... light blue
- No. 51708674..... multicolor
- No. 51708676..... gold
- No. 51708678..... silver
- No. 51708680..... metallic, red
- No. 51708682..... metallic, green
- No. 51708684..... metallic, blue
- No. 51708686..... metallic, pink
- No. 51708688..... metallic, multicolor

TCM FX Electric Streamer Cannon 80cm

Electric streamer cannon



- No. 51709600..... 5mx0.85cm, 100x, red
- No. 51709602..... 5mx0.85cm, 100x, green
- No. 51709604..... 5mx0.85cm, 100x, blue
- No. 51709606..... 5mx0.85cm, 100x, pink
- No. 51709608..... 5mx0.85cm, 100x, multicolor
- No. 51709610..... 5mx0.85cm, 100x, gold
- No. 51709612..... 5mx0.85cm, 100x, silver
- No. 51709650..... 10mx1.5cm, 32x, red
- No. 51709652..... 10mx1.5cm, 32x, green
- No. 51709654..... 10mx1.5cm, 32x, blue
- No. 51709656..... 10mx1.5cm, 32x, pink
- No. 51709658..... 10mx1.5cm, 32x, multicolor
- No. 51709660..... 10mx1.5cm, 32x, gold
- No. 51709662..... 10mx1.5cm, 32x, silver
- No. 51709700..... 10mx5cm, 10x, red
- No. 51709702..... 10mx5cm, 10x, green
- No. 51709704..... 10mx5cm, 10x, blue
- No. 51709706..... 10mx5cm, 10x, pink
- No. 51709708..... 10mx5cm, 10x, multicolor
- No. 51709710..... 10mx5cm, 10x, gold
- No. 51709712..... 10mx5cm, 10x, silver
- No. 51709750..... 20mx5cm, 10x, red
- No. 51709752..... 20mx5cm, 10x, green
- No. 51709754..... 20mx5cm, 10x, blue
- No. 51709756..... 20mx5cm, 10x, pink
- No. 51709758..... 20mx5cm, 10x, multicolor
- No. 51709760..... 20mx5cm, 10x, gold
- No. 51709762..... 20mx5cm, 10x, silver

TCM FX Metallic Streamers

High-quality PVC streamers



- No. 51711100..... 28 cm
- No. 51711102..... 40 cm
- No. 51711104..... 80 cm

TCM FX Handheld Universal Cannon, empty

Handheld effect cannon



- No. 51708500..... white
- No. 51708502..... white/silver
- No. 51708504..... black
- No. 51708506..... red
- No. 51708508..... pink
- No. 51708510..... purple
- No. 51708512..... orange
- No. 51708514..... yellow
- No. 51708516..... dark green
- No. 51708518..... light green
- No. 51708520..... dark blue
- No. 51708522..... light blue
- No. 51708524..... multicolor
- No. 51708526..... gold
- No. 51708528..... silver
- No. 51708530..... metallic, red
- No. 51708532..... metallic, green
- No. 51708534..... metallic, blue
- No. 51708536..... metallic, pink
- No. 51708538..... metallic, multicolor
- No. 51708540..... metallic, red Hearts

TCM FX Electric Confetti Cannon 40cm

Electric confetti cannon



- No. 51708550..... white
- No. 51708552..... white/silver
- No. 51708554..... black
- No. 51708556..... red
- No. 51708558..... pink
- No. 51708560..... purple
- No. 51708562..... orange
- No. 51708564..... yellow
- No. 51708566..... dark green
- No. 51708568..... light green
- No. 51708570..... dark blue
- No. 51708572..... light blue
- No. 51708574..... multicolor
- No. 51708576..... gold
- No. 51708578..... silver
- No. 51708580..... metallic, red
- No. 51708582..... metallic, green
- No. 51708584..... metallic, blue
- No. 51708586..... metallic, pink
- No. 51708588..... metallic, multicolor
- No. 51708590..... metallic, red Hearts

TCM FX Electric Confetti Cannon 80cm

Electric confetti cannon



- No. 51708930..... silver
- No. 51708932..... gold

TCM FX Metallic Confetti rectangular 55x18mm, laser effect, 1kg

High-quality PVC confetti



- No. 51708850..... white
- No. 51708852..... silver
- No. 51708854..... gold
- No. 51708856..... black
- No. 51708858..... red
- No. 51708860..... green
- No. 51708862..... blue
- No. 51708864..... orange
- No. 51708866..... purple
- No. 51708868..... pink
- No. 51708870..... multicolor

TCM FX Metallic Confetti rectangular 55x18mm, 1kg

High-quality PVC confetti



- No. 51708690..... 40 cm
- No. 51708692..... 80 cm

TCM FX Electric Universal Cannon, empty

Electric effect cannon



- No. 51709800..... white
- No. 51709802..... multicolor
- No. 51709804..... gold
- No. 51709806..... silver
- No. 51709808..... white/silver

TCM FX Handheld Confetti Cannon 28cm

Handheld confetti cannon



- No. 51709950..... white
- No. 51709952..... white/silver
- No. 51709954..... black
- No. 51709956..... red
- No. 51709958..... pink
- No. 51709960..... purple
- No. 51709962..... orange
- No. 51709964..... yellow
- No. 51709966..... dark green
- No. 51709968..... light green
- No. 51709970..... dark blue
- No. 51709972..... light blue
- No. 51709974..... multicolor
- No. 51709976..... gold
- No. 51709978..... silver
- No. 51709980..... red
- No. 51709982..... green
- No. 51709984..... blue
- No. 51709986..... pink
- No. 51709988..... multicolor
- No. 51709990..... red Hearts

TCM FX Handheld Confetti Cannon 80cm

Handheld confetti cannon



- No. 51709850..... white
- No. 51709852..... white/silver
- No. 51709854..... black
- No. 51709856..... red
- No. 51709858..... pink
- No. 51709860..... purple
- No. 51709862..... orange
- No. 51709864..... yellow
- No. 51709866..... dark green
- No. 51709868..... light green
- No. 51709870..... dark blue
- No. 51709872..... light blue
- No. 51709874..... multicolor
- No. 51709876..... gold
- No. 51709878..... silver
- No. 51709880..... metallic, red
- No. 51709882..... metallic, green
- No. 51709884..... metallic, blue
- No. 51709886..... metallic, pink
- No. 51709888..... metallic, multicolor
- No. 51709890..... red hearts

TCM FX Handheld Confetti Cannon 40cm

Handheld confetti cannon



- No. 51708800..... white
- No. 51708802..... black
- No. 51708804..... brown
- No. 51708806..... dark green
- No. 51708808..... light green
- No. 51708810..... dark blue
- No. 51708812..... light blue
- No. 51708814..... multicolor
- No. 51708816..... red
- No. 51708818..... pink
- No. 51708820..... purple
- No. 51708822..... orange
- No. 51708824..... yellow
- No. 51708826..... white/silver

TCM FX Slowfall Confetti rectangular 55x18mm, 1kg

High-quality paper confetti



- No. 51709000..... white
- No. 51709002..... black
- No. 51709004..... dark green
- No. 51709006..... light green
- No. 51709008..... dark blue
- No. 51709010..... light blue
- No. 51709012..... multicolor
- No. 51709014..... red
- No. 51709016..... pink
- No. 51709018..... purple
- No. 51709020..... orange
- No. 51709022..... yellow
- No. 51709050..... silver
- No. 51709052..... gold

TCM FX Slowfall Confetti round 55x55mm, 1kg

High-quality paper confetti



- No. 51708900..... neon-orange
- No. 51708902..... neon-green
- No. 51708904..... neon-pink
- No. 51708906..... neon-yellow
- No. 51708908..... neon-blue
- No. 51708910..... neon-purple

TCM FX Slowfall Confetti rectangular 55x18mm, uv active, 1kg

High-quality paper confetti



- No. 51709070..... 18x18mm, silver
- No. 51709072..... 18x18mm, gold
- No. 51709360..... 10x10mm, gold
- No. 51709362..... 10x10mm, silver

TCM FX Metallic Confetti square, 1kg

High-quality PVC confetti



- No. 51709150..... white
- No. 51709152..... black
- No. 51709154..... dark green
- No. 51709156..... light green
- No. 51709158..... dark blue
- No. 51709160..... light blue
- No. 51709162..... multicolor
- No. 51709164..... red
- No. 51709166..... pink
- No. 51709168..... purple
- No. 51709170..... orange
- No. 51709172..... yellow
- No. 51709190..... silver
- No. 51709192..... gold

TCM FX Slowfall Confetti Flowers 55x55mm, 1kg

High-quality paper confetti



- No. 51709250..... white
- No. 51709252..... black
- No. 51709254..... dark green
- No. 51709256..... light green
- No. 51709258..... dark blue
- No. 51709260..... light blue
- No. 51709262..... multicolor
- No. 51709264..... red
- No. 51709266..... pink
- No. 51709268..... purple
- No. 51709270..... orange
- No. 51709272..... yellow
- No. 51709290..... silver
- No. 51709292..... gold

TCM FX Slowfall Confetti Stars 55x55mm, 1kg

High-quality paper confetti



- No. 51709320..... 120x120mm, red
- No. 51709322..... 120x120mm, multicolor
- No. 51709324..... 100x100mm, red
- No. 51709326..... 100x100mm, white
- No. 51709328..... 100x100mm, multicolor

TCM FX Slowfall Confetti Oak Leaves, 1kg

High-quality paper confetti



- No. 51709300..... white
- No. 51709302..... red
- No. 51709304..... pink
- No. 51709306..... multicolor

TCM FX Slowfall Confetti Rose Petals 55x55mm, 1kg

High-quality paper confetti



- No. 51709100..... white
- No. 51709102..... black
- No. 51709104..... dark green
- No. 51709106..... light green
- No. 51709108..... dark blue
- No. 51709110..... light blue
- No. 51709112..... multicolor
- No. 51709114..... red
- No. 51709116..... pink
- No. 51709118..... purple
- No. 51709120..... orange
- No. 51709122..... yellow
- No. 51709130..... silver
- No. 51709132..... gold

TCM FX Slowfall Confetti Butterflies 55x55mm, 1kg

High-quality paper confetti



- No. 51709200..... white
- No. 51709202..... red
- No. 51709204..... pink
- No. 51709206..... multicolor
- No. 51709208..... blue
- No. 51709210..... green
- No. 51709212..... black
- No. 51709230..... silver
- No. 51709232..... gold
- No. 51709234..... red

TCM FX Slowfall Confetti Hearts 55x55mm, 1kg

High-quality paper confetti



No. 51709370

TCM FX Slowfall Confetti Snowflakes 10x10mm, white, 1kg

High-quality paper confetti



- No. 51709340..... white
- No. 51709342..... multicolor
- No. 51709350..... silver
- No. 51709352..... gold

TCM FX Slowfall Confetti Raindrops 6x6mm, 1kg

High-quality paper confetti



- No. 51709400..... white
- No. 51709402..... black
- No. 51709404..... dark green
- No. 51709406..... light green
- No. 51709408..... dark blue
- No. 51709410..... light blue
- No. 51709412..... multicolor
- No. 51709414..... red
- No. 51709416..... pink
- No. 51709418..... purple
- No. 51709420..... orange
- No. 51709422..... yellow

TCM FX Slowfall Streamers 5mx0.85cm, 100x

High-quality paper streamers



- No. 51709450..... white
- No. 51709452..... black
- No. 51709454..... dark green
- No. 51709456..... light green
- No. 51709458..... dark blue
- No. 51709460..... light blue
- No. 51709462..... multicolor
- No. 51709464..... red
- No. 51709466..... pink
- No. 51709468..... purple
- No. 51709470..... orange
- No. 51709472..... yellow

TCM FX Slowfall Streamers 10mx1.5cm, 32x

High-quality paper streamers



- No. 51709500..... white
- No. 51709502..... black
- No. 51709504..... dark green
- No. 51709506..... light green
- No. 51709508..... dark blue
- No. 51709510..... light blue
- No. 51709512..... multicolor
- No. 51709514..... red
- No. 51709516..... pink
- No. 51709518..... purple
- No. 51709520..... orange
- No. 51709522..... yellow

TCM FX Slowfall Streamers 10mx5cm, 10x

High-quality paper streamers



- No. 51709550..... white
- No. 51709552..... black
- No. 51709554..... dark green
- No. 51709556..... light green
- No. 51709558..... dark blue
- No. 51709560..... light blue
- No. 51709562..... multicolor
- No. 51709564..... red
- No. 51709566..... pink
- No. 51709568..... purple
- No. 51709570..... orange
- No. 51709572..... yellow

TCM FX Slowfall Streamers 20mx5cm, white, 10x

High-quality paper streamers



LED Confetti Storm

A different kind of storm. This is what you will experience with the LED Confetti Storm machine. Confetti is blown out up to 5 meters high and wide, producing a real confetti whirl. Whether you use it for award ceremonies, for carnival parties or parades, this effect will impress everybody.

You control the machine with a remote control or via DMX. Refilling the tank is so easy and done within a minute. In addition, the confetti can be illuminated with 6 powerful LEDs, which are placed on the machine's nose. The color mixture is made out of red, green, blue and amber.



NEW QCL RGBA

No. 51707007

EUROLITE LED Confetti Storm

DMX confetti machine with LED illumination and wireless controller



No. 51707000

EUROLITE SW-1 Confetti Machine

Ceiling mountable confetti machine



No. 5170700B

EUROLITE Confetti machine

Large, ceiling mountable confetti machine



No. 51707599

ACCESSORY Confetti, UV-active white, 7mm 10kg



No. 5170730R..... 10 kg
No. 5170730S..... 1 kg

ACCESSORY Confetti, multicolor, 7mm



No. 51707010..... 10 cm
No. 51707011..... 20 cm

EUROPALMS Confetti Shooter 24x

Confetti popper





NEW DMX

No. 80208047

EUROLITE AF-1 Axial Blower DMX

Compact axial blower with DMX control



NEW DMX

No. 80208048

EUROLITE AF-2 Axial Blower DMX

DMX controllable wind machine with adjustable fan speed



No. 80208051

EUROLITE RF-1200 Radial Blower

Powerful radial wind machine



No. 80208054

EUROLITE RF-300 Radial Blower

Compact radial wind machine



NEW DMX

No. 80208057

EUROLITE AF-7 Axial Blower DMX

DMX controllable axial wind machine with rack



No. 51700140

HAZEBASE Base*Fan Effect Fan

Robust, powerful wind machine

AF-3R



DMX

No. 80208049

ANTARI AF-3X Effect Fan

Compact DMX controllable wind machine with adjustable air discharge angle



DMX

No. 80208052

ANTARI AF-3R Effect Fan

Compact wind machine with wireless controller and DMX interface



No. 80208056

ANTARI AF-4R Effect Fan

Wind machine with rack, controllable via DMX or wireless remote control



No. 80208053

ANTARI AF-5R Effect Fan


DMX controllable radial wind machine



No. 51116100

EUROLITE AC-300 Air Effect

Light sculpture with ventilator base, top piece and illuminant



- No. 51116150.....2 m, white
- No. 51116152.....2 m, blue
- No. 51116160.....3 m, white
- No. 51116162.....3 m, blue

EUROLITE Spare-Cone for AC-300

Accessory for AC-300



- No. 51116170.....2 m, white
- No. 51116171.....2 m, red
- No. 51116172.....2 m, blue
- No. 51116180.....3 m, white

EUROLITE Spare-Cylinder 2m for AC-300

Accessory for AC-300



NEW ● ● ●

No. 51114410

EUROLITE LED FL-1500 Flamelight

Flame effect with LED illumination (flame height 150 cm)



DMX RGB ● ● ●

No. 51114412

EUROLITE LED FL-1500 Flamelight with DMX

DMX controllable flame effect with LEDs (RGB), flame height 150 cm



NEW DMX TCL ● ● ●

No. 51114411

EUROLITE LED FL-1300 Flamelight with DMX

DMX controllable flame effect with LEDs (RGB), flame height 130 cm



NEW RGB ● ● ●

No. 51114415

EUROLITE LED FL-1505 Flamelight color changing

Flame effect with adjustable color change, flame height 150 cm



No. 51114500

EUROLITE FL-300 Flamelight

Flame caldron with halogen lamps and 80 cm chains for hanging installation



● ● ●

No. 51114501

EUROLITE LED FL-300 Flamelight

Flame caldron with LED lamps and 80 cm chains for hanging installation




NEW ●

No. 51114508

EUROLITE LED FL-101 Flamelight


Mini flame caldron with a red LED, for standing installation







No. 51114510
EUROLITE FL-201 Flamelight
 Decorative flame effect light





 No. 51114520
EUROLITE LED FL-250 Flamelight
 Flame caldron with LED illumination, for standing or hanging installation





NEW **TCL**  
 No. 51918698
EUROLITE LED H2O TCL Water Effect
 Compact water effect with RGB color mixing and IR remote control



DMX **TCL** 
 No. 51918700
EUROLITE LED H2O Water Effect
 Compact water effect with RGB color mixing



TCL  
 No. 51918701
EUROLITE LED H2O Water Effect IR
 Compact water effect with RGB color mixing and infrared remote-control



CW **IP54** 
 No. 51799331
EUROLITE LED IP LP-7 Logo Projector
 Weatherproof (IP54), simple logo projector with 6 patterns




You should not celebrate a party without our IP LP-7. This small logo projector features 6 patterns, one for Easter, one for Christmas, one for Halloween, one for New Year's Eve, one for weddings and one for birthdays.

Bright walls are the ideal surface for the colorful patterns to become an eye-catcher for every party. As the spot meets the IP54 standard and thus is splashproof you can even use it outdoors.

LED LP-10



COB **CW** 
 No. 51799337
EUROLITE LED LP-10 Logo-Projector
 Logo projector with 3 W LED

Artificial plants





EUROPALMS

Under the brand **Europalms**, you can find artificial plants and decorations. From small arrangements to meter high palms and stylish Christmas decor – the product range covers articles for every occasion and every season. Here you see a small selection of the latest artificial plants and decorative pots.

You can order an **extensive catalogue** from us now.





DECO LIGHTS & DECO EFFECTS

Mirror Balls	246
Rotary Motors	247
Accessories	248
LED Strips	249
Tube Lights	253
Light Chains	255
Rubber Lights	256
Light Decorations	257



No. 50100110.....	5 cm, in blister
No. 50100115.....	5 cm
No. 50100130.....	10 cm
No. 50100210.....	15 cm
No. 5010030A.....	20 cm
No. 5010040A.....	30 cm
No. 5010100A.....	40 cm
No. 5010110A.....	50 cm
No. 50101150.....	75 cm
No. 5010150A.....	100 cm
No. 5010160A.....	150 cm

EUROLITE Mirror Ball

Classic mirror ball



No. 50120050.....	5 cm
No. 50120052.....	10 cm
No. 50120054.....	15 cm
No. 50120056.....	20 cm
No. 50120057.....	20 cm, matt
No. 50120058.....	30 cm
No. 50120060.....	40 cm
No. 50120065.....	50 cm
No. 50120070.....	75 cm
No. 50120075.....	100 cm

EUROLITE Mirror Ball black

Black mirror ball



No. 42109225.....	30 cm
No. 42109230.....	40 cm

EUROLITE Mirror Ball with MD-1515 Motor

Set comprised of motor, mirror ball and chain



No. 50101857.....	20 cm
No. 50101862.....	30 cm

EUROLITE Mirror Ball Set with LED RGB Spot RC

Set comprised of motor, mirror ball, chain, color pinspot and IR remote



No. 50101856.....	20 cm
No. 50101861.....	30 cm

EUROLITE Mirror Ball Set with LED Spot

Set comprised of motor, mirror ball, chain, and white pinspot



No. 50120005.....	5 cm, multicolor
No. 50120006.....	5 cm, red
No. 50120007.....	5 cm, yellow
No. 50120009.....	5 cm, blue
No. 50120015.....	10 cm, multicolor
No. 50120016.....	10 cm, red
No. 50120018.....	10 cm, green
No. 50120021.....	20 cm, multicolor
No. 50120023.....	15 cm, gold
No. 50120025.....	20 cm, gold
No. 50120035.....	30 cm, gold
No. 50120037.....	40 cm, gold
No. 50120038.....	50 cm, gold

EUROLITE Mirror Ball Multicolor

Mini mirror ball, multicolored



No. 42109215

EUROLITE Mirror Ball 20cm with MD-1015 Motor


Set comprised of motor, mirror ball and chain



No. 50101855.....	20 cm
No. 50101860.....	30 cm

EUROLITE Mirror Ball Set with Pinspot

Set comprised of motor, mirror ball, chain, pinspot and color wheel



Mirror Ball Set with RGB Spot RC



No. 50101950.....	20 cm
No. 50102050.....	30 cm
No. 50102120.....	40 cm

EUROLITE Half Mirror Ball motorized

Half mirror ball with motor



NEW

- No. 50200620.....30 cm
- No. 50200622.....60 cm
- No. 50200624.....90 cm

EUROLITE Mirror Cylinder

Mirror cylinder for hanging on a mirror ball motor



- No. 5040003W..... 200 x 200 mm
- No. 5040004W..... 400 x 200 mm
- No. 5040005W..... 400 x 400 mm
- No. 5040006W..... 800 x 800 mm

EUROLITE Mirror Mat, 10x10mm mirrors

Mirror mat on flexible carrier material



- No. 50301210..... white
- No. 50301211..... black

EUROLITE MB-1010 Battery Motor

Battery operated motor for mirror balls up to 1 kg



RGBW ● ● ● ○

No. 50301090

EUROLITE Motor for Mirror Ball LED FC

Motor for mirror balls up to 20 cm with colored illumination



- No. 50301092.....6400 K
- No. 50301093.....3000 K
- No. 50301094.....blau
- No. 50301096.....UV

EUROLITE MD-1015 Rotary Motor 3x1W LEDs

Motor for mirror balls up to 30 cm with 1.5 RPM



- No. 50301100..... without plug
- No. 50301150.....with plug

EUROLITE MD-1015 Rotary Motor

Motor for mirror balls up to 30 cm with 1.5 RPM



- No. 50301200..... without plug
- No. 50301205.....with plug

EUROLITE MD-1030 Rotary Motor

Motor for mirror balls up to 30 cm with 3 RPM



No. 50301300

EUROLITE MD-1515 Safety Rotary Motor

Mirror ball motor for up to 40 cm diameter



No. 50301500

EUROLITE MD-2010 Safety Rotary Motor

Mirror ball motor for up to 50 cm diameter



DMX

No. 50301503

EUROLITE MD-2030 DMX Safety Rotary Motor

DMX-controlled motor for mirror balls up to 50 cm, up to 5 RPM



- No. 50301510.....MD-3010, up to 100 cm
- No. 50301540.....MD-3050, up to 150 cm

EUROLITE MD-3010 Safety Rotary Motor

Mirror ball motor for mirror balls up to 100 cm



DMX

No. 50301530

EUROLITE MD-3030 DMX Safety Rotary Motor

DMX controlled motor for mirror balls up to 100 cm, up to 5 RPM



No. 50301585.....without mounting screws
 No. 50301586.....with mounting screws
EUROLITE Mounting Plate MD-1015/MD-1030/MD-1515
 Practical helper



No. 50301600.....33 cm
 No. 50301605.....1 cm
EUROLITE Double Loop Chain 2.5mm, WLL 20kg
 Attachment chain



No. 50301589.....with mounting screws
 No. 50301590.....without mounting screws
EUROLITE Mounting Set for MD-2010
 Practical helper



No. 5030160B.....1 m, 6 mm
 No. 5030160C.....0,5 m, 6 mm
 No. 5030160D.....0,3 m, 6 mm
 No. 5030160E.....1 m, 8 mm
 No. 5030160F.....0,5 m, 8 mm
 No. 5030160G.....0,3 m, 8 mm
ACCESSORY Link Chain GK8 sw
 Link chain EN 818-2



No. 50301591
EUROLITE Screw Set for MD Mounting Plates
 Complete set of screws (4 x screw, 4 x nut, 4 x washer)



No. 50301612.....33 cm, 4 mm
 No. 50301614.....1 m, 4 mm
 No. 50301615.....1 m, 8 mm
 No. 50301616.....1 m, 8 mm
EUROLITE Link Chain WLL 80kg,
 Link chain



IP44 SMD ● ● ● ● ●
 No. 50530155.....150 LEDs, blue
 No. 50530160.....150 LEDs, green
 No. 50530165.....150 LEDs, yellow
 No. 50530170.....150 LEDs, 6500 K
 No. 50530175.....300 LEDs, 6500 K
 No. 50530180.....150 LEDs, 3000 K
 No. 50530185.....300 LEDs, 3000 K
 No. 50530260.....300 LEDs, CW/WW
EUROLITE LED IP Strip 5m 12V
 Flexible LED strip for indoor and outdoor use



IP44 SMD RGB ● ● ●
 No. 50530190.....24 V
 No. 50530195.....12 V
EUROLITE LED IP Strip 150 5m RGB
 Flexible LED strip for indoor and outdoor use



IP44 SMD UV ●
 No. 50530548
EUROLITE LED IP Strip 300 5m 3528 UV 12V
 Flexible LED strip for indoor and outdoor use



IP67 SMD RGB PIXEL CONTROL ● ● ●
 No. 50530200
EUROLITE LED IP Pixel Strip 160 5m RGB 12V
 Digital LED pixel strip for indoor and outdoor use



IP44 RGB PIXEL CONTROL REMOTE CONTROL ● ● ●
 No. 50532050
EUROLITE LED IP Strip Set Deluxe 5m RGB
 Flexible RGB LED strip with 165 effects and IR control



IP44 SMD CW + WW REMOTE CONTROL ● ● ●
 No. 50532060
EUROLITE LED IP Strip Set 600 CW/WW
 Flexible LED strip with IR control



NEW    

- No. 50530205..... RGB, 5 m
- No. 50530210..... RGB, 2,5 m
- No. 50530215..... CW/WW/A, 5 m

EUROLITE LED Pixel Strip 150 5V



No. 50530550
EUROLITE LED Strip 240 5m 5050 RGB 24V

Flexible LED strip for indoor use



- No. 50530240..... 6500 K
- No. 50530245..... 3000 K
- No. 50530553..... RGB

EUROLITE LED Strip 150 5m 5050 12V

Flexible LED strip for indoor use



- No. 50530250..... 6500 K
- No. 50530255..... 3000 K

EUROLITE LED Strip 150 5m 3528 12V

Flexible LED strip for indoor use



- No. 50530520..... red
- No. 50530525..... blue
- No. 50530530..... green
- No. 50530535..... yellow
- No. 50530540..... 6500 K
- No. 50530545..... 3000 K

EUROLITE LED Strip 300 5m 3528 12V

Flexible LED strip for indoor use



No. 50532040
EUROLITE LED IP Strip Set 300 5m RGBW 12V 2.4GHz


Flexible strip set with RGBW color mixture & wireless touch remote control



No. 51202702.....2 m
No. 51202704.....4 m

EUROLITE Tubing 14x5.5mm clear LED Strip

Clear tubing



No. 51210602.....2 m
No. 51210604.....4 m

EUROLITE Step Profile 10x10mm silver

Special step profiles for Tubelights etc.



No. 51201012..... clear, 2 m
No. 51201014..... clear, 4 m
No. 51201022..... UV light blue, 2 m
No. 51201024..... UV light blue, 4 m
No. 51201032..... green, 2 m
No. 51201034..... green, 4 m
No. 51201042..... violet, 2 m
No. 51201044..... violet, 4 m
No. 51201052..... pink, 2 m
No. 51201054..... pink, 4 m
No. 51201062..... UV red, 2 m
No. 51201064..... UV red, 4 m
No. 51201072..... red, 2 m
No. 51201074..... red, 4 m
No. 51201082..... blue, 2 m
No. 51201084..... blue, 4 m
No. 51201092..... orange, 2 m
No. 51201094..... orange, 4 m
No. 51201102..... turquoise, 2 m
No. 51201104..... turquoise, 4 m
No. 51201112..... yellow, 2 m
No. 51201114..... yellow, 4 m
No. 51201122..... milky, 2 m
No. 51201124..... milky, 4 m

EUROLITE Tubing 10x10mm



No. 51210862.....2 m
No. 51210864.....4 m

EUROLITE U-profile for LED Strip silver


Aluminum profile for LED strips



No. 51210952..... 2 m, clear
No. 51210954..... 4 m, clear
No. 51210962.....2 m, milchig
No. 51210964.....2 m, milchig

EUROLITE Cover for LED Strip Profile

Cover for aluminium profile for LED strips



No. 51210872.....2 m
No. 51210874.....4 m

EUROLITE U-Profil MSA für LED Strip silver


Aluminum profile for LED strips



No. 51210892.....2 m
No. 51210894.....4 m

EUROLITE Step Profile for LED Strip silver

Aluminum profile for LED strips



No. 51210882.....2 m
No. 51210884.....4 m

EUROLITE Multiprofile for LED Strip silver


Aluminum profile for LED strips



No. 50532012.....15 cm
No. 50532013.....30 cm

EUROLITE LED IP Strip Extension

Extension cable for LED IP strips




No. 50532015
EUROLITE LED IP Strip Connector RGB 12V

Link connector for RGB LED strips



NEW

No. 51210869
EUROLITE Mounting Bracket for U-Profil 20mm Plastic



NEW

No. 51210865
EUROLITE U-profile 20mm for LED Strip silver 2m



NEW

No. 51210866
EUROLITE Cover for U-Profile 20mm milky 2m



NEW

No. 51210867
EUROLITE End Caps for U-Profil 20mm silver



NEW

No. 51210868
EUROLITE Mounting Bracket for U-Profil 20mm Metal



DMX

No. 50530554
EUROLITE LED Strip RGB DMX512 Controller
 3-channel LED controller with DMX interface for RGB LEDs 12-24 V



NEW

DMX

No. 50530595
EUROLITE LC-4 LED Strip RGB DMX Controller
 3-channel LED controller with DMX interface for RGB LEDs 12-24 V



No. 50530555
EUROLITE LC-1 LED Strip RGB Controller
 Control unit for RGB LED strips



No. 50533000
EUROLITE LED Strip Amplifier
 RGB amplifier for LED strips



No. 50530557.....12 V
 No. 50530559.....12-24 V
EUROLITE IR-2 Remote Control
 Control unit with IR control for RGB LED strips 12 V



REMOTE CONTROL

No. 50530558
EUROLITE IR-3 Remote Control
 Control unit with IR control for 12 V RGB LED strips



No. 50530566
EUROLITE IR-11 Remote Control
 IR remote control for light effect units



No. 50499715
EUROLITE Controller Pro LED Neon Flex 230V EC RGB
 Clever Controller for LED Neon Flex EC RGB



NEW SMD WW CW ● ●

No. 50530103.....2700 K
 No. 50530105.....3000 K, constant current
 No. 50530106.....3000 K
 No. 50530107.....3000 K, bendable
 No. 50530109.....4000 K
 No. 50530112.....5700 K

EUROLITE LED Strip 300 5m 3528 12V

CRI >90

NEW SMD UV ●

No. 50530133

EUROLITE LED Strip 300 5m 3528 UV 24V

NEW SMD RGB ● ● ●

No. 50530136

EUROLITE LED Strip 300 5m 5050 RGB 12V

NEW SMD RGB WW ● ● ●

No. 50530141

EUROLITE LED Strip 300 5m RGBWW 24V

NEW SMD WW ●

No. 50530132

EUROLITE LED Strip 300 5m 3014 3000K 12V Side View

Strip with LEDs, which shine to the side

NEW SMD WW ●

No. 50530101

EUROLITE LED Strip 1320 5m 2216 2700K 24V

Strip with only 4.5 mm width and a CRI > 90 - very narrow, very bright

CRI >90

NEW SMD CW+WW ● ●

No. 50530130

EUROLITE LED Strip 600 5m 2835 1800+5700K 24V

Strip with a maximum power of 100 watts and a CRI > 90

CRI >90

NEW SMD CW+WW ● ●

No. 50530115

EUROLITE LED Strip 600 5m 3528 2700+5700K 24V

Strip with CRI > 90

CRI >90



NEW

No. 50532020

EUROLITE Adapter Hollow Plug Screw Terminal



NEW

SMD IP65 RGB WW CW

No. 50499801.....RGB
 No. 50499802.....red
 No. 50499803.....green
 No. 50499804.....blue
 No. 50499805.....yellow
 No. 50499806.....cold white
 No. 50499807.....warm white

EUROLITE LED Neon Flex 230V Slim 100cm



NEW

No. 50499817

EUROLITE LED Neon Flex 230V Slim flexible Connector



NEW

No. 50499818

EUROLITE LED Neon Flex 230V Slim RGB splice Connector



No. 50499816

EUROLITE LED Neon Flex 230V Slim RGB flexible Connector



NEW

No. 50499819

EUROLITE LED Neon Flex 230V Slim splice Connector



NEW

No. 50499820

EUROLITE LED Neon Flex 230V Slim RGB Connection Cord with open wires



NEW

No. 50499821

EUROLITE LED Neon Flex 230V Slim End Cap



NEW

No. 50499822

EUROLITE LED Neon Flex 230V Slim Heat Shrink Tube



NEW

No. 50499823.....5 cm
 No. 50499824.....100 cm

EUROLITE LED Neon Flex 230V Slim Aluminium Channel



NEW

No. 50499825

EUROLITE LED Neon Flex 230V Slim Power Contact Pin



NEW

No. 50499826

EUROLITE LED Neon Flex 230V Slim RGB Power Contact Pin



NEW

No. 50499810
EUROLITE Controller Basic for LED Neon Flex 230V Slim RGB



NEW

No. 50499811
EUROLITE Controller PRO with DMX for LED Neon Flex 230V Slim RGB



NEW

No. 50499815
EUROLITE LED Neon Flex 230V Slim Power Cord with Plug



NEW

No. 50530061..... 2 Pin, 8 mm
 No. 50530065..... 3 Pin, 10 mm
 No. 50530069..... 4 Pin, 10 mm
 No. 50530073..... 5 Pin, 12 mm
EUROLITE LED Strip Connector



NEW

No. 50530062..... 2 Pin, 8 mm
 No. 50530066..... 3 Pin, 10 mm
 No. 50530070..... 4 Pin, 10 mm
 No. 50530074..... 5 Pin, 12 mm
EUROLITE LED Strip Power Contact



NEW

No. 50530063..... 2 Pin, 8 mm
 No. 50530067..... 3 Pin, 10 mm
 No. 50530071..... 4 Pin, 10 mm
 No. 50530075..... 5 Pin, 12 mm
EUROLITE LED Strip flexible Connector



BL-10



No. 50499020
EUROLITE BL-10 E-27 Belt Light Chain with 12 Bulbs
 Light chain, multicolor



LED Marble Garland



IP44



No. 50499105
EUROLITE LED Marble Garland 80LEDs SC red/blue
 Garland with little LED balls and various red/blue programs

IP44

CW



No. 50499161
EUROLITE LED Solar Garland 100 LEDs 6400K
 LED light chain with solar panel



No. 50499021
EUROLITE BLN-10 E-27 Belt Light Chain classic
 Party light chain for E-27 lamps (not included)

TUBE & ROPE LIGHTS

Light Chains



IP44

No. 50499023

EUROLITE LED BL-10 G45 Belt Light Chain

Colorful party LED light chain for outdoor use



IP44

WW



No. 50499170

EUROLITE LED PAL-10 Battery-Powered Light Chain

Party light chain with 10 LED lamps



IP44

WW



No. 50499024

EUROLITE LED BL-10 Lounge Decoration Light Chain

Vintage light chain with 10 LED lamps



IP44

RGBW



No. 50499027

EUROLITE LED BL-20 G50 Belt Light Chain

Colorful party LED light chain for the ideal decoration



QCL

RGBW



No. 50499101

EUROLITE LED Party Balls Light Chain

LED light chain with party balls



IP44

WW




No. 50499260.....warm white

No. 50499261.....red

No. 50499262.....multicolor

EUROLITE 500 LED Cluster String Lights 5m

LED cluster string lights, IP44



IP44

WW



No. 50499271.....warm white

No. 50499272.....red

No. 50499273.....multicolor

EUROLITE 360 LED Cascading Lights 3m

LED cascading lights, IP44



IP44

WW



No. 50499280

EUROLITE 100 LED String Light w/ Battery and Timer warm white

LED string light, IP44



WW



No. 50499281

EUROLITE 10 LED Bottle Light with Timer

LED bottle light



IP68

RGB



No. 50630236.....IP68

No. 50630237

EUROLITE LED Puck Light multicolor

LED mood light with color change, IP68, battery operation



WW



No. 83500910.....red

No. 83500911.....silver

EUROPALMS LED Christmas Ball 6cm, 6x

Christmas baubles with LEDs



IP44

No. 83501685

EUROPALMS LED Icicle Garland 10 x 24cm white

Garland in icicle shape

TUBE & ROPE LIGHTS

Rubber Lights

eurolite®



IP44

- No. 50506013.....clear
- No. 50506023.....yellow
- No. 50506033.....green
- No. 50506043.....red
- No. 50506053.....blue
- No. 50506063.....violet/pink
- No. 50506083.....orange
- No. 50506093.....multicolor

EUROLITE RUBBERLIGHT RL1-230V 5 m

Flexible tube for decorative lighting

- No. 50506010.....clear
- No. 50506020.....yellow
- No. 50506030.....green
- No. 50506040.....red
- No. 50506050.....blue
- No. 50506060.....violet/pink
- No. 50506080.....orange
- No. 50506090.....multicolor

EUROLITE RUBBERLIGHT RL1-230V 9 m

Flexible tube for decorative lighting

- No. 50506015.....clear
- No. 50506025.....yellow
- No. 50506035.....green
- No. 50506045.....red
- No. 50506055.....blue
- No. 50506065.....violet/pink
- No. 50506085.....orange
- No. 50506095.....multicolor

EUROLITE RUBBERLIGHT RL1-230V 44 m

Flexible tube for decorative lighting



IP44

WW

CW



- No. 50506201.....3000 K
- No. 50506210.....6400 K
- No. 50506220.....yellow
- No. 50506230.....green
- No. 50506240.....red
- No. 50506250.....blue

EUROLITE RUBBERLIGHT LED RL1-230V 9m

Flexible LED tube for decorative lighting



IP44

WW

CW



- No. 50506201.....3000 K
- No. 50506210.....6400 K
- No. 50506220.....yellow
- No. 50506230.....green
- No. 50506240.....red
- No. 50506250.....blue

EUROLITE RUBBERLIGHT LED RL1-230V 44m

Flexible LED tube for decorative lighting



No. 50506302

EUROLITE RUBBERLIGHT LED RL1 connector 5mm



No. 50510100

EUROLITE RUBBERLIGHT Mounting Clip 50 pieces



No. 50510112

EUROLITE RUBBERLIGHT RL1 Power Cable

Connection cable



No. 50510150

EUROLITE RUBBERLIGHT Tie Strap 10x



No. 50510170

EUROLITE RUBBERLIGHT Channel 180cm



No. 50510120

EUROLITE RUBBERLIGHT End Cap



No. 50510114

EUROLITE RUBBERLIGHT RL1 Connection Tap



No. 50510160

EUROLITE RUBBERLIGHT RL1 straight Connector



RGB TCL

No. 50520210
EUROLITE FIB-203 LED Fiber Light Color Change
 Fiber light



REMOTE CONTROL RGB

No. 50520240
EUROLITE FIB-206 LED Fiber Light Color Change
 Fiber light



DMX TCL RGB

No. 50520260
EUROLITE FIB-450 LED Fiber Light RGB DMX
 Fiber light



No. 50520300.....red
 No. 50520302.....yellow
 No. 50520304.....blue
 No. 50520305.....light blue
 No. 50520306.....green
 No. 50520308.....orange
 No. 50520310.....6400 K

EUROLITE EL-Wire 2mm, 2m
 Flexible electroluminescent lighting wire, battery operation



Space Ball 35



DMX TCL RGB

No. 51930452
EUROLITE LED Space Ball 35 + HST-150
 Innovative decorative and lighting possibilities



Pixel Ball



TCL RGB PIXEL CONTROL

No. 51928761
EUROLITE LED Pixel Ball 360° 1m
 Flexible LED pixel string





ARTNET THEATRE DMX RJ45



No. 51928760
EUROLITE LED PSU-5A Artnet/DMX
 Controller for EUROLITE LED Pixel Ball 360° 1m


IP20 DMX TCL RGB 

No. 51928602
EUROLITE LED DMX Pixel Tube 16 RGB IP20
 Intelligent multicolor LED tube with DMX control


DMX TCL RGB 

No. 51928603
EUROLITE LED PT-100 DMX Pixel Tube
 DMX-controllable pixel tube


ART NET TCL RGB PIXEL CONTROL 

No. 51928715.....50 cm
 No. 51928716.....100 cm


EUROLITE LED Pixel Pole
 LED bar for pixel mapping applications


ART NET DMX

No. 51928710
EUROLITE LED PSU-4A Artnet/DMX
 Controller for EUROLITE LED Pixel Poles






















No. 51928721
EUROLITE 10x Mounting Clip













No. 51928722
EUROLITE 10x Mounting Clip for 50mm Tube

Neon Sticks




	No. 52207010.....18 W, 70 cm, white
	No. 52207011.....18 W, 70 cm, red
	No. 52207013.....18 W, 70 cm, blue
	No. 52207014.....18 W, 70 cm, turquoise
	No. 52207015.....18 W, 70 cm, green
	No. 52207016.....18 W, 70 cm, yellow
	No. 52207017.....18 W, 70 cm, orange
	No. 52207018.....18 W, 70 cm, pink
	No. 52207019.....18 W, 70 cm, UV
	No. 52207050.....36 W, 134 cm, white
	No. 52207051.....36 W, 134 cm, red
	No. 52207052.....36 W, 134 cm, blue
	No. 52207053.....36 W, 134 cm, green
	No. 52207054.....36 W, 134 cm, yellow
	No. 52207055.....36 W, 134 cm, orange
	No. 52207056.....36 W, 134 cm, pink
	No. 52207057.....36 W, 134 cm, UV
	No. 52207060.....36 W, 134 cm, multicolor

EUROLITE Neon Stick T8 L
 Colored neon tube

	No. 5250020B.....white
	No. 5250030B.....red
	No. 5250040B.....violet
	No. 5250045B.....blue
	No. 5250046B.....turquoise
	No. 5250050B.....green
	No. 5250060B.....yellow
	No. 5250070B.....orange
	No. 5250080B.....pink
	No. 5250083B.....UV

EUROLITE Neon Stick T5 20W 105cm
 Colored neon-tube

No. 5250020P
EUROLITE Neon Stick T8 58W 170cm white
 White neon-tube



TCL RGB PIXEL CONTROL

- No. 51928790.....1 m
- No. 51928792.....0,5 m
- No. 51928793.....1,5 m



EUROLITE LED Pixel Tube 360° clear

DMX LED tube for truss installation or ceilings

ART NET DMX RJ45

- No. 51928780.....PSU-24V/10
- No. 51928782.....PSU-24V/4



EUROLITE LED PSU DC LED Tube 360°

Controller for EUROLITE LED Pixel Tube 360

ART NET DMX RJ45

- No. 51928781



EUROLITE LED PSU-10A Artnet/DMX

Controller for EUROLITE LED Pixel Tubes 360°

ART NET DMX RJ45

- No. 51928783

EUROLITE LED PSU-8A Artnet/DMX

Controller for EUROLITE LED Pixel Tubes 360° Slim



- No. 519304475 m
- No. 519304482 m

EUROLITE Extension Cord for PSI-1

4-pin extension cord for PSI-1 controller



No. 51931980

EUROPALMS LED Advertising Board 58 x 42 cm

LED-illuminated Advertising/Writing Board in a picture frame design



No. 51931996

EUROPALMS Pen for LED Lightboard (UV active white)

Accessory for 51931991, 51931992 and 51931993



- No. 83309104..... US woodland, 300 x 200 cm
- No. 83309105..... snow, 300 x 200 cm
- No. 83309109..... balkan, 600 x 300 cm
- No. 83309110..... US woodland, 600 x 300 cm
- No. 83309111..... desert, 600 x 300 cm
- No. 83309112..... sky, 600 x 300 cm
- No. 83309113..... snow, 600 x 300 cm
- No. 83309114..... dark green, 600 x 300 cm
- No. 8330911D..... devil, 600 x 300 cm
- No. 8330911N..... night, 600 x 300 cm
- No. 8330911U..... urban, 600 x 300 cm

EUROPALMS Decoration Net

Decoration net



- No. 51107994..... transparent red, 50 ml
- No. 51107995..... transparent blue, 50 ml
- No. 51107996..... transparent gelb, 50 ml

EUROLITE UV-active Stamp Ink, transparent

UV-active stamping ink



- No. 51107998..... transparent red, 100 ml
- No. 51107999..... transparent blue, 100 ml
- No. 51108000..... transparent yellow, 100 ml

EUROLITE UV-active Stamp Ink

UV-active stamping ink



- No. 51108003..... transparent red, 250 ml
- No. 51108005..... transparent blue, 250 ml
- No. 51108006..... transparent yellow, 250 ml

EUROLITE UV-active Stamp Ink

UV-active stamping ink



No. 51108010

ACCESSORY Ink Cushion without ink 110 x 70mm


Ink cushion



No. 51100640

EUROLITE Triangle Base black


Light with new flair



No. 51100650

EUROLITE Hexopus Base black

Light with new flair



No. 51931555

EUROLITE LED CFB-15 Decorative Table Lamp

Decorative LED table lamp with color change



No. 51931557

EUROLITE LED CFB-15 Decorative Pendant Lamp

Decorative LED pendant lamp with color change

Das Beste für Ihre Eventplanung

Künstler - Shows - Service

Jetzt Katalog gratis bestellen unter:
www.gedu.com

Künstler & EVENT-Service **Katalog**

Künstler und Dienstleistungen
für Shows & Events **2018**

Jetzt auch als eKatalog
Kostenlos testen unter:
kuenstler-katalog.com





No. 80600102
EUROLITE Plasma Ball 20cm sound CLASSIC
 Extraordinary effect



No. 81201840
ACCESSORY Jumbo Jelly Ball, 90cm, 12x
 Inflatable mega balloons



No. 80600112
EUROLITE Plasma Tube sound FLUX 40cm
 Inexpensive plasma-effect



No. 81201860
ACCESSORY Jumbo Jelly Ball with LED, 90cm, 12x
 Inflatable mega balloons with LED



No. 80600120.....blue
 No. 80600131.....green
EUROLITE Plasma Disc 30cm
 Plasma-Disc



RGY
 No. 80500106
EUROLITE ESN 7x80 5mm LED red/green/yello
 Professional Moving Message



No. 50701190..... 15 cm up to 5 kg
 No. 50701195.....25 cm up to 25 kg
 No. 50701200.....45 cm up to 50 kg
EUROPALMS Rotary Plate silver
 Base with rotary plate



RGY
 No. 80500120..... 16 x 128 mm
 No. 80500125..... 16 x 256 mm
EUROLITE ESN 5mm LED red/green/yellow
 Professional Moving Message



No. 50701191..... 15 cm up to 5 kg
 No. 50701196.....25 cm up to 25 kg
 No. 50701201.....45 cm up to 50 kg
EUROPALMS Rotary Plate black
 Rotary plate



No. 80500129
EUROLITE ESN Remote control (IR)
 Keyboard-like remote-control



No. 50701192..... 15 cm up to 5 kg
 No. 50701197.....25 cm up to 25 kg
 No. 50701202.....45 cm up to 50 kg
EUROPALMS Rotary Plate white
 Rotary plate



Red Blue
 No. 80500303
EUROLITE LED Sign OPEN classic
 Compact LED sign OPEN classic

Instruments & More



INSTRUMENTS & MORE

offers a **wide range of music instruments** for musicians of all styles and experience levels. You will find guitars and basses, wind and bow instruments as well as drums and percussion. **An extensive catalogue can be ordered from us.**



Whether for beginners or semi-professionals, for more than 10 years Dimavery has been standing for quality instruments at very attractive prices. Developed in Germany, the products are manufactured in China. The assortment covers nearly everything from the guitar, through the violin, the cajon to the trumpet.

No. 26001040
DIMAVERY DS-600
Drum set



No. 26218164
JOZSI LAK
Foxywave



New wind instruments by Dimavery

Dimavery's new wind instruments are a successful mixture of great sound, comfortable handling and a fair price. Especially when you are a beginner or an advanced learner or you are looking for a lower priced alternative, then you should really take a look at our new ones.

No. 26505542
DIMAVERY Trombone,
gold



Jozseph „Jozsi“ Lak is a luthier from Waldbrunn-Lahr in Hesse. His passion is the making of instruments with excellent quality, special materials and innovative designs.

INSTALLATION & TOOLS

Stagetape	266
Cable bridges	268
Barriers	269





- No. 30005310.....silver
- No. 30005320.....black
- No. 30005330.....white

ACCESSORY Gaffa Tape Standard 48mm x 50m

Simple tape



- No. 30005471.....neon-yellow
- No. 30005472.....neon-green
- No. 30005473.....neon-pink
- No. 30005474.....neon-orange

ACCESSORY Gaffa Tape 50mm x 25m uv active

25 m adhesive tape for decoration and marking



- No. 30005400.....silver
- No. 30005410.....black
- No. 30005420.....white
- No. 30005430.....red
- No. 30005440.....yellow
- No. 30005455.....green
- No. 30005460.....blue
- No. 30005465.....black matt
- No. 30005466.....silver matt
- No. 30005467.....white matt

ACCESSORY Gaffa Tape Pro 50mm x 50m

Professional textile tape



- No. 30005481.....neon-yellow
- No. 30005482.....neon-green
- No. 30005483.....neon-pink
- No. 30005484.....neon-orange

ACCESSORY Gaffa Tape 19mm x 25m UV-active

25 m adhesive tape for decoration and marking



- No. 30005930.....50mmx50m
- No. 30005935.....25mmx50m

ACCESSORY Carpet Tape Mesh

Carpet adhesive



No. 30005945

ACCESSORY Writing Tape white 19mmx33m

Writeable tape



- No. 30005950.....black
- No. 30005960.....grey

ACCESSORY Electrical Tape 19mmx25m

Electrical tape



No. 30005955

ACCESSORY Electrical Tape 19mmx10m 10x

Electrical tape



- No. 30005490.....5m, blue
- No. 30005491.....10m, red
- No. 30005492.....15m, white
- No. 30005493.....20m, yellow
- No. 30005494.....25m, green

ACCESSORY Cable Marking

Color marking for cables



No. 3000575K

ACCESSORY Marking Tape Antislip

High quality marker tape made of PVC foil



No. 3000580K

ACCESSORY Marking Tape PVC yellow/bl

High quality marker tape made of PVC foil



No. 3000582K
ACCESSORY Marking Tape PVC red/white
 High quality marker tape made of PVC foil



No. 3000596K
ACCESSORY Barrier Tape red/wh 500mx75mm
 Barrier tape



No. 30005566..... glow at night
 No. 30005567..... black
ACCESSORY Antislip-Strips
 Self-adhesive strips



No. 3000601D
ACCESSORY Tie Straps 13x200mm
 Tie strap




No. 3000601E..... 20x150mm
 No. 30006020..... 20x200mm
 No. 30006021..... 20x330mm
ACCESSORY Tie Straps
 Tie strap



No. 30006022..... 25x195mm
 No. 30006030..... 25x300mm
 No. 30006040..... 25x480mm
ACCESSORY Tie Straps
 Tie strap



No. 30006023..... 25x195mm
 No. 30006031..... 25x300mm
 No. 30006041..... 25x480mm
ACCESSORY BS-1 Tie Straps
 Hook-and-loop cable fastener back strap



No. 30006110
SNAP O-ring black 25x
 Rubber ring for Snap truss clamps



No. 30006095..... silver
 No. 30006096..... black
 No. 30006097..... light silver
 No. 30006098..... light black
SNAP Mounting clamp 4x
 Truss clamp



No. 80702920
EUROLITE Cablebridge 2 Channels 1000x250mm
 Rugged cable crossover with antislip yellow cover and 7.5 t maximum load



No. 80702921
EUROLITE KB-2 Cablebridge 2 Channels 1010x240x45mm
 Rugged cable crossover with antislip yellow cover and 5 t maximum load



No. 80702925
EUROLITE Cablebridge 2 Channels curve 35 degr.
 Rugged cable crossover with antislip yellow cover



No. 80702935
EUROLITE Cablebridge 4 Channels 800mm x 550mm
 Rugged cable crossover with antislip yellow cover and 3 t maximum load



No. 80702936
EUROLITE Cablebridge 5 Channels 800mm x 450mm
 Rugged cable crossover with antislip yellow cover and 4 t maximum load



No. 8070293B
EUROLITE Cablebridge 5 Channels 900x500x50mm
 Rugged cable crossover with yellow cover and 9 t maximum load



No. 30005532.....black
 No. 30005534.....yellow/black
ACCESSORY Cablebridge 150mm x 15m
 Cable link



No. 51210852.....2m
 No. 51210854.....4m
EUROLITE Floor Cable Channel 75mm silver 2m
 Rugged floor cable channel




 No. 50605210
EUROLITE LED Solar Work Light



No. 80701600
EUROLITE LED Flashlight CREE3W Carrying Loop Pouch
 Rugged aluminum flashlight with one 3 W CREE LED



No. 10360620
EUROLITE LM-50 Lux Meter
 Digital light meter for a fast illumination measurement



No. 10360630
EUROLITE LM-200 Lux Meter
 Digital light meter for a fast illumination measurement



No. 80702956
EUROLITE Straight Expanding Barrier max 2800mm
 Straight expanding barrier



No. 78020396..... M
 No. 78020401..... L
 No. 78020403..... XL
HASE Gloves 3 Finger, size M
 Professional gloves for roadies



No. 8070297A
GUIL PST-11 Barrier System with Retractable Belt (red)
 Barrier system



No. 8070297K
GUIL PST-CB/PL Wall Mounting
 Wall mounting for PST-10, black



No. 8070297B
GUIL PST-11N Barrier System with Retractable Belt (black)
 Barrier system



No. 8070297L
GUIL PST-CB/P 3m red
 Retractable belt wall mount



No. 8070297C
GUIL PST-41 Barrier System
 Barrier system



No. 8070297F
GUIL PST-CT1 Barrier Rope
 Barrier rope for PST-30



No. 8070297P
GUIL PST-AV/2 Sign 25x33cm

X-MEN

MIT 7 FARBEN
IN EINER LED



LED FARBMISSHUNG



Sieben Farben in einer LED – darunter unter anderem Lemon und UV: Mit den beiden X-Men erhalten Sie Movingheads mit einzigartigen Farbmischungen. Durch diese Zusammenstellung wirken die Farben sehr homogen, tief und erhalten durch das Lemon eine besondere Frische. Abgerundet wird das Spektrum durch UV. Dieses lässt nicht nur fluoreszierende Stoffe leuchten. Es sorgt durch gekonnte Beimischung für einzigartige, fast schon glitzernde Farbeffekte.

- _ Einzigartige Farbmischung mit RGBAW + Lemon + UV
- _ 25 Watt pro LED
- _ Zoom von 3-34° (X7) und 4-31° (X19)



TMH X19
MOVING-HEAD WASH ZOOM



TMH X7
MOVING-HEAD WASH ZOOM

POWER

Power Distributors	272
Fuses	277
Power Cable with Plug	278
Extension Cables	280
Cable Reel	281
Control Cables	282
Cable by Metre	283
Plug-in Connectors	284
Connectors	285
Transformers	288






No. 30240310

EUROLITE SB-4 Power Distributor


Practical 4-fold distributor without cables



No. 30240410

EUROLITE SB-6 Power Distributor

Practical 6-fold distributor without cables




IP44

No. 30245581

EUROLITE SBPO-1640B Power Distributor

Power distributor with RCD 16 A




IP44

No. 30245585

EUROLITE SBPO-3240 Power Distributor


Power distributor with RCD 32 A



No. 30245501

EUROLITE SBP-1610 Power Distributor


Power distributor 2 x 16 A, 4 x 230 V



No. 30245521

EUROLITE SBP-3210K Power Distributor


Power distributor 3 x 32 A, 1 x 16 A, 3 x 230 V



No. 30245541

EUROLITE SBP-3240K Power Distributor


Power distributor 1 x 32 A, 2 x 16 A, 4 x 230 V



No. 30245561

EUROLITE SBP-3280 Power Distributor

Power distributor 1 x 32 A, 1 x 16 A, 8 x 230 V



No. 30248010

EUROLITE SB-42/19 Power Distributor


Practical distributor in 483 mm housing (19")



No. 30248300

EUROLITE SB-65 Power Distributor

Practical CEE distributor



No. 30248305

EUROLITE SB-65/19 Power Distributor


Practical 16A split box in 483 mm housing (19")



No. 30248340

EUROLITE SB-652X Power Distributor

Practical CEE distributor






No. 30248370

EUROLITE SB-1000 Power Distributor


Practical 16A distributor in 483 mm housing (19")



No. 30248372

EUROLITE SB-1050 Power Distributor


Practical 32A distributor in 483 mm housing (19")



No. 30248375

EUROLITE SB-1100 Power Distributor 32A


Practical 32 A distributor in 483 mm housing (19")



No. 30248378

EUROLITE SBT-3216 Power Distributor


Practical 32 A distributor in 483 mm housing (19")



No. 30248380

EUROLITE SB-1200 Power Distributor 63A


Practical 63 A distributor in 483 mm housing (19")



No. 30248390

EUROLITE SBM-16 Power Distributor


Practical 16 A distributor in 483 mm housing (19")



No. 30248400

EUROLITE SBM-32 Power Distributor


Practical 32 A distributor in 483 mm housing (19")



No. 30248410

EUROLITE SBM-63 Power Distributor


Power distributor with multimeter



No. 30248499

EUROLITE SBL-2000 Power Distributor


Practical 32 A distributor in 483 mm housing (19")



No. 30248800

EUROLITE PDM 2U-6S 16A

Power distributor module for rack installation



No. 30248810

EUROLITE PDM 3U-4CEE 16A 3pin


Power distributor module for rack installation



No. 30248820


EUROLITE PDM 3U-6CEE 16A 3pin

Power distributor module for rack installation







No. 30248830
EUROLITE PDM 3U-4CEE 32A 3pin
 Power distributor module for rack installation




No. 30248840
EUROLITE PDM 3U-4CEE 16A 5pin
 Power distributor module for rack installation




No. 30248850
EUROLITE PDM 3U-4CEE 32A 5pin
 Power distributor module for rack installation




No. 30248880
EUROLITE PDM 6U-4CEE 32A 5pin
 Power distributor module for rack installation



No. 30248890
EUROLITE PDM 3U-3CEE 16A 3pin
 Power distributor module for rack installation



No. 30248900
EUROLITE PDM 5U-6CEE 16A 3pin
 Power distributor module for rack installation



No. 30248910
EUROLITE PDM 3U-32A 5pin RCD
 Power distributor module for rack installation



No. 30248920
EUROLITE PDM 4U-63A 5pin RCD
 Power distributor module for rack installation



No. 30248930
EUROLITE PDM 3U-9x16A FB
 Power distributor module for rack installation



No. 30248940
EUROLITE PDM 3U-18x16A FB
 Power distributor module for rack installation



No. 30248950
EUROLITE PDM 3U-4x16A FB 3pin
 Power distributor module for rack installation



No. 30248960
EUROLITE PDM 3U-4x32A FB 3pin
 Power distributor module for rack installation



No. 30249100
PSSO CEE Compact Distributor CEE 3SK
 Compact distributor




No. 60003735
EUROLITE SAB-162 Power Split Box
 Heavy-duty power split box with CEE input



No. 60003737
EUROLITE SAB-322 Power Split Box
 Heavy-duty power split box with CEE input



No. 60003745
EUROLITE SAB-61 Power Split Box
 Heavy-duty power split box with P-Con input and output



No. 60003755
EUROLITE SAB-62X Power Split Box
 Heavy-duty power split box with CEE input and output



No. 60003760
EUROLITE SAB-42X Power Split Box
 Heavy-duty power split box with P-Con input and output




No. 60003761
EUROLITE SAB-82X Power Split Box
 Heavy-duty power split box with P-Con input and output



No. 60003851
RIGPORT L-1 Power Distributor
 Rigport baseline




No. 60003852
RIGPORT L-1S4 Power Distributor
 Rigport baseline



No. 60003856
RIGPORT RPL-16 Power Distributor
 Rigport CEE line



No. 60003857
RIGPORT RPL-16S Power Distributor
 Rigport CEE line




No. 60003858
RIGPORT RPL-32 Power Distributor
 Rigport CEE line






No. 6000385B
RIGPORT CEE16+ Power Distributor



No. 60003860
RIGPORT Clamp for Rigport Distributors
Rigport accessory

APSA Distributor PVC bk


Apsa 5000 installation distributor



No. 30240040.....	3-fold
No. 30240041.....	5-fold
No. 30240042.....	6-fold
No. 30240043.....	8-fold

EUROLITE Distributor ALU bk

Power distributor



No. 30240070.....	4-fold
No. 30240080.....	6-fold
No. 30240090.....	8-fold

APSA Distributor 4-fold ALU bk

Apsa Octagon 60 D6000/4 installation distributor



No. 30240072.....	4-fold
No. 30240082.....	6-fold

IP44

No. 30240115.....	1,5 m
No. 30240119.....	5 m
No. 30240117.....	3 m

EUROLITE Distributor 3-fold IP44 bk

Power distributor



IP44

No. 30240153.....	3 m
No. 30240154.....	1,5 m
No. 30240156.....	5 m
No. 30240158.....	10 m

EUROLITE Distributor 6-fold IP44 bk

Power distributor



No. 30240155

EUROLITE Distributor 6-fold + 2 USB bk

Power distributor



19"

No. 30240215

EUROLITE Distributor R19-8 1U bk 2.7m

Attachable power distributor





ACCESSORY Fuse 5x20mm 10x

Set of ten fuses



No. 30207210

EUROLITE Fuseholder R3-11

Chassis mount fuseholder with nut

fast

No. 30207553.....0,50A
 No. 30207554.....0,63A
 No. 30207555.....0,80A
 No. 30207556.....1,00A
 No. 30207557.....1,60A
 No. 30207558.....2,50A
 No. 30207559.....4,00A
 No. 30207560.....5,00A
 No. 30207561.....6,30A
 No. 30207562.. 10,00A
 No. 30207563.....8,00A
 No. 30207565.....2,00A
 No. 30207568.....3,15A

medium

No. 30207581.....0,16A
 No. 30207582.....0,25A
 No. 30207583.....0,50A
 No. 30207584.....0,63A
 No. 30207586.....1,00A
 No. 30207587.....1,60A
 No. 30207588.....2,50A
 No. 30207589.....4,00A
 No. 30207591.....5,00A
 No. 30207592.....6,30A
 No. 30207593.. 10,00A
 No. 30207598.....3,15A

slow

No. 30207623.....0,50A
 No. 30207624.....0,63A
 No. 30207626.....1,00A
 No. 30207627.....1,60A
 No. 30207628.....2,50A
 No. 30207629.....4,00A
 No. 30207630.....5,00A
 No. 30207631.....6,30A
 No. 30207632.. 10,00A
 No. 30207633.....8,00A
 No. 30207635.....2,00A
 No. 30207640.....3,15A

Das Fachmagazin für Veranstaltungstechniker

Beim „EVENT Rookie“ werden professionelle Produktionen jeder Größenordnung in ausführlichen Reportagen behandelt. Dabei wird dem Leser der Einsatz von Licht-, Ton-, Video- und Bühnentechnik detailliert dargestellt und erklärt. Bei den Produkttests werden neue Geräte der Veranstaltungstechnik unter die Lupe genommen und die technischen Eigenschaften anschaulich erläutert. Unsere Autoren gehen auf Einsatzmöglichkeiten, Funktionsweisen und Handling ein. Renommierete Branchengrößen stehen den Autoren Rede und Antwort und geben ihre Erfahrungen an die nächste Generation weiter.

Hol Dir 8 Ausgaben EVENT Rookie zum Sonderpreis und sicher Dir eine tolle Prämie!

ab 35€ im Jahr

Einfach online bestellen unter:

www.leikro.de





- No. 30235029.....1 m
- No. 30235030.....1.5 m
- No. 30235032.....3 m
- No. 30235034.....5 m
- No. 30235037.....10 m

PSSO PowerCon Power Cable 3x1.5 H07RN-F



- No. 30235031.....1.5 m
- No. 30235033.....3 m
- No. 30235035.....5 m
- No. 30235036.....10 m
- No. 30235038.....15 m

PSSO PowerCon Power Cable 3x2.5 H07RN-F



- No. 3023503J.....0.5 m
- No. 3023503K.....1 m
- No. 3023503L.....1.5 m
- No. 3023503R.....3 m
- No. 30235040.....5 m
- No. 30235042.....10 m
- No. 30235044.....15 m

PSSO PowerCon Connection Cable 3x1.5



- No. 30235064.....0.5 m
- No. 30235065.....1 m
- No. 30235066.....1.5 m
- No. 30235068.....3 m
- No. 30235070.....5 m
- No. 30235072.....10 m
- No. 30235074.....15 m

PSSO PowerCon Connection Cable 3x2.5



- No. 30227797.....1.5 m
- No. 30227799.....3 m
- No. 30227801.....5 m
- No. 30227803.....10 m

PSSO Combi Cable DMX PowerCon/XLR

High quality power DMX cable



- No. 30307380.....2.5 m
- No. 30307382.....5 m
- No. 30307384.....10 m

SOMMER CABLE Combi Cable DMX PowerCon/XLR

High-quality power + signal cable



- No. 30235103.....0.6 m, 3x0.75
- No. 30235104.....1 m, 3x0.75
- No. 30235105.....3 m, 3x0.75
- No. 30235106.....5 m, 3x0.75

OMNITRONIC IEC Extension 3x0.75 bk



- No. 30235199.....0.6 m, 3x1.0
- No. 30235200.....1 m, 3x1.0
- No. 30235201.....3 m, 3x1.0
- No. 30235202.....5 m, 3x1.0
- No. 30235203.....10 m, 3x1.5

OMNITRONIC IEC Extension bk



No. 30235205
OMNITRONIC Adaptercable IEC(M)/Safety plug(F) 1m



No. 30235221.....0.9 m
No. 30235222.....1.5 m
OMNITRONIC IEC extension 3x0.75 90°



- No. 3023520L.....0.6 m, 3x0.75
- No. 3023520M.....0.9 m, 3x0.75
- No. 3023520N.....1.5 m, 3x0.75
- No. 30235210.....3 m, 3x0.75
- No. 30235212.....5 m, 3x0.75
- No. 30235214.....10 m, 3x1.5

OMNITRONIC IEC Power Cable bk



- No. 3023521A.....0.6 m
- No. 3023521C.....0.9 m
- No. 3023521E.....1.5 m
- No. 3023521G.....3 m
- No. 3023521J.....5 m

OMNITRONIC IEC Power Cable 3x1,0 bk




- No. 3023540N 1,5 m
- No. 3023540P 3 m

OMNITRONIC Euro power cable bk



- No. 51100667 GU-10
- No. 51100665 E-14
- No. 51100666 E-27

EUROLITE Socket Power Cable, Plug, Switch



- No. 30245693 1,5 m
- No. 30245695 3 m
- No. 30245696 5 m
- No. 30245697 10 m
- No. 30245698 15 m

EUROLITE Extension 3x1.5



- No. 3024569X 1,5 m
- No. 3024569Y 3 m
- No. 30245700 5 m
- No. 30245705 10 m
- No. 30245708 15 m
- No. 30245709 20 m

PSSO Extension 3x1.5 bk



- No. 30245750 1 m
- No. 30245752 3 m
- No. 30245754 5 m
- No. 30245756 10 m
- No. 30245758 15 m
- No. 30245760 20 m

PSSO Extension 3x2.5 bk



- No. 30245850 5 m
- No. 30245852 10 m
- No. 30245854 15 m
- No. 30245856 20 m

PSSO Combi Cable Safety Plug/XLR



- No. 30247010 1 m
- No. 30247011 3 m
- No. 30247012 5 m
- No. 30247013 10 m

PSSO Extension 3x1.5 3-fold bk



- No. 30247014 3x1.5, 1 m
- No. 30247015 3x1.5, 3 m
- No. 30247016 3x1.5, 5 m
- No. 30247017 3x1.5, 10 m
- No. 3024701D 3x2.5, 3 m
- No. 3024701E 3x2.5, 5 m
- No. 3024701F 3x2.5, 10 m

EUROLITE Extension 3-fold




- No. 30247020 1 m
- No. 30247022 5 m
- No. 30247024 10 m
- No. 30247025 15 m

PSSO Extension 3x2.5 3-fold bk




- No. 30240100
- PSSO Safety Connector 3-fold bk**




 No. 30247040.....1.5
 No. 30247050.....2.5
PSSO Adaptercable Safety Plug(F)/CEE





 No. 30247042.....1.5
 No. 30247052.....2.5
PSSO Adaptercable Safety Plug(M)/CEE 1.5





 No. 30247054
PSSO Adaptercable Safety Plug(M)/CEE 2.5 90°





 No. 30245601..... 16A 3x2.5, 10 m
 No. 30245605..... 32A 3x6, 5 m
 No. 30245607.....32A 3x5, 10 m
PSSO CEE Extension blue





 No. 30245620..... 10 m
 No. 30245622..... 15 m
 No. 30245624..... 20 m
 No. 30245625..... 25 m
PSSO CEE Extension 16A 5x2.5 red





 No. 30245628..... 10 m
 No. 30245629..... 25 m
PSSO CEE Extension 32A 5x6 red





 No. 3024563E.....5 m
 No. 3024563F.....10 m
 No. 3024563G.....25 m
PSSO CEE Extension 16A 5x2.5 Black Edition





 No. 3024563K.....5 m
 No. 3024563L.....10 m
 No. 3024563M.....25 m
HELUKABEL CEE Extension 32A 5x4 Black Edition





 No. 30307501
SCHILL Cable Drum GT 235.RM
 Cable reel





 No. 30307510
SCHILL Cable Drum IT266.RM A=280/C=11
 Cable reel




 No. 30307516
SCHILL Cable Drum IT300.SO A=305/C=125
 Cable reel




 No. 30307517
SCHILL Cable Drum GT 310.SO
 Cable reel



No. 30307518
SCHILL Cable Drum GT 310.RM
 Cable reel



No. 30307519
SCHILL Cable Drum GT 380.RM
 Cable reel



No. 30307520
SCHILL Cable Drum IT380.RM A=385/C=142
 Cable reel



No. 30307521
SCHILL Cable Drum GT 380.SO
 Cable reel



No. 30307523
SCHILL Cable Drum GT 450.RM
 Cable reel



No. 30307526
SCHILL Cable Drum HT300.SO A=300/C=125
 Cable reel



No. 30307531
SCHILL Cable Drum HT380.RM A=380/C=142
 Cable reel



No. 30307535
SCHILL Cable Drum HT480.RM A=460/C=142
 Cable reel



No. 30307536
SCHILL Cable Drum HT480.RM A=460/C=142 bl
 Cable reel




No. 30307540
SCHILL Cable Drum SK4602.RM A=460/C=500
 Cable reel




No. 30307543
SCHILL SO Cable Drum Cover



No. 30307544
SCHILL RM Cable Drum Cover







 No. 30305511..... 25 m
 No. 30305513..... 100 m
HELUKABEL Control Cable 4x0.14 LiYCY







 No. 30306211
HELUKABEL Control Cable 7x0.75 25m







 No. 30306216..... 25 m
 No. 30306217..... 50 m
HELUKABEL Control Cable 7x1.0







 No. 30306241..... 25 m
 No. 30306242..... 50 m
 No. 30306243..... 100 m
HELUKABEL Control Cable 14x1.5





 No. 30306251..... 25 m
 No. 30306252..... 50 m
HELUKABEL Control Cable 18x1.5







 No. 30306320
HELUKABEL Combi Cable 1x2x0.25+3G1.5 100m
 High quality power DMX cable







 No. 30306324
SOMMER CABLE Combi Cable 1x2x0,25+3G1,5 SC-Monolith Power DMX 100m
 High quality power DMX cable





 No. 30307301..... 25 m
 No. 30307302..... 50 m
 No. 30307303..... 100 m
HELUKABEL Power Cable 3x1.5 bk Silicone H05SS-F
 Heat-resistant to 180° C







 No. 30306921..... 25 m
 No. 30306922..... 50 m
HELUKABEL Power Cable 3x1.5 H07RN-F







 No. 30306923
ACCESSORY Power Cable 3x1.5 100m H07RN-F





 No. 30306961..... 25 m
 No. 30306962..... 50 m
HELUKABEL Power Cable 5x2.5 H07RN-F





 No. 30306971
HELUKABEL Power Cable 5x6.0 25m H07RN-F



No. 3030697A 25 m
 No. 3030697B 50 m
 No. 3030697C 100 m

TITANEX Power Cable 3x1.5 H07RN-F

High-quality Titanex power cable



No. 3030697E 25 m
 No. 3030697F 50 m
 No. 3030697G 100 m

TITANEX Power Cable 3x2.5 H07RN-F

High-quality Titanex power cable



 No. 30350200 6-pin, PG 13,5
 No. 30350600 10-pin, PG 16
 No. 30350950 16-pin, PG 21
 No. 30351351 24-pin, PG 21

ILME Socket Casing, straight

Absolutely reliable



 No. 30350220 6-pin, PG 13,5
 No. 30350620 10-pin, PG 16
 No. 30350970 16-pin, PG 21

ILME Socket Casing, angle



 No. 30350250 6-pin, PG 16
 No. 30350650 10-pin, PG 16
 No. 30351000 16-pin, PG 21

ILME Coupling Casing, straight



 No. 30350300 6-pin
 No. 30350700 10-pin
 No. 30351050 16-pin

ILME Plug Insert 6-pin 16A, Screw Terminal



 No. 30350350 6-pin
 No. 30350750 10-pin
 No. 30351100 16-pin

ILME Socket Insert 16A, Screw Terminal



 No. 30350400 6-pin
 No. 30350790 10-pin
 No. 30351150 16-pin

ILME Attachment Casing open below



 No. 30350450 6-pin
 No. 30350800 10-pin
 No. 30351200 16-pin
 No. 30351600 24-pin


ILME Base Casing, 1x PG 16




 No. 30351060 Plug Insert
 No. 30351065 Socket Insert

ILME Squich 16-pin 16A 500V



 No. 30351350
ILME Socket Casing TG-24-108, PG 21, straight



 No. 30351450 Plug Insert
 No. 30351500 Socket Insert
ILME 24-pin 16A, Screw Terminal



No. 30247650.....5 m
 No. 30247652.....10 m
 No. 30247656.....15 m

PSSO Multicore 16pin gy

Cable: YSLY-JZ 18 x 1.5 mm² gray



No. 30357105

ILME Clamp Soldering Contacts 0.14-0.37mm²/200



No. 30307100.....white
 No. 30307105.....black

EUTRAC Multi adapter, 3 phases

Multi adapter with data bus option



No. 30307110.....white
 No. 30307115.....black

EUTRAC Retaining collar for multi adapter

Retaining collar



No. 30358160

ACCESSORY Cable Fitting w/Rub.Bushing PG21 18-20mm



No. 30358550.....PG 16
 No. 30358600.....PG 21
 No. 30358650.....PG 29

ILME Circular Metal Screw Connection



No. 85056615

EUROLITE Black PG11 Strain relief

Strain relief



No. 30208540.....blue
 No. 30208541.....grey

NEUTRIK PowerCon Cable Plug NAC3FCA

Cable plug for 5 - 15 mm cable O.D. range



No. 30208543.....blue
 No. 30208544.....grey

NEUTRIK PowerCon Mounting Connector NAC3MPA-1

Mounting connector for 5 - 15 mm cable O.D. range



No. 30208546

NEUTRIK PowerCon Connection Adapter NAC3MM-1

Adapter for NAC3MPA onto NAC3MPB chassis plug



No. 3020854E.....N-NAC3MX P-in
 No. 3020854D.....N-NAC3FX-W P-out

NEUTRIK PowerCon TRUE 1



No. 3020854J
NEUTRIK PowerCon TRUE 1 N-NAC3MPX



No. 3020854K
NEUTRIK PowerCon TRUE 1 N-NAC3PX



No. 3023525X..... Plug
No. 30235270..... Socket
OMNITRONIC IEC 10x
Sales unit 10 pieces per bag



No. 3023610A..... Plug
No. 3023620A..... Connector
ACCESSORY Safety Plug Plastic bk



No. 30236216
BALS Safety Plug durable bk MK2



No. 30236218
BALS Safety Plug durable gy



No. 30236210
PC ELECTRIC Safety Plug Rubber bk



No. 30236220
PC ELECTRIC Safety Connector Rubber bk/bu



No. 30236221
PC ELECTRIC Safety Connector Rubber bk



No. 30236227
BALS 7488 Safety Connector durable bk



No. 30236231.....blue
No. 30236236.....black
BALS Safety Outlet 16A
Blue safety outlet 16 A 250 V IP54



IP44

No. 30236255
OMNITRONIC Weather-Proof Protection Box outdoor




No. 30236260
OMNITRONIC Adapter EU/UK plug 13A bk




No. 30236262
OMNITRONIC Adapter EU/CH Plug 10A bk
 Practical adapter for abroad




 No. 30350030.....female
 No. 30350032.....male
WIELAND Powerconnector IP RST20i3S 250V/20A
 Outdoor connector female black




 No. 30350034.....female
 No. 30350036.....male
WIELAND DMX Connector IP RST20i3S 50V/20A
 Outdoor connector female brown



No. 30236316.....blue
 No. 30236321.....red
PC ELECTRIC CEE Plug 16A 3pin



No. 30236326
PC ELECTRIC CEE Plug 32A 5pin rd



No. 30236323.....Plug
 No. 30236336.....Socket
BALS CEE 32A 3pin bu



No. 30236332
PC ELECTRIC CEE Plug 63A 5pin rd



No. 30236339.....blue
 No. 30236341.....red
PC ELECTRIC CEE Socket 16A 3pin





 No. 30236340
MENNEKES CEE Socket 16A 5pin rd



No. 30236351
PC ELECTRIC CEE Socket 32A 5pin rd




 No. 30236360
BALS CEE Socket 63A 5pin rd




No. 30236370
PC ELECTRIC CEE Wall Mounting Plug 16A 5pin




No. 30236378
BALS CEE Wall Mounting Plug 32A 3pin




No. 30236392..... 16 A, 3 pin, blue
No. 30236397..... 63 A, 5 pin, red
BALS CEE Mounting Plug




No. 30236395..... 16 A
No. 30236396..... 32 A
MENNEKES CEE Mounting Plug 5pin




No. 30236400..... 16 A
No. 30236411..... 32 A
PC ELECTRIC CEE Wall Mounting Outlet 5pin



No. 30236430..... 3 pin, blue
No. 30236435..... 5 pin, red
PC ELECTRIC CEE Mounting Connector 16A




No. 30236441..... 3 pin
No. 30236445..... 5 pin
MENNEKES CEE Mounting Connector 32A



No. 51402223
EUROLITE Electr. LED Transformer, 12V, 3A IP67



No. 51402227
EUROLITE Electr. LED Transformer, 12V, 16,66A IP67



- No. 51402248.....4,6 A
- No. 51402253..... 5 A
- No. 51402254.....10 A
- No. 51402257..... 16,5 A
- No. 51402259.....8,3 A

EUROLITE Electr. LED Transformer, 12V

Electronic converter



- No. 51403845..... 12 V, 2,5 A
- No. 51403846..... 24 V, 1,3 A

EUROLITE Transformer DC



No. 51402270
EUROLITE ETD-2060, 12V/ 20-60VA, white
 Electronic transformer for low voltage halogen lamps



No. 51402275
EUROLITE ETD-35105, 12V/ 35-105VA, white
 Electronic transformer for low voltage halogen lamps



- No. 51406012..... 1 A
 - No. 51406013..... 2 A
- EUROLITE Electronic Power Supply Unit DC 12V**



No. 51406009
ACCESSORY Universal Switch Mode PSU 0.6A
 Switch-mode PSU with a high energy efficiency



No. 5170299U
ANTARI DCP-12 Power Adapter

CABLES & PLUGS

RCA / Jack Cables	290
XLR Cables	291
Adapter Cables	292
XLR Connectors	294
Jack Connectors	295
Jack Adapters	296
XLR Adapters	297
Jack Cables	298
Adapter Cables	299
Cable Rolls	300
Connection Cables	302
Speaker Cables	303
XLR Plugs	304
Jack Plugs	305
XLR Plugs	307
XLR Sockets	308
Plugs and Sockets	309





No. 30209352.....	0.3 m
No. 30209354.....	0.6 m
No. 30209356.....	0.9 m
No. 30209360.....	1.5 m
No. 30209370.....	3 m
No. 30209375.....	5 m
No. 30209380.....	10 m
No. 30209382.....	15 m

OMNITRONIC RCA cable 2x2




No. 3020940N
OMNITRONIC RCA cable 2x2 ground 1.5m



No. 30210021.....	1.5 m
No. 30210022.....	3 m

OMNITRONIC Jack cable 2x2 Jack mono



No. 30210031
OMNITRONIC Jack cable 6.3 Patchcord mono 6x0.6m



No. 30210500.....	0.5
No. 3021050A.....	1
No. 3021050D.....	1.5
No. 3021050N.....	3
No. 3021150N.....	5
No. 3021151N.....	10

OMNITRONIC Jack cable 6.3 mono bk



No. 3022075K.....	2 x 90° 0.15 m
No. 30211610.....	2 x 90° 0.3 m
No. 30211620.....	1 x 90° 0.9 m
No. 30211622.....	1 x 90° 1.5 m
No. 30211623.....	1 x 90° 3 m
No. 30211624.....	1 x 90° 5 m

OMNITRONIC Jack cable 6.3 mono bk



No. 30211650.....	mono, 1 m
No. 30211652.....	mono, 1.5 m
No. 30211654.....	mono, 3 m
No. 30211656.....	mono, 6 m
No. 30211658.....	mono, 10 m
No. 3021165D.....	stereo, 1 m
No. 3021165G.....	stereo, 3 m
No. 3021165K.....	stereo, 6 m

OMNITRONIC Jack cable 6.3 bk ROAD



No. 30211600.....	Cable 3,5 - 1.5 m
No. 30211605.....	Cable 3,5 - 13 m
No. 30210060.....	Extension 3,5 - 3 m
No. 30211678.....	Extension 6,3 - 3 m
No. 30211680.....	Extension 6,3 - 6 m
No. 30211682.....	Extension 6,3 - 10 m

OMNITRONIC Jack cable stereo bk



No. 3022010K.....	1.5 m, blue
No. 3022010L.....	3 m, blue
No. 3022010N.....	5 m, blue
No. 30220899.....	1 m, red
No. 30220900.....	1.5 m, red
No. 30220903.....	3 m, red
No. 30220905.....	5 m, red
No. 30220400.....	0.5 m, black
No. 30220405.....	1 m, black
No. 3022045N.....	1.5 m, black
No. 30220630.....	1.5 m, 90°, black
No. 3022047N.....	3 m, black
No. 30220632.....	3 m, 90°, black
No. 3022050N.....	5 m, black
No. 3022052N.....	7.5 m, black
No. 3022055N.....	10 m, black
No. 3022057N.....	15 m, black
No. 3022058N.....	20 m, black
No. 30220590.....	25 m, black
No. 30220595.....	30 m, black

OMNITRONIC XLR cable 3pin



No. 30220401.....	0.5 m
No. 30220406.....	1 m
No. 3022045R.....	1.5 m
No. 3022047R.....	3 m
No. 3022050R.....	5 m
No. 3022055R.....	10 m
No. 3022057R.....	15 m
No. 30220591.....	25 m
No. 30220596.....	30 m
No. 3022052R.....	7.5 m
No. 3022058R.....	20 m

OMNITRONIC XLR cable 3pin bk/rd



No. 30220761.....	0.5 m
No. 30220763.....	1 m
No. 30220765.....	1.5 m
No. 30220768.....	3 m
No. 30220769.....	5 m
No. 30220770.....	10 m

OMNITRONIC XLR cable 5pin bk



- No. 30225203.....0.5 m
- No. 30225204.....1 m
- No. 30225205.....1,5 m
- No. 30225206.....3 m

OMNITRONIC Adaptercable XLR(F)/2xXLR(M) bk



- No. 30225207.....0.5 m
- No. 30225208.....1 m
- No. 30225210.....1.5 m
- No. 30225211.....3 m

OMNITRONIC Adaptercable XLR(M)/2xXLR(F) bk



- No. 3022785F.....1 m, 3pin
- No. 3022785H.....3 m, 3pin
- No. 3022785K.....5 m, 3pin
- No. 3022785N.....10 m, 3pin
- No. 3022785Q.....15 m, 3pin
- No. 3022785S.....20 m, 3pin
- No. 30227860.....1 m, 5pin
- No. 30227862.....3 m, 5pin
- No. 30227864.....5 m, 5pin
- No. 30227866.....10 m, 5pin
- No. 30227868.....15 m, 5pin
- No. 30227870.....20 m, 5pin

EUROLITE DMX cable XLR bk



No. 3030744U

EUROLITE DMX cable 2x0.22 100m bk

No. 3030744V

HELUKABEL DMX cable 2x0.34 100m bk



- No. 10359856.....1.5 m
- No. 10359858.....3 m

OMNITRONIC Interface Cable USB/XLR(F) bk



- No. 30225025.....1.5 m
- No. 30225026.....3 m

OMNITRONIC Adaptercable USB/2xMIDI bk



- No. 30225111.....0.9 m red
- No. 30225118.....0.9 m black
- No. 30225120.....2 m black

OMNITRONIC Adaptercable RCA/Jack



- No. 30225008.....0.5 m 90°2 x RCA
- No. 30225009.....1 m 90°2 x RCA
- No. 30225010.....1.5 m 90°2 x RCA
- No. 30225012.....3 m 90°2 x RCA
- No. 30225148.....6 m Jack/2 x RCA
- No. 30225149.....3 m Jack/2 x RCA
- No. 3022514X.....0.5 m Jack/2 x RCA
- No. 3022514Z.....1 m Jack/2 x RCA
- No. 30225151.....1.5 m Jack/2 x RCA

OMNITRONIC Adaptercable 3.5 Jack



- No. 30225153.....1,5 m Jack / 2 x Jack
- No. 30225155.....3 m Jack / 2 x Jack
- No. 30225156.....6 m Jack / 2 x Jack
- No. 30225157.....3 m Jack / 2 x XLR (M)
- No. 30225158.....1,5 m Jack / 2 x XLR (M)
- No. 3022515B.....1,5 m Jack / 2 x Jack
- No. 30225234.....1 m Jack / 2 x Jack ECO
- No. 30225235.....3 m Jack / 2 x Jack ECO

OMNITRONIC Adaptercable bk



- No. 30225212.....1 m
- No. 30225213.....1.5 m
- No. 30225214.....3 m
- No. 30225215.....6 m

OMNITRONIC Adaptercable 2xJack/2xRCA bk



No. 3022514E
OMNITRONIC Adaptercable 3.5 Jack/2xJack 1.5m bk



No. 30225223
OMNITRONIC Adaptercable Jack stereo/2xRCA 1.5m



No. 30225219.....1.5 m
No. 30225220.....3 m

OMNITRONIC Adaptercable Jack/2xJack



No. 30225121.....0.6 m black
No. 30225122.....0.6 m red
No. 30225125.....2 m black
No. 30225126.....2 m red
No. 30225165.....6 m black
No. 30225166.....5 m red

OMNITRONIC Adaptercable RCA/XLR(M)



No. 30224028
OMNITRONIC Adaptercable RCA/XLR(F) 2m bk



No. 3022075H
OMNITRONIC Adaptercable XLR(M)/RCA(M) 0.2m bk



No. 3022075J
OMNITRONIC Adaptercable XLR(F)/RCA(M) 0.2m bk



No. 3022522B.....1 m
No. 3022522C.....1.5 m
No. 3022522D.....3 m
No. 3022522E.....6 m

OMNITRONIC Adaptercable 2xXLR(M)/2xRCA bk



No. 30225080
OMNITRONIC Adaptercable XLR(F)/Jack 0.3m bk



No. 30225090
OMNITRONIC Adaptercable Mini XLR(F)/Jack 0.8m bk



No. 30225085
OMNITRONIC Adaptercable XLR(M)/Jack mono 0.3m bk



No. 3022075E.....0.2 m stereo
No. 30225195.....0.9 m stereo
No. 30225196.....2 m stereo
No. 30225197.....5 m stereo
No. 30225198.....10 m stereo
No. 3022519A.....0.9 m mono
No. 3022519B.....2 m mono
No. 3022519C.....5 m mono
No. 3022519D.....10 m mono

OMNITRONIC Adaptercable XLR(M)/Jack bk



No. 3022075F.....0.2 m stereo
No. 30225180.....0.9 m stereo
No. 30225182.....2 m stereo
No. 3022516L.....0.9 m mono
No. 3022516M.....2 m mono
No. 30225170.....5 m mono
No. 30225175.....10 m mono

OMNITRONIC Adaptercable XLR(F)/Jack bk



No. 3022519G
OMNITRONIC Adaptercable 2xXLR(M)/Jack stereo 1.5m bk



No. 3022075A
OMNITRONIC Adaptercable XLR(M)/XLR(M) 0.2m bk

No. 3022075C
OMNITRONIC Adaptercable XLR(F)/XLR(F) 0.2m bk



No. 3022075B
OMNITRONIC XLR cable 3pin 0.2m bk



No. 30225410
OMNITRONIC Adaptercable Speaker(M)/Jack 5m bk



No. 30225590
OMNITRONIC Adaptercable Speaker(F)/XLR(M) 1m bk



No. 30225610
OMNITRONIC Adaptercable 2xSpeaker(M) 2pin/4pin 1m bk



No. 3021169M
OMNITRONIC Speaker cable Jack 2x1.5 1.5m bk



No. 3022102N.....2 x 2.5 - 1.5 m
No. 3022110M.....2 x 1.5 - 5 m
No. 3022110N.....2 x 2.5 - 5 m
No. 3022120M.....2 x 1.5 - 10 m
No. 3022120N.....2 x 2.5 - 10 m
No. 3022130N.....2 x 2.5 - 15 m
No. 3022130P.....2 x 2.5 - 20 m

OMNITRONIC Speaker cable Speaker bk



No. 3020910L.....0.6 m
No. 3020910n.....1.2 m
No. 30209150.....3 m
No. 30209152.....6 m
OMNITRONIC DIN cable 5pin MIDI



No. 30209160
OMNITRONIC DIN cable 8pin 3m



No. 30222050.....1 m
No. 30222070.....5 m
OMNITRONIC CAT-5 cable bk



No. 30300091.....2 x 0.75 - 100 m NYFAZ
No. 3030011K.....2 x 1.5 - 100 m, durable
No. 3030011L.....2 x 1.5 - 50 m, durable
No. 3030021K.....2 x 2.5 - 100 m, durable
No. 3030021L.....2 x 2.5 - 50 m, durable
No. 30300501.....2 x 1.5 - 100 m, black
No. 30300502.....2 x 1.5 - 100 m, white
No. 30300511.....2 x 2.5 - 100 m, black
No. 30300601.....2 x 1.5 - 100 m, clear
No. 30300611.....2 x 2.5 - 100 m, clear

OMNITRONIC Speaker cable back



No. 30300753.....black
No. 30300755.....red
No. 30300757.....blue
No. 30300759.....green
No. 30300780.....black + plugset
OMNITRONIC Microphone cable 2x0.22 100m



No. 30303093.....4 x 2 x 0.12 - 25 m
No. 30303096.....4 x 2 x 0.12 - 50 m
No. 30303099.....4 x 2 x 0.12 - 100 m
No. 30303103.....8 x 2 x 0.12 - 25 m
No. 30303106.....8 x 2 x 0.12 - 50 m
No. 30303109.....8 x 2 x 0.12 - 100 m

OMNITRONIC Multicore



No. 30200070
OMNITRONIC XLR mounting plug 3pin nickel 10x



No. 30200080
OMNITRONIC XLR mounting socket 3pin nickel 10x



No. 30200083.....plug
 No. 30200096.....socket
OMNITRONIC XLR 3pin black housing 10x



No. 30200084..... blue, plug
 No. 30200088..... red, plug
 No. 30200089..... black, plug
 No. 30200106..... blue, socket
 No. 30200110..... red, socket
 No. 30200111..... black, socket
OMNITRONIC XLR 3pin 10x



No. 30200097
OMNITRONIC XLR socket/plug set 3pin black housing 5x



No. 30200120
OMNITRONIC Mini XLR Mounting plug 3pin



No. 30200125
OMNITRONIC Mini XLR socket 3pin



No. 30200126
OMNITRONIC Mini XLR plug 3pin



No. 30208420
OMNITRONIC XLR plug 5pin



No. 30208425
OMNITRONIC XLR socket 5pin bk



No. 30208430
OMNITRONIC XLR plug 3pin 110 ohms



No. 30200694..... mono
No. 30201594..... stereo

OMNITRONIC Jack plug 6.3 bk ROAD 10x



No. 3020080N..... mono
No. 3020070N..... stereo

OMNITRONIC Jack plug 6.3 10x



No. 3020445N..... 5.4 mm
No. 30204475..... 7 mm

OMNITRONIC RCA plug gold-plated rd/bk 2x



No. 3020515N

OMNITRONIC RCA mounting socket gold-plated 2x



No. 30203513..... 2pin
No. 30203515..... 4pin

OMNITRONIC Speaker cable plug



No. 30203530

OMNITRONIC Speaker cable socket 4pin



No. 30203585

OMNITRONIC Speaker mounting socket 4pin square 10x



No. 30226120

OMNITRONIC Adapter Jack(M)/3.5 Jack(F) 10x



No. 30226150..... RCA(F)/Jack(M)
No. 3022615M..... RCA(F)/Jack(M) met
No. 30226170..... RCA(M)/Jack(F)
No. 3022617M..... RCA(M)/Jack(F) met

OMNITRONIC Adapter 10x



No. 30226180

OMNITRONIC Adapter 2xRCA(F)/RCA(M) 10x



No. 30226200

OMNITRONIC Adapter RCA(W)/RCA(W) 10x



No. 30226210

OMNITRONIC Adapter 2xRCA(F)/2xRCA(F) 10x



No. 3022625M
OMNITRONIC Adapter Jack(F)/Jack(F) mono met 10x



No. 3022625P
OMNITRONIC Adapter Jack(M)/Jack(M) mono metal 10x



No. 30226260
OMNITRONIC Adapter Jack(F)/Jack(F) stereo 10x



No. 30226298
OMNITRONIC Adapter 2xRCA(F)/3.5 Jack stereo 10x



No. 30226300
OMNITRONIC Adapter 2xRCA/Jack stereo 10x



No. 3022631W
OMNITRONIC Adapter 3.5 Jack(M)/6.35(F) stereo 10x



No. 3022631Z
OMNITRONIC Adapter 6.35 Jack(M)/3.5(F) stereo 10x



No. 30226400..... mono
No. 30226405..... stereo
OMNITRONIC Adapter XLR(F)/Jack(M)



No. 30226450..... mono
No. 30226455..... stereo
OMNITRONIC Adapter XLR(M)/Jack(M)



No. 30226500..... mono
No. 30226505..... stereo
OMNITRONIC Adapter XLR(M)/Jack(F)



No. 30226550..... mono
No. 30226555..... stereo
OMNITRONIC Adapter XLR(F)/Jack(F)



No. 30226560
OMNITRONIC Adapter RCA(M)/XLR(F)



No. 30226562
OMNITRONIC Adapter RCA(M)/XLR(M)



No. 30226564
OMNITRONIC Adapter RCA(F)/XLR(F)



No. 30226566
OMNITRONIC Adapter RCA(F)/XLR(M)



No. 30226570
OMNITRONIC Adapter XLR(M)/XLR(M)



No. 30226572
OMNITRONIC Adapter 3pin XLR(F)/3pin XLR(F)



No. 30226575
OMNITRONIC Adapter 3pin XLR(M)/5pin XLR(F)



No. 30226577
OMNITRONIC Adapter 3pin XLR(F)/5pin XLR(M)



No. 13055190
RELACART WGC-1 Adapter Cable



- No. 30307390.....0,5 m
- No. 30307392.....1 m
- No. 30307394.....3 m
- No. 30307396.....5 m
- No. 30307398.....10 m

SOMMER CABLE RCA cable 2x2 bk Hicon



- No. 30227515.....2 x 90°, 0,3 m, Hicon
- No. 30227520.....1 x 90°, 3 m, Neutrik
- No. 30227522.....1 x 90°, 6 m, Neutrik
- No. 30227524.....1 x 90°, 10 m, Neutrik

SOMMER CABLE Jack cable 6.3 mono bn



- No. 30227532.....3 m
- No. 30227534.....6 m
- No. 30227536.....10 m
- No. 30227537.....15 m

SOMMER CABLE Jack cable 6.3 mono bn Hicon



- No. 3022750A.....0.25
- No. 3022750B.....0.5

SOMMER CABLE Jack cable 6.3 stereo bk Hicon



- No. 3022754Y.....0.5 m
- No. 30227550.....0.9 m
- No. 30227552.....1.5 m
- No. 30227554.....3 m
- No. 30227556.....6 m
- No. 30227558.....10 m
- No. 30227559.....15 m
- No. 30227560.....20 m

SOMMER CABLE XLR cable 3pin bk Neutrik



- No. 30307454.....0.5 m black, 3pin
- No. 30307455.....1 m black, 3pin
- No. 30307456.....1.5 m black, 3pin
- No. 30307457.....3 m black, 3pin
- No. 30307458.....5 m black, 3pin
- No. 30307459.....10 m black, 3pin
- No. 3030745A.....15 m black, 3pin
- No. 3030745C.....20 m black, 3pin
- No. 3030745D.....25 m black, 3pin
- No. 3030746A.....1.5 m blue, 3pin
- No. 3030746B.....3 m blue, 3pin
- No. 3030746C.....5 m blue, 3pin
- No. 3030746D.....10 m blue, 3pin
- No. 3030746E.....15 m blue, 3pin
- No. 3030746F.....20 m blue, 3pin
- No. 3030746G.....25 m blue, 3pin
- No. 3030746H.....1 m black, 5pin
- No. 3030746J.....1.5 m black, 5pin
- No. 3030746K.....3 m black, 5pin
- No. 3030746L.....5 m black, 5pin
- No. 3030746M.....10 m black, 5pin
- No. 3030746N.....20 m black, 5pin

SOMMER CABLE DMX cable XLR Hicon



- No. 3030746Y.....1.5 m, 3pin
- No. 3030746Z.....3 m, 3pin
- No. 30307471.....5 m, 3pin
- No. 30307472.....10 m, 3pin
- No. 30307473.....15 m, 3pin
- No. 3030747J.....15 m, 5pin

SOMMER CABLE DMX cable XLR bk Neutrik



- No. 3030744X
- SOMMER CABLE DMX cable 2x0.22 100m bk SC-Semicolon**



- No. 30307450.....BINARY 234
 - No. 30307452.....BINARY FRNC
- SOMMER CABLE DMX cable 2x0.34 100m bk**



- No. 3030741U
- SOMMER CABLE Adaptercable XLR(F)/Jack stereo 0.15m**



- No. 3030741W
- SOMMER CABLE Adaptercable XLR(M)/Jack stereo 0.15m bk**



- No. 3030741M
- SOMMER CABLE Adaptercable XLR(F)/RCA(M) 0.15m bk**



- No. 3030741N
- SOMMER CABLE Adaptercable XLR(M)/RCA(M) 0.15m bk**



No. 3030741A
SOMMER CABLE Adaptercable XLR(M)/Speakon NL2FC gr



No. 3030741C
SOMMER CABLE Adaptercable XLR(F)/Speakon NL2FC 0.15m



No. 3030741G
SOMMER CABLE Adaptercable XLR(M)/XLR(F) Ground Lift bk



No. 3030741J
SOMMER CABLE Adaptercable XLR(M)/XLR(F) Phase 0.15m rd



No. 3030741L
SOMMER CABLE Adaptercable 3pin XLR(M)/5pin XLR(F) bk



No. 3030741P
SOMMER CABLE Adaptercable XLR(F)/XLR(F) 0.15m bk



No. 3030741R
SOMMER CABLE Adaptercable XLR(M)/XLR(M) 0.15m bk



No. 3030741T
SOMMER CABLE Adaptercable 3pin XLR(F)/5pin XLR(M) 0.15m



No. 3030741E
SOMMER CABLE Adaptercable Jack/Speakon NLT4MX 0.15m



No. 30227610.....1 m
 No. 30227612.....2,5 m
 No. 30227614.....5 m
 No. 30227616.....10 m
 No. 30227618.....15 m
 No. 30227620.....20 m
SOMMER CABLE Speaker cable Speakon 2x2.5 bk



No. 30227630.....0.5 m
 No. 30227631.....5 m
 No. 30227632.....10 m
 No. 30227633.....15 m
 No. 30227634.....20 m
SOMMER CABLE Speaker cable Speakon 4x2.5 bk



No. 30227638.....3 m
 No. 30227640.....5 m
 No. 30227642.....10 m
 No. 30227644.....15 m
SOMMER CABLE Speaker cable Speakon 2x4 bk



No. 30227650
SOMMER CABLE Adaptercable Speakon/2xSpeakon 1m bk



No. 3030021N.....orange, E-30 FRNC
 No. 3030021P.....black, FRNC
 No. 3030021R.....black, Meridian Install FRNC
SOMMER CABLE Speaker cable 2x2,5 100m



No. 3030744C
SOMMER CABLE Microphone cable 2x0.50 100m bk SC-Primus
 Microphone Cable SC-Primus



No. 3030744D
SOMMER CABLE Microphone cable 2x0.50 100m bk SC-Primus FRNC
 Microphone Cable SC-Primus



No. 3030744E
SOMMER CABLE Microphone cable AES/EBU 2x0.14 100m bk SC-Micro-Stage
 Microphone cable SC-MICRO-STAGE



No. 3030744L
SOMMER CABLE Microphone cable 2x0.22 100m bk Stage 22
 High quality microphone cable



No. 3030744P
SOMMER CABLE Microphone cable 2x0.34 100m bk CLUB
 High quality microphone cable



No. 3030744S
SOMMER CABLE Microphone cable 2x0.14 100m bk CICADA
 High quality cable



No. 30300714.....Tricone MKII
 No. 30300715.....Tricone XXL
 No. 30300716.....The Spirit
 No. 30300717.....The Spirit XXL
SOMMER CABLE Instrument cable 100m bl



No. 30300401
HELUKABEL Speaker cable 2x4 100m bk



No. 30300430..... 50 m
 No. 30300432..... 100 m
HELUKABEL Speaker cable 4x2.5 bk



No. 30300435
HELUKABEL Speaker cable 4x4 50m bk




No. 30300440
HELUKABEL Speaker cable 8x2.5 50m durable




No. 30300450..... 2x1,5
 No. 30300451..... 2x2,5
 No. 30300452..... 2x4
HELUKABEL Speaker cable 100m bk FRNC




No. 30300718
HELUKABEL Instrument cable 100m 1x0,22 bl




No. 30303160
HELUKABEL Audiocable 2x2x0.25 AES/EBU 100m



No. 30303162
HELUKABEL Audiocable 4x2x0.25 AES/EBU 100m



No. 30303164
HELUKABEL Audiocable 8x2x0.25 AES/EBU 100m



No. 30303167
HELUKABEL Audiocable 12x2x0.25 AES/EBU 100m



- No. 30227670.....1 m
- No. 30227670.....1.5 m
- No. 30227670.....3 m
- No. 30227670.....5 m
- No. 30227670.....10 m

PSSO Jack cable 6.3 mono bl Neutrik



- No. 30227840.....1 m
- No. 30227842.....1.5 m
- No. 30227844.....3 m
- No. 30227846.....5 m
- No. 30227848.....7.5 m
- No. 30227850.....10 m
- No. 30227852.....15 m
- No. 30227854.....20 m

PSSO XLR cable 3pin bk Neutrik



- No. 30227880
- PSSO Patch Kabel XLR(M)/XLR(F) S 1m bk**



- No. 30227881
- PSSO Patch Cable XLR(F)/XLR(M) S 1m bk**



- No. 30227882
- PSSO Patch Cable XLR(F)S/1xXLR(M),1xXLR(M)S 1m**



- No. 30227804.....0.5 m
- No. 30227806.....1 m
- No. 30227808.....1.5 m
- No. 30227810.....3 m
- No. 30227812.....5 m
- No. 30227814.....10 m
- No. 30227816.....15 m
- No. 30227818.....20 m

PSSO DMX cable XLR 3pin bk Neutrik



- No. 3022781A.....0.5 m
 - No. 3022781B.....1 m
 - No. 3022781C.....1.5 m
 - No. 3022781D.....3 m
 - No. 3022781E.....5 m
 - No. 3022781F.....10 m
 - No. 3022781G.....15 m
 - No. 3022781H.....20 m
- PSSO DMX cable XLR 3pin bk Neutrik black connectors**



- No. 30227821.....0.5 m
- No. 30227822.....1 m
- No. 30227823.....1.5 m
- No. 30227825.....3 m
- No. 30227827.....5 m
- No. 30227829.....10 m
- No. 30227831.....15 m
- No. 30227833.....20 m

PSSO DMX cable XLR 5pin bk Neutrik



- No. 3030745H.....30 m
 - No. 3030745K.....50 m
- PSSO DMX cable drum XLR bk Neutrik 2x0.22**



- No. 30227835
- PSSO Adaptercable DMX XLR 3pin/5pin 0.3m bk**



- No. 30227836
- PSSO Adaptercable DMX XLR 5pin/3pin 0.3m bk**

AUDIO CABLES

Speaker Cables



No. 30227985.....	1.5 m
No. 30227985.....	3 m
No. 30227985.....	5 m
No. 30227985.....	10 m

PSSO Speaker cable Jack 2x2.5 bk



No. 3022790A.....	1.5 m
No. 3022790B.....	3 m
No. 3022790C.....	5 m
No. 3022790F.....	10 m
No. 3022790H.....	15 m

PSSO Speaker cable Speakon 2x1.5 bk



No. 3022790K.....	1.5 m
No. 3022790M.....	3 m
No. 30227910.....	5 m
No. 30227912.....	10 m
No. 30227915.....	15 m
No. 30227916.....	20 m

PSSO Speaker cable Speakon 2x2.5 bk



No. 3022791A.....	1.5 m
No. 3022791A.....	3 m
No. 3022791A.....	5 m
No. 3022791A.....	10 m
No. 3022791A.....	15 m
No. 3022791A.....	20 m

PSSO Speaker cable Speakon 2x4 bk



No. 3022792R.....	1.5 m
No. 30227930.....	5 m
No. 30227931.....	10 m
No. 30227932.....	15 m
No. 30227933.....	20 m

PSSO Speaker cable Speakon 4x2.5 bk



No. 3022793C.....	3 m
No. 3022793C.....	5 m
No. 3022793C.....	7.5 m
No. 3022793C.....	10 m
No. 3022793C.....	15 m
No. 3022793C.....	20 m

PSSO Speaker cable Speakon 4x4 bk



No. 30227980.....	3 m
No. 30227981.....	5 m
No. 30227983.....	10 m

PSSO Speaker cable XLR 2x2.5 bk



No. 30227890

PSSO Patch Cord Speakon/Speakon S 4pin 1m



No. 30227891

PSSO Patch Cord Speakon/Speakon S 2pin 1m



No. 30200480.....HI-X3DM
 No. 30200482.....HI-X3DM-M
 No. 30200486.....HI-X3DM-G

HICON XLR mounting plug 3pin HI-X3DM



No. 30200481.....HI-X3DF, silver
 No. 30200483.....HI-X3DF, black
 No. 30200487.....HI-X3DF, black

HICON XLR mounting plug 3pin HI-X3DF



No. 3020050B.....HI-X3CM
 No. 3020050D.....HI-X3CM-V

HICON XLR plug 3pin HI-X3CM



No. 3020050C.....HI-X3CM-BLK
 No. 3020050E.....HI-X3CM-B
 No. 3020050F.....HI-X3CM-G

HICON XLR plug 3pin HI-X3CM



No. 3020050G.....HI-X3CF-G
 No. 3020050H.....HI-X3CF-BLK
 No. 3020050N.....HI-X3CF-B

HICON XLR plug 3pin HI-X3CF



No. 3020050K.....HI-X3CF-V
 No. 3020050L.....HI-X3CF

HICON XLR plug 3pin HI-X3CF



No. 3020050P
HICON XLR plug 3pin HI-X3RF-M



No. 3020050Q
HICON XLR plug 3pin HI-X3RM-M



No. 3020050R.....3pin, HI-CM-M
 No. 3020050S.....4pin, HI-X4CM-G
 No. 3020050U.....5pin, HI-X5CM-B
 No. 3020050W.....5pin, HI-X5CM-G

HICON XLR plug HI-CM



No. 3020050T.....4pin, HI-X4CF-G
 No. 3020050V.....5pin, HI-X5CF-B
 No. 3020050X.....5pin, HI-X5CF-G

HICON XLR socket HI-XCF



No. 30200510.....3pin, HI-X3CM-HD
 No. 30200512.....5pin, HI-X5CM-HD

HICON XLR plug HI-CM-HD




No. 30200511.....3pin, HI-X3CF-HD
 No. 30200513.....5pin, HI-X5CF-HD

HICON XLR socket HI-CF-HD

AUDIO PLUGS

Jack Plugs



No. 3020051A.....black
 No. 3020051B.....red
 No. 3020051C.....orange
 No. 3020051D.....grey
 No. 3020051E.....green
 No. 3020051F.....brown
 No. 3020051G.....blue
 No. 3020051H.....transparent
 No. 3020051J.....violet
 No. 3020051K.....white
HICON HI-XC marking ring for Hicon XLR straight



No. 30200658
HICON Jack plug 6.3 mono 90° HI-J63MA01



No. 30200659
HICON Jack plug 6.3 mono 90° HI-J63MA05



No. 3020065A
HICON Jack plug 6.3 HI-J63MP-B



No. 3020065B
HICON Jack plug 6.3 HI-J63M



No. 3020065D
HICON Jack plug 6.3 HI-J63MA06



No. 3020065E
HICON Jack plug 6.3 HI-J63SA06



No. 3020065F
HICON Jack plug 6.3 HI-J63M07



No. 3020065K
HICON Jack plug 6.3 HI-J63SA05 90°



No. 3020065M
HICON Jack plug 6.3 HI-J63M14



No. 3020065N
HICON Jack plug 6.3 HI-J63TC-SM Screw+play



No. 3020065P
HICON Jack plug 6.3 HI-J63MP



No. 3020065Q
HICON Jack plug 6.3 HI-J63SP



No. 3020065R
HICON Jack plug 6.3 HI-J63M03



No. 3020065S
HICON Jack plug 6.3 HI-J63M03-G



No. 3020065V
HICON Jack plug 6.3 HI-J63MSMA14



No. 30204057.....HI-CM06-NTL
No. 30204058.....HI-CM06-RED
HICON RCA plug HI-CM06



No. 30204059.....HI-CM03-NTL
No. 30204061.....HI-CM03-RED
HICON RCA plug HI-CM03

AUDIO PLUGS

XLR Plugs



No. 30200520.....NC3MX
 No. 30200522.....NC3MXX

NEUTRIK XLR plug 3pin



No. 30200523

NEUTRIK XLR plug 3pin NC3MXX-BAG



No. 30200540.....NC3FX
 No. 30200542.....NC3FXX

NEUTRIK XLR socket 3pin



No. 30200543

NEUTRIK XLR socket 3pin NC3FXX-BAG



No. 30200560.....NC3MDL-1
 No. 30200560.....NC3MDL-LX-B
 No. 30200560.....NC3MDL-BAG

NEUTRIK XLR mounting plug 3pin



No. 30200580.....NC3FDL-1
 No. 30200582.....NC3FDL-1-BAG

NEUTRIK XLR mounting socket 3pin



No. 30200585
NEUTRIK XLR socket 3pin NC3FRX



No. 30200586
NEUTRIK XLR plug 3pin NC3MRX



No. 30200621.....4pin, NC4MXX
 No. 30200630.....5pin, NC5MX
 No. 30200631.....5pin, NC5MXX

NEUTRIK XLR plug



No. 30200632
NEUTRIK XLR plug 5pin NC5MXX-B



No. 30200635.....NC5FX
 No. 30200636.....NC5FXX

NEUTRIK XLR socket 5pin



No. 30200637
NEUTRIK XLR socket 5pin NC5FXX-B



No. 3020058X
NEUTRIK DBA-BL



No. 30200629
NEUTRIK XLR mounting socket 4pin NC4FDL-1



No. 30200638
NEUTRIK XLR mounting plug 5pin NC5MDL-1



No. 30200639
NEUTRIK XLR mounting socket 5pin NC5FDL-1



No. 30200640
NEUTRIK Combo mounting socket NCJ6FA-H-0



No. 30200641
NEUTRIK Combo mounting socket NCJ6FA-V-0



No. 30200642
NEUTRIK Mounting frame MFD



No. 30200648
NEUTRIK Jack plug 3.5 stereo 90° NTP3RC



No. 30200650
NEUTRIK Jack plug 6.3 mono NP2C-BAG



No. 30200654
NEUTRIK Jack plug 6.3 mono NP2X



No. 30200655
NEUTRIK Jack plug 6.3 mono NP2X-B



No. 30200656
NEUTRIK Jack plug 6.3 mono NYS224

AUDIO PLUGS



No. 30200661
NEUTRIK Jack plug 6.3 mono 90° NP2RX



No. 30201524
NEUTRIK Jack plug 6.3 stereo NP3X



No. 30202450
NEUTRIK Jack mounting socket stereo NJ3FP6C



No. 30204054
NEUTRIK RCA mounting socket bk NF2D0



No. 30204055
NEUTRIK RCA mounting socket rd NF2D2



No. 30208470
NEUTRIK CAT-5 plug NE8MC



No. 30208474
NEUTRIK CAT-5 Mounting socket NE8FDP



No. 30208476
NEUTRIK CAT-5 Mounting socket NE8FDV-YK



No. 30208481
NEUTRIK Adapter USB NAUSB-W



No. 30208522
No. 30208524..... 90°
NEUTRIK Speakon cable plug 4pin NL4FX




No. 30208525.....plug
No. 30208526.....socket
NEUTRIK Speakon cable 4pin NLT4FX



No. 30208531.....2pin NL2FX
No. 30208532.....4pin NL4FX
No. 30208533.....8pin NL8FX
NEUTRIK Speakon cable plug



No. 30208534
NEUTRIK Speakon mounting socket 4pin NL4MP



No. 30208535
NEUTRIK Speakon mounting socket 8pin NL8MPR



No. 30208538
NEUTRIK Speakon mounting socket 4pin NLT4MP



No. 3020853A
NEUTRIK Speakon mounting socket 4pin N-NL4MPR



No. 3020853B
NEUTRIK Speakon mounting socket 2pin NL2MP



No. 30208536
NEUTRIK Adapter Speakon/Speakon NL4MMX



No. 30226700.....FF
No. 30226702.....MM
NEUTRIK Adapter 3pin XLR/3pin XLR



No. 30226706
NEUTRIK Adapter XLR(M)/6.35 Jack mono NA2MP



No. 30226708.....FP, female
No. 30226710.....MP, male
NEUTRIK Adapter XLR/Jack stereo



No. 30226716.....FPMF, female
No. 30226718.....MPMF, male
NEUTRIK Adapter NA2MPMF



No. 30226722
NEUTRIK Adapter XLR(M)/RCA(M) NA2MPMM



No. 30226724.....F5M
No. 30226726.....M5F
NEUTRIK Adapter NA3F5M

FLIGHTCASES

Turntable Cases	314
Mixer Cases	315
Racks	316
Racks	317
Combi Cases	318
Cases & Racks	319
Cases	320
Universal Cases	321
Console Cases	323
Transport Bags	324
For Eurolite Equipment	326
Tour Cases & Accessories	334
DIY Accessories	336






It is innate: the protective instinct. It's just natural that we hold the hands of our children when they take their first steps and give them the feeling of reliability. Roadinger carries this natural instinct over to the show industry. Whether you send your devices on the road or just want to stow them properly – we provide security that you can rely on! There are Roadinger cases and racks in several hundred variations. From simple CD or document cases, amplifier and mixer racks to universal cases or special solutions like foldable DJ tables: The variety is enormous!

Proven quality

Our cases are made in Europe as well as in Asia. Those made in Europe called Roadinger PRO and differ in their higher quality hardware components and higher quality birch multiplex wood. Both of them absolutely meet professional demands. In general, the strength of the side panels varies between 7 and 9 mm. Smaller record cases may have 3 mm panels, big universal cases, LCD or roadie cases are also available with 10 mm panels.



high quality birch multiplex wood

PRO

film-to-film dark brown laminated

PRO
VERSION



made in europe

Own security philosophy

When we indicate the load, we always have the people in mind that work with the material. Their protection is our main focus, that is why our load indications are often lower than what the cases could really bear – that contributes to safety at work and protects those working with the cases.

Our Roadinger PRO cases made in EU are stackable – despite their wheels. These wheels sink into swilleys at the top of the case beneath. This way, several cases can be combined securely.



PRO

high quality swivel castor two with brakes



PRO

stackable with wheels



Shock proof and impact resistant

Specially tailored product cases from Roadinger are furnished with a particular EVA foam, which cushions shocks excellently and protects the content. Many of our amplifier racks are shock absorbent – so you can be sure that your technical gear is travelling safely.



Elaborate components

Erectable rack rails, adjustable trays for laptops, cases which can be modified to tables: Roadinger offers clever solutions for different users. DJs, bands or hire companies, every one will find a case tailored to his demands. Especially expedient for hire companies are our extendable cases. In a modular system, several levels can be combined to one case. Those levels can be parted in different segments, each individually. This way, hire companies can stow the equipment easier and in less cases. Individual combinations for different customers are easy to realize.

modular system



Futurelight- and Eurolite-Cases

There are special Roadinger cases for almost every device from Eurolite and Futurelight. This way, Moving Heads, PAR spots and light effects can be stowed and transported properly without big efforts. Specially tailored cases also offer the best possible protection for your device.





No. 30110105
ROADINGER Case for 3 Turntable Systems
 Case for three pickup systems - case in aluminum look



No. 30123110.....black
 No. 30123112.....silver
ROADINGER Turntable Case Tour ALU
 Professional flightcase for one turntable (up to 450 mm width)



No. 30123220.....black
 No. 30123222.....silver
ROADINGER Turntable Case -S-
 Flightcase for one turntable with S tone arm (up to 450 mm width)



7MM
 No. 30123310
ROADINGER Turntable Case Tour Pro black -B-
 Flightcase for one turntable (up to 450 mm width)



7MM
 No. 30124550..... 2 U
 No. 30124560..... 3 U
ROADINGER Double CD Player Case Tour Pro, black
 DJ flightcase for DJ dual CD-players with separate control unit



7MM
 No. 30124830
ROADINGER CD Player Carrying Case, black, type 2
 DJ flightcase for tabletop DJ CD players



10MM
 No. 30124852
ROADINGER CD Player Carrying Case CDJ-900
 Flightcase for CDJ-900



6MM 
 No. 30124880
ROADINGER Flightcase DJS-2000
 Flightcase for DJS-2000



7MM **10"**
 No. 30111510
ROADINGER Mixer Case Road MCR-10 sloping, bk
 Flightcase for 254 mm units (10")



10MM
 No. 30111600
ROADINGER Mixer Case DJM-800
 Flightcase for DJM-800



12"
 No. 30111516
ROADINGER Mixer Case Road MCB-12 sloping 8U bk
 Flightcase for 305 mm units (12")



DJS-2000 Flightcase DJS-2000



6MM 19"

No. 3011155X.....8 U
No. 3011155Z.....12 U

ROADINGER Mixer Case Pro MCBL-19

Flightcase for 483 mm units (19")



7MM 19"

No. 3011151A.....6 U
No. 30111560.....8 U
No. 30111565.....10 U
No. 30111561.....12 U
No. 30111567.....14 U

ROADINGER Mixer Case Pro MCB-19, sloping, bk

Flightcase for 483 mm units (19")



7MM 19"

No. 30111563

ROADINGER Mixer Case Pro LS-19 Laptop Tray bk

Flightcase for 483 mm units (19"), with notebook tray



7MM 19"

No. 30111570

ROADINGER Mixer Case Pro MCA-19, 4U, bk

Flightcase for 483 mm units (19")



7MM 19"

No. 30111572

ROADINGER Mixer Case Pro MCA-19-N, 3U, black

Flightcase for 483 mm units (19")



6MM 19"

No. 30111579.....6 U
No. 3011157A.....8 U
No. 3011157D.....12 U

ROADINGER Mixer Case Pro MCV-19, variable, bk

Flightcase for 483 mm units (19")



7MM 27"

No. 30111556

ROADINGER Mixer Case Pro MCB-27, sloping, bk, 7U

Flightcase for 686 mm units (27")



7MM 19"

No. 30103634.....4 U
No. 30103635.....6 U
No. 30103636.....8 U
No. 30103637.....10 U

ROADINGER Effect Rack Studio

Studio effect rack for 483 mm units (19")




7MM 19"

No. 30107190.....2 U, 24 cm, black
No. 30107192.....3 U, 24 cm, black
No. 30107193.....5 U, 24 cm, black
No. 30107200.....2 U, 40 cm, black
No. 30107202.....3 U, 40 cm, black
No. 30107203.....3 U, 40 cm, silver
No. 30107204.....5 U, 40 cm, black
No. 30107217.....4 U, 24 cm, black
No. 3010721A.....6 U, 24 cm, black
No. 3010721D.....8 U, 24 cm, black
No. 30107220.....4 U, 38 cm, black
No. 30107240.....6 U, 38 cm, black
No. 30107260.....8 U, 38 cm, black
No. 30107270.....10 U, 38 cm, black
No. 30107274.....12 U, 38 cm, black

ROADINGER Effect Rack CO DD,

Flightcase for 483 mm units (19")



7MM 19"



No. 30109095.....2 U
No. 30109100.....4 U
No. 30109105.....6 U
No. 30109110.....8 U
No. 30109112.....8 U with wheels
No. 30109115.....10 U
No. 30109117.....10 U with wheels
No. 30109120.....12 U
No. 30109122.....12 U with wheels
No. 30109125.....15 U
No. 30109127.....15 U with wheels
No. 30109130.....18 U
No. 30109132.....18 U
No. 30109135.....20 U
No. 30109137.....20 U with wheels

ROADINGER Rack Profi 45cm

PRO flightcase for 483 mm units (19")



9MM 19"

No. 30109160
ROADINGER Rack Profi 1U 25cm
 PRO flightcase for 483 mm units (19")



9MM 19"

No. 30109190.....6 U
 No. 30109192.....8 U
 No. 30109194.....10 U
 No. 30109196.....12 U
 No. 30109198.....16 U
ROADINGER Rack Profi KM 55cm with wheels
 PRO flightcase for 483 mm units (19")



7MM 19"

No. 30109782.....2 U
 No. 3010980P.....3 U
 No. 30109783.....4 U
ROADINGER Amplifier Rack PR-1, 47cm deep
 Flightcase for 483 mm units (19")



7MM 19"

No. 30109784.....4 U
 No. 30109786.....6 U
 No. 30109788.....8 U
 No. 30109790.....10 U
 No. 30109792.....12 U
 No. 30109794.....14 U
 No. 30109798.....16 U
 No. 30109805.....20 U
 No. 3010982C.....14 U, with wheels
ROADINGER Amplifier Rack PR-2, 47cm deep
 Flightcase for 483 mm units (19")



7MM 19"

No. 30109785.....4 U
 No. 30109787.....6 U
 No. 30109789.....8 U
 No. 30109791.....10 U
 No. 30109793.....12 U
 No. 3010980M.....18 U, with wheels
ROADINGER Amplifier Rack PR-2ST, 57cm deep
 Flightcase for 483 mm units (19")



9MM 16 MM

No. 30109710.....4 U
 No. 30109712.....6 U
 No. 30109714.....8 U
 No. 30109716.....10 U
ROADINGER Amplifier Rack SP-2, shock-proof
 Flightcase for 483 mm units (19"), shock-proof



19"

No. 30106020.....2 U
 No. 30106024.....4 U
 No. 30106028.....6 U
 No. 30106032.....8 U
ROADINGER Plastic-Rack KR-19, DD, black
 Hard-sided flightcase for 483 mm units (19")



19"

No. 30106060
ROADINGER Plastic-Rack 19, 7U, DD/trolley, black
 Hard-sided flightcase for 483 mm units (19")



10MM 19"

No. 3010999A.....3/7/4 U
 No. 3010999B.....3/7/6 U
 No. 3010999C.....3/7/8 U
ROADINGER Special Mixer/CD Player Case
 Flightcase for 483 mm units (19"), with notebook tray



9MM 19"

No. 3010999M.....8 U
 No. 3010999N.....10 U
 No. 30110001.....12 U
 No. 3010999P.....14 U
 No. 30110000.....17 U
 No. 30110004.....20 U
ROADINGER Special Combo Case Pro, with wheels
 Flightcase with castors



7MM 19"

No. 30110003.....4 U
 No. 30110002.....6 U
ROADINGER Special-Combo-Case Pro
 Flightcase for 483 mm units (19")



19" 9MM

No. 3011000A.....6 U
 No. 3011000G.....8 U
 No. 3011000J.....10 U
 No. 3011000L.....12 U
 No. 3011000N.....14 U
 No. 3011000P.....17 U
ROADINGER Special Combo Case LS5 Laptop-Desk
 Flightcase for 483 mm units (19"), with notebook tray

EQUIPMENT CASES

Racks



9MM 19" wheels
 No. 3011000Q 4 U
 No. 3011000R 8 U
 No. 3011000T 12 U
 No. 3011000U 14 U

ROADINGER Special Combo Case U

Flightcase for a complete DJ setup



19"
 No. 30112010 4 U
 No. 30112030 8 U

ROADINGER Combo Case Carpet black

DJ case for 483 mm units (19")



No. 30109891
ROADINGER Microphone Case Road 6 Microphones black

Flightcase for microphones



6MM
 No. 30109894 silver
 No. 30109895 black

ROADINGER Microphone Case Road 12 Microphones

Flightcase for microphones



6MM
 No. 3010989A
ROADINGER Microphone Case SC-12 Microphones black

Flightcase for microphones



6MM
 No. 30109900 black
 No. 30109905 silver

ROADINGER Microphone Case Road 7 Microphones

Flightcase for microphones



7MM
 No. 31000419 4x
 No. 31000421 6x

ROADINGER Flightcase Microphone Stand

PRO flightcase



No. 26341026 E-Guitar
 No. 26341027 E-Bass

DIMAVERY Wooden Case, rectangular

E-Gitarren-Case right-angle



No. 26348130
DIMAVERY Stand Case for 6 Guitars

Guitar stand for up to 6 guitars



No. 26380050 small
 No. 26380060 big

DIMAVERY Effector Case

Transport and stage case



7MM

No. 30110109
ROADINGER Sixpack Case 6x 0.50l Bottle/Can
 Sixpack case for 6 x 0.5 l and 0.33 l bottle/can



No. 30110110
ROADINGER Cigarette Case, bk
 Mini case



7MM

No. 31000429.....30 cm
 No. 31000430.....40 cm
 No. 31000431.....50 cm
 No. 31000432.....75 cm
 No. 31000433.....100 cm

ROADINGER Flightcase Mirror Ball
 Flightcase for mirror balls



7MM

No. 3100042C.....EF-2
 No. 3100042D.....EF-3
ROADINGER Transportcase for Effect Pedals
 Flightcase for effect pedals



9MM wheels

No. 31000450.....2x PAS-212
 No. 31000451.....2x PAS-215
ROADINGER Flightcase
 Flightcase for 2 x PAS-212/215, with castors



7MM

No. 31000100.....X-310/X-310 MK2
 No. 31000105.....X-510/X-510 MK2
ROADINGER Flightcase
 Flightcase for ANTARI X-310/510/II



7MM

No. 31000118
ROADINGER Flightcase ANTARI M-5/M-8/M-10
 Flightcase for ANTARI M-5, M8 and M-10



7MM

No. 31000122
ROADINGER Flightcase 2x Z-1020
 Flightcase for ANTARI Z-1020



7MM

No. 51702665
ROADINGER Flightcase ICE-100/ICE-101
 Practical transport case for ANTARI ICE-100/ICE-101



10" wheels

No. 31998011
ROADINGER Flightcase LCD ZL60-2
 Flightcase with wheels for LCD screens up to 152 cm (60")



wheels

No. 31998012
ROADINGER Flightcase 2x LCD ZL50
 Flightcase with wheels for 2 LCD screens up to 50"



No. 31998013

ROADINGER Flightcase 2x LCD ZL55

Flightcase with wheels for 2 LCD screens up to 55"



No. 31998014

ROADINGER Flightcase 2x LCD ZL60

Flightcase with wheels for 2 LCD screens up to 60"



19"



No. 30103060

OMNITRONIC Rack Stand 12U/10U adjustable on Wheels

The solution for fixed installations



19"

No. 30103163.....	4 U
No. 30103164.....	6 U
No. 30103166.....	8 U
No. 30103168.....	10 U, with wheels
No. 30103170.....	12 U, with wheels
No. 30103171.....	14 U, with wheels
No. 30103172.....	16 U, with wheels
No. 30103190.....	18 U, with wheels
No. 30103195.....	20 U, with wheels
No. 30103196.....	22 U, with wheels
No. 30103198.....	24 U, with wheels
No. 30103210.....	30 U, with wheels
No. 30103215.....	36 U, with wheels
No. 30103220.....	40 U, with wheels

ROADINGER Steel Rack SR-19

The ultimate solution for all permanent installations



19"

No. 30103288.....	6 U
No. 30103290.....	10 U
No. 30103292.....	12 U
No. 30103294.....	16 U
No. 30103300.....	20 U
No. 30103304.....	28 U
No. 30103330.....	35 U
No. 30103330.....	40 U

ROADINGER Steel Cabinet SRT-19 with door

Practical, stable and portable...the ultimate solution for permanent installations!



7MM



No. 30122050

ROADINGER CD Case black 150 CDs Trolley

CD-Case with trolley function



7MM

No. 30122053.....	polished
No. 30122054.....	black

ROADINGER CD Case ALU for 100 CDs

CD case in polished aluminum housing



3MM

No. 30122056.....	alu
No. 30122058.....	camo
No. 3012205A.....	red
No. 3012205B.....	black
No. 3012205C.....	blue

ROADINGER CD Case ALU Digital Booking rounded

CD case in aluminum housing for about 90 CDs



6MM

No. 30122077.....	black
No. 30122079.....	silver

ROADINGER CD Case Pro

Professional flightcase for up to 100 CDs



3MM



No. 30122087.....	black
No. 30122088.....	polished

ROADINGER CD Case 120 CDs with Trolley

CD case in black aluminum housing and telescopic handle





3MM



No. 30122092

ROADINGER CD Case, black, 200 CDs, with Trolley

CD case black with trolley function



Pick Cases

This is new: the first Roadinger Cases with pickfoam and with dividers. The pick cases thus combine two ideas. The cases are completely filled inside with pickfoam, a foam material that consists of many small blocks. These little blocks are stuck together, but you can easily pick them out and customize to your needs.

These types of cases are really popular and have been in our program for many years. What is new about it now is, that also dividers are included. Dividers are wooden slats that you can fix between the walls of the cases or with each other. If you want to create separate areas in the case, dividers are the appropriate means.

The pick cases now combine these two ideas. You create your desired areas and then line them with the pickfoam. So now you can stow your sensitive equipment or other items optimally protected and well-packed.



NEW 7MM

No. 30126100.....	52x42x18 cm
No. 30126101.....	42x36x18 cm
No. 30126102.....	70x50x17 cm
No. 30126103.....	62x47x19 cm
No. 30126104.....	42x32x14 cm

ROADINGER Universal Case Pick

Flightcase for all purposes with customizable pickfoam and dividers



7MM

No. 30110025

ROADINGER Record Case Pro ALU 50/50, 100LPs

Record case in aluminum housing



3MM

No. 30110026

ROADINGER Record Case ALU Battle/Booking, rounded

Record case in aluminum housing for 40-50 LPs



3MM

No. 30110029

ROADINGER Record Case ALU Maxi Booking, rounded

Record case in aluminum housing for 80 LPs



3MM
 No. 30110035.....black
 No. 30110036.....blue
 No. 30110037.....silver
 No. 30110038.....acryl
ROADINGER Record Case ALU 75/25, rounded
 Record case in black aluminum housing for 80 LPs



3MM
 No. 30110030.....black
 No. 3011003B.....dark blue
ROADINGER Record Case ALU 50/50, rounded,
 Record case in black aluminum housing for 80 LPs



4MM
 No. 30126009.....for 13"
 No. 30126010.....for 15"
 No. 30126012.....for 17"
ROADINGER Laptop Case LC maximum
 Flightcase for one laptop



4MM
 No. 30126013.....for 15"
 No. 30126014.....for 17"
ROADINGER Laptop Case LC-A
 Flightcase for one laptop



7MM
 No. 30126025.....black
 No. 30126026.....white
ROADINGER Universal Case Tour 52x36x29cm
 Flightcase Tour Pro



6MM
 No. 30126008
ROADINGER Case for Tablets up to 190x245x20mm
 Flightcase for one iPad or other tablets



7MM
 No. 30126178.....54x42x25 cm
 No. 30126180.....48x35x24 cm
ROADINGER Universal Case Tour Pro black
 Flightcase Tour Pro for all purposes



4MM
 No. 30126195
ROADINGER Universal Tool Case, black
 Flightcase for tools



4MM
 No. 3012619D
ROADINGER Universal Case BU-1, black
 Flightcase for all purposes with bag for documents



7MM
 No. 3012619Y.....blue
 No. 3012619Z.....red
 No. 30126200.....black
 No. 30126201.....alu
ROADINGER Universal Case Tour Pro
 Flightcase Tour Pro



7MM
 No. 30126205.....black
 No. 30126206.....blue
 No. 30126207.....alu
 No. 30126208.....red
ROADINGER Universal Case FOAM, black
 Flightcase with padded interior, 420 x 120 x 295 mm (inside dimension)



7MM
 No. 30126209.....black
 No. 30126211.....alu
ROADINGER Universal Case FOAM GR-1 black
 Flightcase with flexible padded interior and 480 x 380 x 140 mm (inside dimensions)



7MM

No. 30126213black
No. 30126214alu

ROADINGER Universal Case FOAM, black, GR-2

Flightcase with flexible padded interior and 650 x 450 x 105 mm (inside dimensions)



7MM

No. 30126215

ROADINGER Universal Case FOAM, black, GR-3 black

Flightcase with flexible padded interior and 380 x 325 x 110 mm (inside dimensions)



7MM

No. 30126217

ROADINGER Universal Case FOAM, black, GR-4 black

Flightcase with flexible padded interior and 580 x 425 x 120 mm (inside dimensions)



7MM

No. 30126218

ROADINGER Universal Case FOAM, black, GR-5 black

Flightcase with flexible padded interior and 375 x 285 x 70 mm (inside dimensions)



4MM

No. 3012621F

ROADINGER Universal Case K-1

Flightcase with flexible padded interior, accessory compartment and 425 x 300 x 140 mm (inner dimensions)



4MM

No. 3012621G

ROADINGER Universal Case K-2

Flightcase with flexible padded interior, accessory compartment and 680 x 475 x 140 mm (inner dimensions)



7MM

No. 3012620G

ROADINGER Universal Case Tour Lock Pro black

Flightcase Tour with lock



7MM

No. 30126220

ROADINGER Universal Divider Case, black

Flightcase with individually adjustable dividers



4MM



No. 3012622A

ROADINGER Universal Case with Trolley

Flightcase for tools with telescopic handle



3MM

No. 3012643A

ROADINGER Universal Tray Case AM-1, bk

Universal tray case



10MM



No. 3012643C

ROADINGER Universal Roadie Case Double Drawer DD-1

Flightcase with 6 drawers and castors



10MM



No. 3012643D

ROADINGER Universal Roadie Case Double Drawer DD-2

Flightcase with 8 drawers and castors




No. 32000014
ROADINGER DJ Desk foldable 148x51cm
 Portable DJ desk




7MM
 No. 30124198
ROADINGER Console Road Pro for 2 Turntables black
 DJ console for 2 turntables and one mixer



7MM  wheels
 No. 30124204
ROADINGER Console Road Table for 2 Turntables
 DJ flightcase with castors and desk function



7MM  wheels
 No. 30124208
ROADINGER Console Road Table 2xTT with Laptop Tray
 DJ work desk with castors and laptop tray



3MM
 No. 30125340.....silver
 No. 30125342.....black
ROADINGER Universal Console DIGI-1 2xCD/1xM-10
 DJ flightcase for 2 CD players and one mixer (10")



3MM
 No. 30125345.....silver
 No. 30125346.....black
ROADINGER Universal Console DIGI-1 2xCD/1xM-12
 DJ flightcase for 2 CD players and one mixer (12")



3MM
 No. 3012534A
ROADINGER Universal Console DS-1 2xCD/1xM-19 LT bk
 DJ flightcase for 2 CD players and one mixer (19") with notebook tray



3MM
 No. 3012534B
ROADINGER Universal Console DI-1 2xCD/1xM-19 bk
 Professional DJ flightcase



3MM
 No. 30125350.....silver
 No. 30125351.....black
ROADINGER Universal console DIGI-2 2xCD/1xM-10
 DJ flightcase for 2 CD players and one mixer (10")




3MM
 No. 30125355.....silver
 No. 30125356.....black
ROADINGER Universal Console DIGI-2 2xCD/1xM-12
 DJ flightcase for 2 CD players and one mixer (12")



3MM
 No. 30125359
ROADINGER Universal Console DIGI-2 2xCD/1xM-19 bk
 DJ flightcase for 2 CD players and one mixer (19")



3MM
 No. 30125362
ROADINGER Universal Console 1090x480x155 foam si
 DJ flightcase with flexible padded interior



No. 30130498.....30 cm
 No. 30130503.....40 cm
 No. 30130508.....50 cm

EUROLITE SB Soft Bag

Black softbag for a mirror ball



No. 30130500

EUROLITE SB-10 Soft Bag

Black softbag with divider, 330 x 330 x 355 mm



No. 30130501

EUROLITE SB-4 Soft Bag M

Black softbag for up to four devices (Akku UP-4/TL-3 TCL)



No. 30130502

EUROLITE SB-4 Soft Bag L

Black softbag for up to 4 devices, 320 x 320 x 200 mm



No. 30130505

EUROLITE SB-43 Soft Bag

Black softbag with divider, 395 x 395 x 440 mm



No. 30130510

EUROLITE SB-53 Soft Bag

Black softbag with divider, 500 x 470 x 530 mm



No. 30130555

EUROLITE SB-18 Soft Bag

Softbag with 5 adjustable dividers, for 4 PRO Pixel Slim PAR-12/ SLS-400



No. 30130560

EUROLITE SB-12 Soft Bag

Practical black softbag for LED bars (1 m length), adjustable divider



No. 30130562
EUROLITE SB-14 Soft-Bag
 Practical black softbag, divided in 4 compartments, for 4 AKKU Flat Lights



No. 30130565
EUROLITE SB-50 Soft Bag
 Universal softbag, 165 x 165 x 50 mm



No. 30130570
EUROLITE SB-120 Soft Bag
 Universal softbag, 465 x 270 x 260 mm



No. 30130575
EUROLITE SB-155 Soft Bag
 Universal softbag, 430 x 430 x 210 mm



No. 30130577
EUROLITE SB-180 Soft Bag
 Universal softbag, accommodates 60 cm LED bars, 600 x 180 x 270 mm



No. 30130580
EUROLITE SB-205 Soft Bag
 Universal softbag, 575 x 170 x 120 mm



7MM

No. 31000565.....Spot long
No. 31000570.....Spot short
ROADINGER Flightcase EP-56 4x PAR-56 Spot
Practical flightcase for PAR-56 spots



7MM

No. 31000580
ROADINGER Flightcase EP-64 4x PAR-64 Spot long
Practical flightcase for PAR-64 spots



7MM



No. 31000602
ROADINGER Flightcase 4x Audience Blinder 2xCOB
PRO flightcase for 4 COB Audience Blinders



7MM



No. 31000604
ROADINGER Flightcase 8x Audience Blinder 2xCOB
PRO flightcase for 8 COB Audience Blinders



7MM



No. 31000610
ROADINGER Flightcase 2x TS-150/TS-7/TS-255
Flightcase for 2 TS scanners - with case handle



10MM



No. 31000620
ROADINGER Flightcase 8x ML-56/ML-64
Flightcase for 8 x ML-56/ML-64, with castors



6MM

No. 31000630.....1 x TSL-100/200
No. 31000631.....2 x TSL-100/200
ROADINGER Flightcase TSL-100/200
Flightcase for 1 x TSL-100 or TSL-200



7MM



No. 31000700.....Spot short
No. 31000710.....Spot long
No. 31000715.....Spot long Clamp
ROADINGER Flightcase 4x PAR-56 Spot
PRO flightcase for 4 PAR-56 spots



7MM



No. 31000800.....Spot short
No. 31000810.....Spot long
No. 31000815.....Spot long Clamp
ROADINGER Flightcase 4x PAR-64 Spot
PRO flightcase for 4 PAR-64 spots



9MM



No. 31000820
ROADINGER Flightcase 8x PAR-64/ML-56
Flightcase for 8 x PAR-56/PAR-64/ML-56, with castors



7MM



No. 31000900
ROADINGER Flightcase 4x SLS Size M
PRO flightcase for 4 SLS spots



7MM



No. 31000901
ROADINGER Flightcase 8x SLS Size M
PRO flightcase for 8 SLS spots

TRANSPORT BAGS & CASES

For Eurolite Equipment



7MM

No. 31000909
ROADINGER Flightcase 2x SLS Size L
 PRO flightcase for 2 SLS spots



7MM

No. 31000910
ROADINGER Flightcase 4x SLS Size L
 PRO flightcase for 4 SLS spots



7MM

No. 31000911
ROADINGER Flightcase 8x SLS Size L
 PRO flightcase for 8 SLS spots



7MM

No. 31000960
ROADINGER Flightcase 4x BRK-12/BRK-16
 PRO flightcase for 4 BRK-12/16 LED bars



7MM

No. 31001050
ROADINGER Flightcase 4x LED BAR-252 RGB
 PRO flightcase for 4 x LED BAR-252 RGB



7MM

No. 31001062
 No. 31001063..... clamp
ROADINGER Flightcase 2x TMH-6/7/8/9
 PRO flightcase for 2 TMHs (6-9)



7MM

No. 31001064
 No. 31001065..... clamp
ROADINGER Flightcase 4x TMH-6/7/8/9
 PRO flightcase for 4 TMHs (6-9)



7MM

No. 31001066
 No. 31001067..... clamp
ROADINGER Flightcase 6x TMH-6/7/8/9
 PRO flightcase for 6 TMHs (6-9)



7MM wheels

No. 31001070
ROADINGER Flightcase KLS Kompact Light Sets
 PRO flightcase for one KLS compact light set, with telescopic handle



7MM wheels

No. 31001072
ROADINGER Flightcase 2x TMH-X12
 Flightcase for 2x TMH-X12



7MM wheels

No. 31001073
ROADINGER Flightcase 2x TMH-X20
 Flightcase for two TMH-X20



8MM wheels

No. 31001075
ROADINGER Flightcase 4x TMH-12
 Flightcase for 4x TMH-12



7MM 

No. 31001080

ROADINGER Flightcase 2x TMH-30/40/60

PRO flightcase for 2 x EUROLITE LED TMH-30/TMH-40/TMH-60 Moving Head



7MM   wheels

No. 31001082

ROADINGER Flightcase 2x TMH-30/40/60 with wheels

PRO flightcase with castors for 2 x TMH-30/TMH-40/TMH-60



7MM   wheels

No. 31001084

ROADINGER Flightcase 4x TMH-30/TMH-40/TMH-60

PRO flightcase with castors for 4 x TMH-30/TMH-40/TMH-60



7MM   wheels

No. 31001090

ROADINGER Flightcase 12x LED Bar Size L

PRO flightcase for 12 LED bars



7MM 

No. 31001200

ROADINGER Flightcase 2x PMC-16

PRO flightcase for 2 PMC-16



7MM   wheels

No. 31001205

ROADINGER Flightcase 4x PMC-16

PRO flightcase for 4 PMC-16



7MM 

No. 31001091

ROADINGER Extension Module Flightcase 31001090

Stackable module for 4 LED bars



7MM 

No. 31001218

ROADINGER Flightcase 2x PMB-4

PRO flightcase for 2 PMB-4



7MM 

No. 31001220

ROADINGER Flightcase 4x PMB-4

PRO flightcase for 4 PMB-4



7MM 

No. 31001230

ROADINGER Flightcase 4x PMB-8

PRO flightcase for 4 PMB-8



7MM 

No. 31005000

ROADINGER Flightcase CFL-1642 Live-Mixer

PRO flightcase for CFL-1642 Live-Mixer



7MM

No. 31005050

ROADINGER Flightcase EC-SL4M 4x SLS size M

Practical flightcase for 4 SLS spots



7MM

No. 31005055

ROADINGER Flightcase EC-B252 4x LED BAR-252 RGB

Practical flightcase for 4 x LED BAR-252 RGB



7MM

No. 31005060

ROADINGER Flightcase EP-64 4x PAR-64 Spot short

Practical flightcase for 4 PAR-64 spots



7MM 

No. 31005074

ROADINGER Flightcase 4x AKKU UP-4

PRO transport case for 4x AKKU UP-4



7MM 

No. 31005075

ROADINGER Flightcase 8x AKKU UP-4

PRO transport case for 8x AKKU UP-4



7MM   wheels

No. 31005076

ROADINGER Flightcase 2x Mega Wave

PRO flightcase for 2x Mega Wave



7MM 

No. 31005078

ROADINGER Flightcase SL-160/SL-350

Flightcase for SL-160/SL-350



7MM   wheels

No. 31005081

ROADINGER Flightcase 4x TMH-X12 with wheels

PRO flightcase for 4 TMH-X12



7MM   wheels

No. 31005082

ROADINGER Flightcase 2x TMH-X25

PRO flightcase for 2 x TMH-X25



7MM   wheels

No. 31005084

ROADINGER Flightcase 2x TMH-X5 with Wheels

PRO flightcase for 2x TMH-X5



7MM 

No. 31005085

ROADINGER Flightcase 2x TMH FE-600

PRO flightcase for 2 TMH FE-600



7MM   wheels

No. 31005087

ROADINGER Flightcase 4x TMH FE-600 with wheels

PRO transport case for 4 TMH FE-600



7MM   wheels

No. 31005088

ROADINGER Flightcase 2x TMH FE-1800

PRO flightcase for 2 TMH FE-1800



7MM 

No. 31005089

ROADINGER Flightcase 2x TMH-15

PRO flightcase for 2 TMH-15



7MM   wheels

No. 31005090

ROADINGER Flightcase 4x TMH-15 with wheels

PRO flightcase for 4 TMH-15



7MM 

No. 31005092

ROADINGER Flightcase 2x TMH-14/FE-300

PRO flightcase for 2 TMH-14/FE-300



7MM 

No. 31005093

ROADINGER Flightcase 4x TMH-14/FE-300

PRO flightcase for 4 TMH-14/FE-300



7MM   wheels

No. 31005094

ROADINGER Flightcase 2x PLB-280

PRO flightcase for 2 PLB-280



7MM   wheels

No. 31005096

ROADINGER Flightcase 2x PFE-100/120

PRO flightcase for 2 PFE-100/120



7MM   wheels

No. 31005097

ROADINGER Flightcase 2x THA-250F

PRO flightcase for 2 THA-250F



7MM   wheels

No. 31005098

ROADINGER Flightcase 4x THA-250F

PRO flightcase for 4 THA-250F



7MM 

No. 31005099

ROADINGER Flightcase NSF-350

PRO flightcase for one NSF-350 fog machine



7MM 

No. 31005100

ROADINGER Flightcase 2x THA-50F

PRO flightcase for 2 THA-50F



7MM 

No. 31005101

ROADINGER Flightcase 4x TL-3 TCL

PRO flightcase for 4 EUROLITE TL-3 TCL



7MM   wheels

No. 31005102

ROADINGER Flightcase 4x TMH FE-1800 with wheels

PRO flightcase for 4 TMH FE-1800 with castors



7MM 

No. 31005103

ROADINGER Flightcase 2x THA-40 PC

PRO flightcase for 2 THA-40 PC



7MM   wheels

No. 31005104

ROADINGER Flightcase 4x THA-40 PC with wheels

PRO flightcase for 4 THA-40 PC with castors



7MM   wheels

No. 31005106

ROADINGER Flightcase 4x PLB-280

PRO flightcase for 4 PLB-280



7MM   wheels

No. 31005108

ROADINGER Flightcase 4x TMH-X5 with wheels

PRO flightcase for 4 TMH-X5 with castors



7MM 

No. 31005109

ROADINGER Flightcase 2x TSL-750/TSL-1200

PRO flightcase for 2 TSL-750/TSL-1200



7MM 

No. 31005110

ROADINGER Flightcase 4x AKKU UP 4 QCL Spot QuickDMX

PRO flightcase for 4 AKKU UP 4 QCL Spot QuickDMX



7MM 

No. 31005111

ROADINGER Flightcase 4x AKKU TL-3 TCL Trusslight

PRO flightcase for 4 AKKU TL-3 TCL Trusslights



7MM 

No. 31005112

ROADINGER Flightcase 2x LED TMH-X1 Moving-Head Beam

PRO flightcase for 2 TMH-X1



7MM   wheels

No. 31005113

ROADINGER Flightcase 4x LED TMH-X1 Moving-Head Beam

PRO flightcase for 4 TMH-X1



7MM 

No. 31005114

ROADINGER Flightcase 2x LED MFX-3

PRO flightcase for 2 LED MFX-3



7MM   wheels

No. 31005115

ROADINGER Flightcase 4x LED MFX-3 with wheels

PRO flightcase for 4 MFX-3 with castors



7MM 

No. 31005116

ROADINGER Flightcase 2x LED THA-100F/THA-120PC

PRO flightcase for 2 THA-100/120



7MM   wheels

No. 31005117

ROADINGER Flightcase 4x LED THA-100F/THA-120PC with wheels

PRO flightcase for 4 LED THA-100F or 4 LED THA-120PC



7MM 

No. 31005123

ROADINGER Flightcase 4x AKKU Flat Light Series

PRO flightcase for 4 AKKU Flat Lights 1/3



7MM 

No. 31005119

ROADINGER Flightcase 4x LED IP PAR 3x12W HCL

PRO flightcase for 4 LED IP PAR 3x12W HCL



7MM 

No. 31005124

ROADINGER Flightcase DMX Move Bigfoot

PRO flightcase for one DMX Move Bigfoot



NEW  wheels 

No. 31005125

ROADINGER Flightcase 4x AKKU UP-4 QuickDMX with charging function

PRO flightcase for 4 AKKU UP-4, with charging function



NEW 

No. 31005126

ROADINGER Flightcase 4x AKKU TL-3 Trusslight QuickDMX with charging function

PRO flightcase for 4 AKKU TL-3, with charging function



7MM 

No. 31005091

ROADINGER Flightcase 2x EYE-7 RGBW Zoom

PRO flightcase for 2 EYE-7 Zoom LED Washer



7MM  

No. 31005095

ROADINGER Flightcase 4x EYE-19

PRO flightcase with castors for 4 x EYE-19 RGBW Zoom LED



7MM  

No. 31005105

ROADINGER Flightcase 4x EYE-7 RGBW Zoom

PRO flightcase for 4 EYE-7 Zoom LED Washer



7MM

No. 51836701

ROADINGER Flightcase 4x PRO Slim Size M ECO

Flightcase ECO for PRO slim spots



7MM 

No. 51836702

ROADINGER Flightcase 4x PRO Slim Size M

PRO flightcase for 4 PRO Slim spots



7MM 

No. 51836703

ROADINGER Flightcase 4x PRO Slim Size L

PRO flightcase for 4 PRO Slim spots

TRANSPORT BAGS & CASES

For Eurolite Equipment



7MM wheels

No. 51836718

ROADINGER Flightcase 2x Wave

PRO flightcase for 2 FUTURELIGHT Wave LED Moving bars



7MM wheels

No. 51836719

ROADINGER Flightcase 4x Wave

PRO flightcase for 4 FUTURELIGHT Wave LED Moving bars



7MM wheels

No. 51836850

ROADINGER Flightcase 4x POS-12 LED TCL ACC

PRO transport case for 4 x POS-12 LED TCL PS



7MM wheels

No. 51836885

ROADINGER Flightcase 4x PLB-130

PRO flightcase for 4 x PLB-130



7MM wheels

No. 51836892

ROADINGER Flightcase 2x DMH-90/150/DMB-60/PLB-230

PRO flightcase for 2 x FUTURELIGHT DMH-90/DMH-150/DMB-60/PLB-230/EYE-15



7MM wheels

No. 51836894

ROADINGER Flightcase 4x DMH-90/150/DMB-160/PLB-230

PRO flightcase for 4 x FUTURELIGHT DMH-90/DMH-150/DMB-60/DMB-160/PLB-230/EYE-15



7MM

No. 30126020

ROADINGER Case for Wireless Microphone Systems

Flightcase for wireless microphone systems



Flightcase 4x Wave



10MM wheels

No. 30126410

ROADINGER Universal Tour Case 120cm with wheels

Flightcase with castors and 2 dividers



10MM wheels

No. 30126412

ROADINGER Universal Tour Case 120cm with wheels ODV-1

Flightcase with castors



9MM wheels

No. 30126413

ROADINGER Universal Tour Case 120cm with wheels Pro

PRO flightcase with castors



9MM wheels

No. 30126415

ROADINGER Universal Tour Case 60cm with wheels

PRO flightcase with castors and 1 divider



9MM  wheels

No. 30126416
ROADINGER Universal Tour Case 60cm with wheels Pro
 PRO flightcase with castors



9MM  wheels

No. 30126417
ROADINGER Universal Tour Case 90cm with wheels
 Flightcase with castors and 2 dividers



No. 30126420.....big
 No. 30126421.....small
ROADINGER Divider (big) for Universal Tour Case
 Accessory for tour case



No. 30126422
ROADINGER Drawer Box for Universal Tour Case



9MM  wheels

No. 30126423
ROADINGER Universal Drawer Case FD-1 with wheels
 Flightcase with integrated desk and 4 drawers (2 x 7.5 U,
 1 x 6 U, 1 x 4 U)



9MM  wheels

No. 30126425
ROADINGER Universal Drawer Case DS-1 with wheels
 Flightcase with integrated desk and 4 drawers (2 x 5.5 U,
 1 x 4 U, 1 x 2 U)



9MM  wheels

No. 30126428
ROADINGER Universal Drawer Case TSF-1 with wheels
 Flightcase with castors



9MM  wheels

No. 3012642A
ROADINGER Universal Drawer Case WDS-1 with wheels
 Flightcase with integrated desk



19" 9MM  wheels

No. 32000100.....18 U
 No. 32000102.....20 U
ROADINGER Special Combo Case TA-1, with wheels
 Stage case with castors



19"  wheels

No. 32000200
ROADINGER Special Stage Case Pro with wheels
 Stage case with integrated desk



9MM 19"  wheels

No. 32000208
ROADINGER Special Stage Case TD-3 with wheels
 Stage case with integrated desks



9MM wheels

No. 30126430
ROADINGER Universal Roadie Case with wheels
 Flightcase with castors



9MM wheels

No. 30126432
ROADINGER Universal Drawer Case ODS-1 with wheels
 Flightcase with 4 drawers



6MM

No. 30126500
ROADINGER Universal Cone Adapter Case UKAC-50
 Flightcase for all purposes



6MM

No. 30126505
ROADINGER Universal cone adapter case UKAC-35/50
 Flightcase for all purposes



7MM

No. 30126548
ROADINGER Universal Document Case GR-2, bk
 Flightcase for documents



7MM

No. 30126649.....	40x40x30 cm
No. 30126650.....	60x40x30 cm
No. 30126651.....	80x40x30 cm
No. 30126652.....	100x40x30 cm
No. 30126653.....	120x40x30 cm
No. 30126708.....	40x40x45 cm
No. 30126710.....	60x40x45 cm
No. 30126715.....	80x40x45 cm
No. 30126720.....	80x60x45 cm
No. 30126725.....	120x40x45 cm

ROADINGER Universal Transport Case
 Flightcase for all purposes



7MM wheels

No. 30126729.....	80x60 cm
No. 30126730.....	120x40 cm
No. 30126732.....	120x60 cm

ROADINGER Universal Transport Case with wheels
 Flightcase with wheels, for all purposes



9MM

No. 30126748.....	40x40 cm
No. 30126750.....	60x40 cm
No. 30126755.....	80x40 cm
No. 30126760.....	80x60 cm
No. 30126765.....	120x40 cm
No. 30126766.....	80x60 cm with wheels
No. 30126767.....	120x40 cm with wheels

ROADINGER Universal Transport Case heavy
 Flightcase



7MM

No. 30126800.....	60x30x30 cm
No. 30126805.....	80x30x30 cm
No. 30126810.....	100x30x30 cm
No. 30126815.....	120x30x30 cm
No. 30126820.....	140x30x30 cm
No. 30126825.....	120x30x30 cm with wheels
No. 30126830.....	140x30x30 cm with wheels
No. 30126900.....	60x40x40 cm
No. 30126905.....	80x40x40 cm
No. 30126910.....	100x40x40 cm
No. 30126915.....	120x40x40 cm
No. 30126920.....	140x40x40 cm
No. 30126925.....	100x40x40 cm with wheels
No. 30126930.....	120x40x40 cm with wheels
No. 30126935.....	140x40x40 cm with wheels
No. 30127000.....	60x50x50 cm
No. 30127005.....	80x50x50 cm
No. 30127010.....	100x50x50 cm
No. 30127015.....	120x50x50 cm
No. 30127020.....	140x50x50 cm
No. 30127025.....	100x50x50 cm with wheels
No. 30127030.....	120x50x50 cm with wheels
No. 30127035.....	140x50x50 cm with wheels

ROADINGER Universal Case Pro
 PRO flightcase




9MM wheels

No. 31999830
ROADINGER Flightcase Alu-Bar 1.5m 4x PAR-56
 Practical alubar case for 4 PAR-56



10MM wheels

No. 32000012..... 162x62 cm
 No. 32000013..... 140x50 cm
ROADINGER 2 Desks in Case Design
 Two desks in case design with wheels



19"

No. 30128960..... 2 U
No. 30128962..... 3 U

ROADINGER Rack Unit

Rack unit for installing 483 mm devices (19")



NEW

No. 32000410

ROADINGER SMC-1 Seat Case Style



No. 30000193


ROADINGER Inlet Dish, black



No. 30000197

ROADINGER Inlet Dish, ventilation


Horizontal inlet with venting slots



No. 30000400..... large
No. 30000600..... small

ROADINGER Butterfly Lock in Dish


Simmons butterfly lock in mounting dish



No. 30000660

ROADINGER Spring Lock 96x52


Spring-lock - medium model



No. 3000070K.....plastic
No. 30000800.....stainless steel

ROADINGER Bar Handle, MARSHALL


Plastic-bar handles, Marshall-type



No. 30000830

ROADINGER Insert Dish Handle, black plastic


Insert dish handle



No. 30000900..... zinc
No. 30000920..... black

ROADINGER Hinged Case Handle

Sprung handle



No. 30000980..... silver
No. 30000981..... black

ROADINGER Surface Mounted Handle Sprung


Sprung handle with snap back mechanism



No. 30001000

ROADINGER Strap Handle simple

Plastic strap handle



No. 30001110

ROADINGER Corner Handlex 150x55x55mm IR5



No. 30001200.....larg w/steel
 No. 30001202.....25x25 mm
 No. 3000130A.....25 mm steel ring

ROADINGER Rubber Foot

Black rubber foot



No. 30001600.....3 legs
 No. 30001700.....2 legs

ROADINGER Cabinet Corner

Corner, two/three-leg



No. 30001710
ROADINGER Steel Plate Corner, 3 legs, 30mm


Ball corner, three-leg



No. 30001750.....39 mm
 No. 30001755.....41 mm
 No. 30001800.....48 mm
 No. 30001910.....64 mm
 No. 30001920.....64 mm, cranked
 No. 30001922.....64 mm, stackable

ROADINGER Steel Ball Corner, 3 legs

Ball corner, three-leg



No. 30001930
ROADINGER Steel Ball Corner 2 legs 64mm

Ball corner, two-leg



No. 30002000
ROADINGER Plastic Corner, 50mm legs, stackable

Plastic corner, stackable



No. 30002149.....130x85 mm
 No. 30002150.....177x127 mm
 No. 30002152.....210x150 mm
 No. 30002153.....290x190 mm

ACCESSORY Label Self adhesive



No. 30002180
ROADINGER Cross for Dividing Walls 6,7mm



No. 30002184
ROADINGER Bracket for Dividing Walls 6,7mm



No. 30003000.....25x40 mm
 No. 30003200.....40x40 mm

ROADINGER Small Corner Brace

L-corner



No. 30003350
ROADINGER Corner Brace round dia = 5 mm

L-corner



No. 30003400
ROADINGER Heavy Duty Hook over hinge, zinc-plated

Hook over hinge



No. 30003521

ACCESSORY Large Strut Hinge



No. 30006188.....20x20 mm
 No. 30006190.....22x22 mm
 No. 30006200.....25x25 mm
 No. 30006300.....30x30 mm
 No. 30006350.....35x35 mm

ACCESSORY Aluminium Case Angle per m


Aluminum case angle



No. 30006395.....4 mm
 No. 30006396.....6,7 mm
 No. 30006400.....7 mm
 No. 30006470.....9 mm

ACCESSORY Aluminium Casemaker 20x20mm/m

Aluminum casemaker



No. 30006600.....7 mm
 No. 30006602.....6,8 mm
 No. 30006603.....7,1 mm
 No. 30006700.....9 mm
 No. 30006701.....11 mm

ACCESSORY Aluminium Hybrid Lid panel per m

Aluminum hybrid lid location



No. 30007400

ACCESSORY Aluminium Lid single per m

Aluminum rack-rail



No. 30007500

ACCESSORY Nut for Rack Rail

Black for rack-rail



No. 30007600

ACCESSORY Rack Rail

Aluminum rack-rail



No. 30007601

ACCESSORY Rack Rail AM-6 2 meter

Steel Rack rail



No. 30007701

ACCESSORY Nut M-6 for Rail Rack AM-6

Steel Nut



No. 30007700

ACCESSORY Nut for Rail Rack

For rack-rail, punched



No. 30007702

ACCESSORY Tool for Cage Nuts

Important helper



No. 30007720.....x12
 No. 30007722.....x20

ACCESSORY Screw M6 for Rail-Racks

Black for rack-rail




No. 30007810
ACCESSORY Plastic Washer, black, big (recessed)
 U-shaped plastic washer



19"
 No. 30100145.....0,5 U
 No. 30100150..... 1 U
 No. 30100250..... 2 U
 No. 30100350..... 3 U
 No. 30100450..... 4 U
 No. 30100470..... 5 U
OMNITRONIC Front Panel Z-19U-shaped, steel, bk



19"
 No. 30100620..... 1 U
 No. 30100623..... 2 U
OMNITRONIC Front Panel Z-19U-shaped+ventilation
 U-front panel



19"
 No. 30100655..... 12xXLR
 No. 30100657..... 8xXLR
OMNITRONIC Front Panel Z-19 XLR (D-type) 1U



19" 2U
 No. 30100656
OMNITRONIC Front Panel Z-19 8x D-Type/4xNL8/T 2U
 Useful front panel for amplifier racks



No. 30100660
ACCESSORY Universal XLR Blanking Plate, black plast



19" 2U
 No. 30100820
OMNITRONIC Front Panel Z-19 with 2 Fans wired 2U
 Rack panel with two ventilation fans, ready for connection to the mains



19" 2U
 No. 30100825
OMNITRONIC Front Panel Rackpanel with Brushes 2U



19" 1U
 No. 30100830
ACCESSORY Front Panel Ring Cable Manager 1U



19" 1U
 No. 30100832
ACCESSORY Front Panel Cable Support 1U



19" 1U
 No. 30100834
 No. 30100836..... locks
ACCESSORY Rackdrawer/Writingtable 1U



19" 1U
 No. 30100838
ACCESSORY Cable Tie Bar Kit 1U



19"
 No. 30100837 1 U
 No. 30100839 2 U
ACCESSORY Rackbase extensile



19" 1U
 No. 3010092A metal
 No. 3010092E transparent
OMNITRONIC Front Cover 1U



No. 30309250
EUROLITE BF-12 Axial Fan 12V 80x80x25mm 45m³/h
 12 V axial fan



No. 30100935 1 U
 No. 30100936 2 U
 No. 30100937 3 U
OMNITRONIC Rack Bracket for Amplifier, back



19"
 No. 30100951 1 U
 No. 30100952 2 U
 No. 30100953 3 U
 No. 30100954 4 U
OMNITRONIC Rack Drawer with Lock
 Pragmatic drawer



19"
 No. 30100905 1 U Multistandard Holes
 No. 30100916 1 U
 No. 30100917 2 U
OMNITRONIC Carrier black
 Carrier plate for racks



No. 30003878 75 mm, grey
 No. 30003879 75 mm, grey, with brake
 No. 30003895 80 mm, blue
 No. 30003898 80 mm, blue, with brake
ROADINGER Swivel Castor



No. 30004005
 No. 30004007 with brake
ROADINGER Swivel Castor 100mm BLUE WHEEL light blue
 100 mm swivel castor



No. 3000400A
 No. 3000400B with brake
ROADINGER Swivel Castor 100mm blue shielded bearing
 Swivel castor with shielded bearing



No. 30004015
 No. 30004016 with brake
ROADINGER Swivel Castor 50mm grey
 Rugged swivel castor



No. 30004048
ROADINGER Fixed Castor blue wheelsize:100mm



No. 30004052
ROADINGER Corner Castor black 104x81x65mm

eurolite®

BIGFOOT

DMX foot controller



No. 70064517

IT IS REALLY ALIVE!

DMX Move **BIGFOOT** Foot Controller 192

A full-fledged DMX light controller in a foot bar – with FX generator

- Quick programming thanks to the integrated FX generator with movement patterns and color effects
- For 12 fixtures with max. 16 control channels each
- Save shows on an USB-stick
- Solid metal housing with handle
- Simply preselect the desired program by foot and trigger it with the GO button



No. 30004056
ROADINGER Bolt Set for Wheels
 Complete set (4 x screw, 4 x nut, 4 x washer)




No. 30004058
ROADINGER Hexagon Screw M10x50 FK8.8 vz




No. 30109818
ROADINGER Wheel Board MDF 4 wheels 2 brakes
 MDF wheel board




No. 8070250A 10 mm
 No. 8070250C 20 mm
ACCESSORY Soft Foam 100x200cm
 Perfect for padding flightcases



No. 80702630 20 mm
 No. 80702631 40 mm
 No. 80702632 70 mm
 No. 80702633 100 mm
ACCESSORY Eggshape Insulation Mat, ht, 50x100cm
 Eggfoam




No. 80702640 20 mm
 No. 80702641 40 mm
 No. 80702642 70 mm
 No. 80702643 100 mm
ACCESSORY Eggshape Insulation Mat, ht, 100x206cm
 Eggfoam



No. 8070265N
ROADINGER Eggshape Insulation Mat, ht 48mm, 100x200cm



No. 80702661 561x351x100mm
 No. 80702662 376x376x100mm
 No. 80702663 576x376x100mm
 No. 80702664 776x376x100mm
 No. 80702665 776x576x100mm
 No. 80702667 1000x500x100mm
 No. 80702669 1100x600x125mm
ROADINGER Foam Material



No. 30004500 12,7 cm
 No. 30004600 20 cm
 No. 30004700 25,4 cm
 No. 30004800 30 cm
 No. 30004900 38 cm
OMNITRONIC Speaker-Grille
 Speaker-grille



No. 30005210
OMNITRONIC Speaker Clamp, black, from 38cm



No. 30005240 M6
 No. 30005250 M8
OMNITRONIC Nut, 9mm length



No. 30005260 M6x40 mm
 No. 30005265 M5x20 mm
OMNITRONIC Screw black for PA Clamps

STANDS & HARDWARE

Clamps	344
Couplers	346
Safety Bonds	348
Cable Glider	349
Slings	350
Stands	351
Lifters	352
Accessories for Stands	354
Wallmountings	358
Speaker-Stands	359
Mic-Stands & More	360
Divers Stands	364
Mountings	365
Divers Stands	366





Ø 16MM

No. 58000385.....black
No. 58000390.....silver

EUROLITE TH-16 Clamp f.Decotruss

Mounting clamp for Decotruss, maximum load WLL 20 kg



Ø 25MM

No. 58000450.....silver
No. 58000451.....black

EUROLITE TH-25 Clamp for 25mm Tube

Mounting clamp for 25 mm tube, maximum load WLL 20 kg




Ø 40MM

No. 58000570.....silver
No. 58000571.....black

EUROLITE TH-40 Theatre Clamp

Mounting clamp for 40 mm tube, maximum load WLL 30 kg



Ø 50MM

No. 58000640.....silver
No. 58000641.....black

EUROLITE TH-51 Theatre Clamp

Mounting clamp for 50 mm tube, maximum load WLL 24 kg



Ø 50MM

No. 58000642.....silver
No. 58000643.....black

EUROLITE TH-52 Theatre Clamp

Mounting clamp for 50 mm tube, maximum load WLL 50 kg




Ø 50MM

No. 58000650.....silver
No. 58000651.....black

EUROLITE TH-50 Theatre Clamp

Mounting clamp for 50 mm tube, maximum load WLL 15 kg



Ø 50MM

No. 58000655.....silver
No. 58000656.....black

EUROLITE TCH-50/20 C-Clamp 20cm, silver

Mounting clamp for 50 mm tube, maximum load WLL 30 kg



Ø 50MM

No. 58000657

EUROLITE TCH-50/20H C-Clamp 20cm, silver

Mounting clamp for 50 mm tube, maximum load WLL 100 kg



Ø 50MM

No. 58000660

EUROLITE TCH-50/30 C-Clamp 30cm, silver

Long mounting clamp for 50 mm tube, maximum load WLL 30 kg



Ø 50MM

No. 58000665

EUROLITE TCH-50/65 C-Clamp 65cm, silver

Very long mounting clamp for 50 mm tube, maximum load WLL 30 kg



Ø 50MM

No. 58000690.....silver
No. 58000691.....schwarz

EUROLITE TCH-50/28 Cable Clamp

Cable clamp for 50 mm tube, maximum load WLL 30 kg



Ø 35MM

No. 58000705.....silver
No. 58000707.....black

EUROLITE TH-35 Theatre Clamp

Mounting clamp for 35 mm tube, maximum load WLL 75 kg



Ø 50MM

No. 58000720.....silver
No. 58000721.....black

EUROLITE TH-90 Theatre Clamp

Mounting clamp for 50 mm tube, removeable support ,
max. load WLL 100 kg



Ø 50MM

No. 58000735.....silver
No. 58000736.....black

EUROLITE TH-150 Theatre Clamp TÜV

Professional mounting clamp for 50 mm tube, maximum
load WLL 200 kg



Ø 50MM

No. 58000732

EUROLITE TH-100N Theatre Clamp sil

Professional mounting clamp for 50 mm tube, maximum
load WLL 200 kg



Ø 50MM

No. 58000733

EUROLITE TH-100N2 Theatre Clamp silver

Slender mounting clamp for 50 mm tube, maximum load
WLL 175 kg




Ø 50MM

No. 58000740.....silver
No. 58000741.....black

EUROLITE TH-200 Theatre Clamp TÜV

Professional mounting clamp for 50 mm tube, maximum
load WLL 400 kg



Ø 50MM

No. 58000760.....silver
No. 58000761.....black

EUROLITE TH-250 Quick-Lock Coupler

PRO mounting clamp, QuickLock screw for 50 mm tube,
max. load WLL 250 kg



Ø 50MM

No. 58000751.....silver
No. 58000752.....black

EUROLITE TH-260 Quick-Lock Clamp

PRO mounting clamp, QuickLock screw for 50 mm tube,
max. load WLL 200 kg



No. 58000762.....Coupler, silver
No. 58000767.....Coupler, black
No. 58000765.....Pin
No. 60000745.....Mini TV-Pin

EUROLITE TH-25C Quick-Lock

Mounting clamp for 13-55 mm tube incl. mini TV pin,
maximum load WLL 15 kg



Ø 35MM

No. 58000763

EUROLITE TH35-75 Theatre Clamp sil

PRO Mounting clamp for 32-35 mm tube, maximum load
WLL 75 kg



Ø 50MM

No. 58000764.....silver
No. 58000766.....black

EUROLITE TH50-75 Theatre Clamp sil

PRO Mounting clamp for 50 mm tube, maximum load
WLL 200 kg



Ø 20MM

No. 59006859

EUROLITE TPC-20 Coupler, silver

Mounting coupler for 20 mm tube, maximum load WLL
10 kg



Ø 50MM

No. 59006868

EUROLITE TPC-32 Coupler, silver

Mounting coupler for 50 mm tube, maximum load WLL
200 kg



Ø 38MM Ø 50MM

No. 59006960

EUROLITE DEC-38D Dual-Coupler Ø38/50mm

Plastic coupler for 38/50 mm tube diameter, maximum load 50 kg



Ø 50MM

No. 59006800.....silver
No. 59006802.....schwarz

EUROLITE TPC-50 Half Coupler

Mounting coupler for 50 mm tube, maximum load WLL 800 kg



Ø 50MM

No. 59006810

EUROLITE TPC-52 Coupler with Spigot

Mounting coupler with TV pin for 50 mm tube, maximum load WLL 1000 kg



Ø 50MM

No. 59006845.....silver
No. 59006846.....black

EUROLITE TPC-55 Swivel Coupler

Double mounting coupler for 50 mm tube, maximum load WLL 800 kg



Ø 50MM

No. 59006848.....silver
No. 59006849.....black

EUROLITE TPC-51 Eye ring coupler

Mounting coupler for 50 mm tube with eyelet, maximum load WLL 800 kg



Ø 50MM

No. 59006850

EUROLITE TPC-56 Coupler Cone silver

Coupler (50 mm tube) with Quicklock 6082- cone connector, max. WLL 500 kg



Ø 50MM

No. 59006851

EUROLITE TPC-56Q Coupler Cone silver

Coupler for Quicklock Truss



Ø 50MM

No. 59006856.....silver
No. 59006858.....black

EUROLITE TPC-10 Coupler

Mounting coupler for 50 mm tube, maximum load WLL 150 kg



Ø 50MM

No. 5900685E.....silver
No. 5900685F.....black

EUROLITE TPC-15 Swivel Coupler

Swivel double coupler for 50 mm tube, maximum load WLL 150 kg



Ø 50MM

No. 59006860.....silver
No. 59006862.....black

EUROLITE TPC-30 Coupler

Mounting coupler for 50 mm tube, maximum load WLL 500 kg



Ø 50MM

No. 59006865.....silver
No. 59006867.....black

EUROLITE TPC-31 Eye Ring Coupler

Mounting coupler for 50 mm tube with eyelet, maximum load WLL 500 kg



Ø 50MM

No. 59006870.....silver
No. 59006872.....black

EUROLITE TPC-35 Swivel Coupler

Swivel double coupler for 50 mm tube, maximum load WLL 500 kg

ATTACHMENT GEAR

Couplers



Ø 50MM

No. 5900687A

EUROLITE TPC-36 Coupler Cone silver

Coupler (50 mm tube) with Quicklock 6082 cone, max. load WLL 200 kg



Ø 35MM

No. 59006905.....silver
No. 59006908.....black

EUROLITE DEC-30 Coupler, for 35mm

Mounting coupler for 35 mm tube, maximum load WLL 400 kg



Ø 35MM

No. 59006915.....silver
No. 59006917.....black

EUROLITE DEC-30D Clamp, for 35mm

Double coupler for 35 mm tube, maximum load WLL 250 kg



Ø 35MM

No. 59006920

EUROLITE DEC-30E Eye Ring Coupler, silver

Mounting coupler for 35 mm tube with eyelet, maximum load WLL 250 kg



Ø 50MM

Ø 35MM

No. 59006925

EUROLITE TPC-50/35 Swivel Coupler, silver

Swivel, double adapter coupler 35/50 mm, maximum load WLL 150 kg



No. 58011058.....silver
No. 58011059.....black

EUROLITE Shackle 10mm

Bow shackle, maximum load WLL 1000 kg



No. 58011060.....silver
No. 58011061.....black

EUROLITE Shackle 16mm

Bow shackle, maximum load WLL 3250 kg



No. 58011070..... 10 mm
No. 58011075..... 16 mm
No. 58011080..... 22 mm

SAFETEX Shackle black with Screwbolt

Bow shackle 10 mm, maximum load WLL 1 t



No. 58011085..... 10 mm
No. 58011086..... 16 mm
No. 58011087..... 22 mm

SAFETEX Shackle bl with Bolt, Mother, Splint

Bow shackle 10 mm with bolt, nut & pin, maximum load WLL 1 t



No. 5801108W

EUROLITE Girder Clamp 1000 kg black

Beam clamp for steel beams, maximum load WLL 1000 kg



No. 58011090

EUROLITE Girder Clamp 3000 kg black

Beam clamp for steel beams, maximum load WLL 3000 kg



- No. 50301636.....∅ 10mm, Mw. 20,5mm, WLL 1100kg, Typ B-550
- No. 50301638.....∅ 8mm, Mw. 17,5mm, WLL 700kg, Typ B-350
- No. 50301640.....∅ 6mm, Mw. 14,5mm, WLL 400kg, Typ B-200
- No. 50301642.....∅ 3,5mm, Mw. 5mm, WLL 100kg, Typ A-50
- No. 50301643.....∅ 3,5mm, Mw. 5mm, WLL 100kg, Typ A-50, black
- No. 50301644.....∅ 4mm, Mw. 5,5mm, WLL 180kg, Typ A-90
- No. 50301648.....∅ 6mm, Mw. 7,5mm, WLL 400kg, Typ A-200
- No. 5030164B.....∅ 8mm, Mw. 11mm, WLL 700kg, Typ A-350
- No. 50301655.....∅ 4mm, Mw. 11,5mm, WLL 180kg, Typ B-90
- No. 50301657.....∅ 5mm, Mw. 13mm, WLL 280kg, Typ B-140
- No. 50301659.....∅ 4mm, Mw. 11,5mm, WLL 180kg, Typ B-90, black
- No. 5030165A.....∅ 5mm, Mw. 13mm, WLL 280kg, Typ B-140, black
- No. 5030165B.....∅ 6mm, Mw. 14,5mm, WLL 400kg, Typ B-200, black

EUROLITE Quick Link



- No. 58010250..... 3 x 600, max. 20kg, silver
- No. 58010252..... 3 x 600, max. 20kg, black
- No. 58010254..... 3 x 1000, max. 20kg, silver
- No. 58010256..... 3 x 1000, max. 20kg, black
- No. 58010258..... 4 x 600, max. 40kg, silver
- No. 58010260..... 4 x 600, max. 40kg, black
- No. 58010262..... 4 x 1000, max. 40kg, silver
- No. 58010264..... 4 x 1000, max. 40kg, black
- No. 58010266..... 5 x 600, max. 60kg, silver
- No. 58010268..... 5 x 600, max. 60kg, silver
- No. 58010270..... 5 x 1000, max. 60kg, black
- No. 58010272..... 5 x 1000, max. 60kg, black

SAVEKING Safety Bond



- No. 58010310..... A 3 x 600 mm up to 5 kg, silver
- No. 58010320..... A 4 x 1000 mm up to 15 kg, silver
- No. 58010330..... A 6 x 1000 mm up to 35 kg, silver
- No. 58010331..... B 6 x 1000 mm up to 35 kg, silver
- No. 58010341..... A 3 x 600 mm up to 5 kg, black
- No. 58010344..... A 4 x 1000 mm up to 15 kg, black
- No. 58010345..... B 4 x 1000 mm up to 15 kg, black
- No. 58010347..... B 6 x 1000 mm up to 35 kg, black

EUROLITE Safety Bond

Approved safety rope



- No. 58010360..... AG-5 3 x 600 mm up to 5 kg
- No. 58010364..... AG-15 4 x 1000 mm up to 15 kg
- No. 58010369..... AG-35FB 6 x 1000 mm up to 35 kg

EUROLITE Safety Bond silver

High-quality safety rope in accordance with DIN EN 10204



- No. 58010372..... UNV-5 3 x 600 mm up to 5 kg
- No. 58010374..... UNV-15 4 x 1000 mm up to 15 kg
- No. 58010376..... UNV-35FB 6 x 1000 mm up to 35 kg

EUROLITE Safety Bond



- No. 58010417..... SC, 400 x 3 mm, silver
- No. 58010418..... FC, 400 x 3 mm, silver
- No. 58010419..... SC, 400 x 3 mm, black
- No. 58010421..... SC, 900 x 3 mm, silver
- No. 58010422..... FC, 900 x 3 mm, silver
- No. 58010423..... SC, 900 x 3 mm, black
- No. 58010425..... SC, 400 x 4 mm, silver
- No. 58010426..... FC, 400 x 4 mm, silver
- No. 58010427..... SC, 400 x 4 mm, black
- No. 58010453..... SC, 900 x 4 mm, silver
- No. 58010454..... FC, 900 x 4 mm, silver
- No. 58010455..... SC, 900 x 4 mm, black

EUROLITE Steel Rope without quick link



- No. 58010407..... SC, 400 x 3 mm, silver
- No. 58010409..... SC, 400 x 3 mm, black
- No. 58010411..... SC, 900 x 3 mm, silver
- No. 58010413..... SC, 900 x 3 mm, black
- No. 58010431..... SC, 400 x 4 mm, silver
- No. 58010433..... SC, 400 x 4 mm, black
- No. 58010435..... SC, 900 x 4 mm, silver
- No. 58010437..... SC, 900 x 4 mm, black

EUROLITE Steel Rope

Steel rope with 2 loops, grouted with quick link



- No. 5801048F..... 600 x 3 mm, silver
- No. 5801048G..... 1000 x 4 mm, silver
- No. 5801048L..... 1000 x 6 mm, silver
- No. 5801049B..... SC, 600 x 3 mm, black
- No. 5801049C..... 1000 x 4 mm, black
- No. 5801049E..... 1000 x 6 mm, black

EUROLITE Steel Rope with Thimble

Installation rope, safety bond, safety



- No. 58010490..... 1000 x 10 mm
- No. 58010491..... 1500 x 10 mm
- No. 58010492..... 2000 x 10 mm

EUROLITE Lifting rope w. Shackle -400kg

Installation rope, safety bond, safety



- No. 30001165..... M8
- No. 30001166..... M10

ACCESSORY Eye Bolt

High-tensile ring bolt



- No. 30001169..... M10/50 mm
- No. 30001170..... M12/50 mm
- No. 30001172..... M8/30 mm
- No. 30001174..... M8/40 mm
- No. 30001187..... Hexagonal Screw M10/50 mm

ACCESSORY Eye Bolt Stainless Steel

High-tensile ring bolt



No. 58010550

REUTLINGER Cable Glider Type 50SVIII-M12BG bk

Cable glider up to 90 kg work load



No. 58010556

REUTLINGER Cable Glider Type 80SVIII-ZW M12i bk

Cable glider, up to 240 kg work load



No. 58010551

REUTLINGER Cable Glider Type 50SVIII-GK14/28W bk

Cable glider, up to 90 kg work load



No. 58010557

REUTLINGER Cable Glider Type 80SVIII-RING bk

Cable glider, up to 240 kg work load



No. 58010552

REUTLINGER Cable Glider Type 50SVIII-ZW M12i bk

Cable glider, up to 90 kg work load



No. 58010558

REUTLINGER Cable Glider Type 66SVIII fork

Cable glider, up to 150 kg work load



No. 58010553

REUTLINGER Cable Glider Type 50SVIII-RING bk

Cable glider, up to 90 kg work load



No. 58010559

REUTLINGER Cable Glider Type SVIII ZW M16i bk

Cable glider, up to 150 kg work load



No. 58010554

REUTLINGER Cable Glider Type 80SVIII-M20BG bk

Cable glider, up to 240 kg work load



No. 58010560

REUTLINGER Cable Glider Type 66 SVIII Ring-Integral

Cable glider, up to 150 kg work load



No. 58010555

REUTLINGER Cable Glider Type 80SVIII-GK20/40 bk

Cable glider, up to 240 kg work load



No. 58010561

REUTLINGER Cable Glider Type Typ 66 SVIII, M16

Cable glider, up to 150 kg work load



- No. 58010609.....1 m
- No. 58010610.....2 m
- No. 58010612.....3 m

EUROLITE Round Sling, max. Load 1000KG

Sling for the event industry



- No. 58010619.....1 m
- No. 58010620.....2 m
- No. 58010622.....3 m

EUROLITE Round Sling, max. Load 2000KG

Sling for the event industry



- 🇩🇪
- No. 58010640.....0.5 m
 - No. 58010641.....1 m
 - No. 58010642.....2 m
 - No. 58010643.....3 m

SHZ Roundsling 1000KG black



- 🇩🇪
- No. 58010644.....0.5 m
 - No. 58010645.....1 m
 - No. 58010646.....2 m
 - No. 58010647.....3 m

SHZ Roundsling 2000KG black



- 🇩🇪
- No. 58010698.....0.5 m / 1000 kg
 - No. 58010700.....1 m / 1000 kg
 - No. 58010705.....2 m / 1000 kg
 - No. 58010710.....3 m / 1000 kg
 - No. 58010713.....0.5 m / 2000 kg
 - No. 58010715.....1 m / 2000 kg
 - No. 58010720.....2 m / 2000 kg
 - No. 58010725.....3 m / 2000 kg

SHZ Roundsling with Steel Inlay

Roundsling with steel inlay



- 🇩🇪
- No. 58010728.....0.5 m / 3000 kg
 - No. 58010730.....1 m / 3000 kg
 - No. 58010735.....2 m / 3000 kg
 - No. 58010740.....3 m / 3000 kg
 - No. 58010743.....0.5 m / 3000 kg
 - No. 58010745.....1 m / 3000 kg
 - No. 58010750.....2 m / 3000 kg
 - No. 58010755.....3 m / 3000 kg

SHZ Roundsling with Steel Inlay

Roundsling with steel inlay



- No. 58000112.....6M/1.0T
- No. 58000113.....6M/1.0T black
- No. 58000114.....10M/1.0T
- No. 58000115.....10M/1.0T black

EUROLITE Chain Hoist

Manual chain hoist as installation aid



- No. 58000118.....6M/1.5T
- No. 58000119.....6M/1.5T black
- No. 58000120.....10M/1.5T
- No. 58000121.....10M/1.5T black

EUROLITE Chain Hoist

Manual chain hoist as installation aid



- 🇪🇺
- No. 58000130.....6 m Load chain / 12 m Hand chain
 - No. 58000131.....9 m Load chain / 18 m Hand chain
 - No. 58000132.....12 m Load chain / 24 m Hand chain

SAFETEX Chain Bag

Chain bag for EUROLITE chain hoists



- 🇪🇺
- No. 58000133

SAFETEX Chain Bag XL universal

Universal chain bag for chain hoists



- No. 5800013M
- SAFETEX SAT 08 Wire Rope Hoist**

Wire rope hoist



- 🇩🇪
- No. 5800013N
- SAFETEX Cable SZS 080-20 for SAT 08 20m**

Accessory for wire rope hoist SAT 08



No. 59006985

EUROLITE A1 Steel Lighting Stand

Inexpensive steel-stand with crossbeam, max. load 14 kg, max. height 250 cm



NEW

No. 59006990.....LS-1T
 No. 59006991.....LS-1
 No. 5900702A..... Carrying Bag for 1 stand
 No. 5900702B..... Carrying Bag for 2 stands

EUROLITE LS EU Steel

Lighting stand made in EU, with T-bar, max. load 30 kg, max. height 315 cm



No. 59006996.....STV-40S, steel, 10 kg
 No. 59007001..... STV-40A, alu, 7 kg
 No. 59007002.....STV-40-WOT, alu without crossbeam
 No. 59007004.....STV-40S-WOT, steel without crossbeam

EUROLITE STV-40S Steel Lighting Stand

Steel lighting stand with crossbar, max. load 18 kg, max. height 340 cm



NEW

No. 59007008

EUROLITE STV-50 EU Steel stand

Made in EU, crossbar with TV-pin, max. load 30 kg, max. height 315 cm



No. 59007121

EUROLITE STV-150A Follow Spot Stand

Follow stand with winch, maximum load 35 kg, maximum height 155 cm



No. 59007123

EUROLITE STV-200 Follow Spot Stand, Stainless Steel

PRO version with head on ball bearing, max. load 50 kg, max. height 160 cm



No. 60000820..... alu
 No. 60000830..... steel

EUROLITE STW-370 Winch-driven Stand 370cm

High-quality alu winch-stand, max. load 35 kg, max. height 370 cm



No. 59007040.....black
 No. 59007041.....black

EUROLITE STT-400/85 Winch Stand TÜV/GS


High-quality winch-stand, max. load 85 kg, max. height 400 cm



No. 59007055..... 3-part telescopic lifter
 No. 59007060..... 4-part telescopic lifter

EUROLITE STC-480/150 Truss Lifter TÜV/GS

Rugged truss lifter for medium weights




NEW

No. 59007030

EUROLITE Show Stand III Alu

Simple stand set up to 320 cm height and 300 cm width, max. load 50 kg




NEW

No. 59007032

EUROLITE EU Show Stand

Simple stand set up to 315 cm height and 300 cm width, max. load 60 kg



MADE IN
SPAIN



Block & Block

You want to reach new heights or have to cope with an ambitious task? Well, you should take a closer look at the stands and lifters by **Block & Block**. They might be just the right coworkers for you. All products are designed and produced in Europe and meet the highest quality standards.

In total, you have 5 truss lifters with up to 300 kg bearing load and a stand with 100 kg bearing load at your disposal. Moreover, you can access a large choice of adapters, insertions, crossbars and even a line array adapter. At Block and Block's you will find the right tool for your jobs!





No. 59000404
BLOCK AND BLOCK DELTA-40 Winch Stand 100kg 3m



No. 59000408
BLOCK AND BLOCK SIGMA-50 Truss lifter 120kg 5m



No. 59000410
BLOCK AND BLOCK SIGMA-70 Truss lifter 160kg 5.3m



No. 59000412
BLOCK AND BLOCK BETA-70 Truss lifter 230kg 6.5m



No. 59000425
BLOCK AND BLOCK OMEGA-30 Truss lifter 220kg 5m



No. 59000430
BLOCK AND BLOCK GAMMA-50 Truss lifter 300kg,6,20m



No. 59000449
BLOCK AND BLOCK ATG5 Truss mount adapter for tube insertion of 50x50 Omega Series



No. 59000450
BLOCK AND BLOCK ATG1 Truss mount adapter for tube insertion of 50x50 Omega Series



No. 59000451
BLOCK AND BLOCK ATG2 Truss mount adapter for tube insertion of 70x50 Gamma Series



No. 59000455
BLOCK AND BLOCK AG-A5 Hook adapter for tube insertion of 50x50 (Omega Series)



No. 59000456
BLOCK AND BLOCK AG-A6 Hook adapter for tube insertion of 70x50 (Gamma Series)



No. 59000460
BLOCK AND BLOCK AC12 Adapter for follow spot. Insertion 35mm female



No. 59000461
BLOCK AND BLOCK AH3506 Crossbar for two speakers
 insertion 35mm female



No. 59000462
BLOCK AND BLOCK AM3506 Crossbar for two speakers
 insertion 35mm male



No. 59000465
BLOCK AND BLOCK AM3504 Parallel truss support
 insertion 35mm male



No. 59000466
BLOCK AND BLOCK AH3504 Parallel truss support
 insertion 35mm female



No. 59000467
BLOCK AND BLOCK AM3804 Parallel truss support
 insertion 38mm male



No. 59000469
BLOCK AND BLOCK AM3503 Truss side support
 insertion 35mm male



No. 59000470
BLOCK AND BLOCK AH3503 Truss side support
 insertion 35mm female



No. 59000471
BLOCK AND BLOCK AM3803 Truss side support
 insertion 38mm male



No. 59000474
BLOCK AND BLOCK AM3501 Adjustable support for
 truss insertion 35mm male



No. 59000475
BLOCK AND BLOCK AH3501 Adjustable support for
 truss insertion 35mm female



No. 59000476
BLOCK AND BLOCK AM3801 Adjustable support for
 truss insertion 38mm male



No. 59000478
BLOCK AND BLOCK AM3502 fixed support for truss
 insertion 35mm male



No. 59000479

BLOCK AND BLOCK AH3502 fixed support for truss insertion 35mm female



No. 59000480

BLOCK AND BLOCK AM3802 fixed support for truss insertion 38mm male



No. 59000481

BLOCK AND BLOCK AM3505 Crossbar insertion 35mm male



No. 59000482

BLOCK AND BLOCK AH3505 Crossbar insertion 35mm female



No. 59000483

BLOCK AND BLOCK AM3805 Crossbar insertion 38mm female



No. 59000485

BLOCK AND BLOCK AM3508 Double Bar support insertion 35mm male



No. 59000486

BLOCK AND BLOCK AH3508 Double Bar support insertion 35mm female



No. 59000487

BLOCK AND BLOCK AM3808 Double Bar support insertion 38mm female



No. 59000488

BLOCK AND BLOCK AC-G5 Adaptor for line arrays (Omega system)



No. 59000489

BLOCK AND BLOCK AC-G6 Adaptor for line arrays (GAMMA system)



No. 59007026
EUROLITE Cross Beam Q3 with Pin
Crossbeam with TV-pin for 4 spots



No. 59007028
EUROLITE Cross Beam Q2 with Pin
Crossbeam with TV-pin for 6 spots



No. 59007076
EUROLITE HLQ-306 Crossbar
Crossbeam with 36 mm stand sleeve for 6 spots




No. 59007077
EUROLITE HLQ-456 Crossbar, solid
Massive crossbeam with 36 mm stand sleeve for 6 spots, max. load WLL 110 kg



No. 59007078
EUROLITE TAH-35S Truss Adapter, small
Adapter from 80 to 175 mm, 36 mm stand sheath, max. load WLL 400 kg



No. 59007079
EUROLITE TAH-35M Truss Adapter, large
Adapter from 120 to 350 mm, 36 mm stand sheath, max. load WLL 300 kg



No. 59007080
EUROLITE TAH-35L Truss Adapter for STC-550
Adapter from 150 to 545 mm, 54 mm pin, max. load WLL 1000 kg



No. 59007082
EUROLITE TAH-35L-A2 Truss Adapter for STC-550
Adapter from 150 to 545 mm, 54 mm pin, max. load WLL 500 kg



No. 6000456F
OMNITRONIC GB-2 Stand Adaptor
Stand adaptor for 2 speakers on 1 stand



No. 59006820
EUROLITE TAH-52 Truss Adapter w/ TV Pin
Horizontal adapter with TV-pin from 160 to 405 mm, max. load WLL 180 kg



No. 59006825
EUROLITE TAV-52 Truss Adapter w/ TV Pin
Vertical adapter with TV-pin from 160 to 405 mm, max. load WLL 180 kg



No. 59007075
EUROLITE STR-3550 Adapter, Coupler
Adapter w/36 mm stand sleeve & clamp for 50 mm tube, max. load WLL 700 kg



No. 59007070

EUROLITE TVA-10S Adapter

With spigot (28 mm) & screw thread (M10 wing bolt), max. load WLL 100 kg



No. 59007071

EUROLITE TVA-10L Adapter

With spigot (28 mm), large mounting plate, max. load WLL 100 kg



No. 59007072

EUROLITE SPA-10S Adapter

For 36 mm tube with screw thread and M10 wing bolt, max. load WLL 100 kg



No. 59007073

EUROLITE SPA-10L Adapter

For 36 mm tube with large mounting plate, max. load WLL 100 kg



No. 59007074

EUROLITE STV-3528 Adapter

For stands with 35 mm tube, with 28 mm TV spigot, max. load WLL 100 kg



No. 59007081

EUROLITE STV-3529 Adapter long

Massive adapter for 35 mm tube, with 28 mm TV spigot, max. load WLL 100 kg



NEW

No. 60000726

EUROLITE TV-1 TV Spigot M-10

TV spigot (28 mm) with M10 thread



NEW

No. 60000727

EUROLITE TV-1 TV Spigot M-12

TV spigot (28 mm) with M12 thread



No. 60000730

EUROLITE TV-12 TV Spigot M12 w/head Screw

TV spigot (28 mm) with mounting plate, M12 thread knurled head screw



No. 60000735

EUROLITE TV-35 TV-Spigot for Speakers

Adapter for installing speakers on stands with TV spigot receivers



No. 6000460N

OMNITRONIC SPA-10B Stand Adapter M8

Adapter with stand sleeve for 35 mm tube, M8 thread



No. 60004616
OMNITRONIC WH-1 Wall-Mounting 30 kg max
 Wall support for speaker systems, movable and tiltable, maximum load 30 kg



No. 60004618
OMNITRONIC WH-1L Wall-Mounting 25 kg max
 Long wall support for speakers, movable and tiltable, maximum load 25 kg



No. 60004617
OMNITRONIC WH-2 Wall-Mounting 40 kg max
 Long wall support for speakers with flange, tiltable, maximum load 40 kg



No. 60004621
OMNITRONIC WH-3 Wall Mounting for Speakers
 Wall support for speaker systems, movable and tiltable, maximum load 20 kg



No. 60004610
OMNITRONIC WH-4 Wall-Mounting 25 kg max
 Extremely stable wall-mounting for all speakers with flange, maximum load 25 kg



No. 60004620
OMNITRONIC Wall-Mounting XY for Speakers
 Fixation with clamp area (130-255 mm), movable & tiltable, max. load 25 kg



No. 59006997
OMNITRONIC TV-1 Wall Mount with TV-Spigot
 Wall bracket with TV pin, max. load 30 kg



No. 60004615
OMNITRONIC Wall-Mounting N for Speakers
 Wall-mounting, inclination angle adjustable, max. load 25 kg



No. 60004550.....80 cm
 No. 60004552.....100 cm
 No. 60004554.....120 cm
OMNITRONIC Distance Tube Subwoofer/Satellite
 Variable distance tube



No. 60004558
OMNITRONIC Distance Tube Subwoofer/Satellite M20
 Variable distance tube with M20 thread, height adjustable 75-135 cm



No. 60004561
OMNITRONIC DS-1 Distance Tube Subwoofer/Satellite variable
 Variable distance tube (standard diameter 35 mm), height adjustable 70-130 cm



No. 60004559
OMNITRONIC Distance Tube Subwoofer/Satellite with Crank
 Variable distance tube (M20 thread), height adjustable via crank 80-110 cm



No. 60004022
OMNITRONIC Speaker Stand MOVE Set
 2 high-quality stands, extendible up to 185 cm, max. load 30 kg + bag



No. 60004023
OMNITRONIC Speaker Stand MOVE MK2 set
 2 high-quality stands, extendible up to 185 cm, max. load 18 kg + bag



No. 60004182
OMNITRONIC M-2 Speaker-System Stand
 Simple speaker stand, extendible up to 170 cm, max. load 30 kg



No. 60004183
OMNITRONIC M-3 Speaker-System Stand
 Speaker stand, extendible up to 170 cm, max. load 30 kg



No. 60004185
OMNITRONIC M-4 Speaker-System Stand
 Aluminum speaker stand, max. load 18 kg, height 140-345 cm



No. 60004080
OMNITRONIC BHS-48 Speaker System Stand
 Compact PRO stand, extendible (85-145 cm), max. load 35 kg



No. 60004085
OMNITRONIC BHS-48K Speaker System Stand
 Compact PRO stand, extendible (80-135 cm), max. load 30 kg



NEW
 No. 60004160
OMNITRONIC BS-1 EU Loudspeaker Stand
 Steel speaker stand, height adjustable 92-140 cm, max. load 50 kg



NEW
 No. 60004164
OMNITRONIC BS-2 EU Loudspeakerstand
 High steel speaker stand, height adjustable 117-205 cm, max. load 50 kg



No. 60004200
OMNITRONIC MO-1 Monitor Stand
 Monitor stand, extendible from 93-148 cm, max. load 18 kg



No. 60004205
OMNITRONIC MO-5 Monitor Stand 2x
 2 steel monitor stands, extendible from 75-130 cm, max. load each 30 kg



NEW
 No. 60004206
OMNITRONIC MO-6 Monitor Stand
 Stand, extendible from 75 - 119 cm, max. load 18 kg



No. 6000450M with M20 inside thread
 No. 6000450N without inside thread

OMNITRONIC Speaker System-Stand Flange

Flange with/without M20 inside thread



No. 6000456E

OMNITRONIC GB-1 Stand Adapter

Gable to fix two speakers to one stand, distance from 310 - 490 mm



NEW

No. 60004611

OMNITRONIC BIB-1 Screen Adaptor for Loudspeaker Stands

Adaptor to attach LCD monitors (13-24") to loudspeaker stand



No. 60004613

GUIL PTR-33 Screen Adaptor for Loudspeaker Stands

Adaptor to attach tv screens to loudspeaker stands



NEW

No. 6000490A for two BS-1
 No. 6000490B for BS-2

OMNITRONIC Carrying Bag for two Speaker Stands BS-1



No. 6000490N

OMNITRONIC Carrying Bag for two Speaker Stands

Bag with 120 x 15 x 15 cm dimensions for speaker stands



No. 6000580N silver
 No. 6000580P black

OMNITRONIC Microphone Stand 85-157cm

Microphone stand with stable round base, extendible from 85-157 cm



No. 6000580R

OMNITRONIC Microphone Stand 100-170cm bk

Microphone stand with stable round base, extendible from 100-170 cm



No. 60005838

OMNITRONIC Microphone Tripod MS-2 with Boom bk

Microphone tripod with adjustable boom, max. height 220 cm



No. 60005839

OMNITRONIC Microphone Tripod MS-2A with Boom bk

Simple microphone tripod with adjustable boom, max. height 220 cm



No. 60005844

OMNITRONIC Microphone Tripod with Boom, PRO bk

PRO microphone tripod with boom, max. height 220 cm



No. 60005852

OMNITRONIC AP-1 Microphone Stand black

Low microphone stand with boom, height adjustable from 50 - 80 cm



No. 60005868

OMNITRONIC Overhead Microphone Stand bk

Overhead microphone stand, max. height 390 c., long boom and balance



No. 60006009

OMNITRONIC Table Microphone Arm TMA-1N

Telescope arm with XLR cable, can be flexibly mount to tabletop



No. 60006010

OMNITRONIC Table-Microphone Arm TMA-1 bk

Telescope arm with XLR cable, can be screwed to tabletop



No. 60006011

OMNITRONIC Table-Microphone Arm TMA-2 bk

Telescope arm with XLR cable, can be screwed or mount to tabletop



No. 6000601M

OMNITRONIC Mic-Table Stand 25 cm Gooseneck black

Desk stand with 25 cm gooseneck for microphone hold



No. 6000601N

OMNITRONIC Mic-Table Stand 25cm Gooseneck sil

Desk stand with 25 cm gooseneck for microphone hold, silver



No. 6000601Q

OMNITRONIC KS-4 Table Microphone Stand

Compact table stand, can be retracted, extendible from 105 - 155 mm



No. 6000601P

OMNITRONIC Table-Microphone Stand KS-3

Very compact table stand, can be retracted



No. 6000601R

OMNITRONIC GES-1 Mic Table Stand

Mic desk stand with 17.5 cm height, also useable for capturing instruments



No. 60006013

OMNITRONIC Holder Type A f. Table-Microphone Arm bk

Clamp hold for Omnitronic desk microphone arms



No. 60006014

OMNITRONIC Holder Type B f. Table-Microphone Arm bk

Screw-on hold for Omnitronic desk microphone arms



No. 60006105

OMNITRONIC Gooseneck black XLR/XLR, 47cm

Fully wired XLR gooseneck, length 47 cm



No. 6000603M
OMNITRONIC Microphone Table Stand Boom bk
 Small mic desk stand, height 44-67 cm, useable for capturing instruments



No. 26348202
DIMAVERY Microphone Holder for Loudspeakers
 Clamp microphone holder to capture guitar or bass amps



Ø 21-26MM
 No. 6000615T
OMNITRONIC MCK-10K Microphone-Clamp flexible
 Universal microphone clamp



Ø 27-32MM
 No. 6000615W
OMNITRONIC MCK-10G Microphone-Clamp flexible
 Universal microphone clamp



Ø 19-32MM
 No. 6000614N
OMNITRONIC MCK-25 Microphone Clamp sw
 Universal microphone clamp



Ø 27-35MM
 No. 6000615X
OMNITRONIC MCK-15 Microphone-Clamp flexible
 Universal microphone clamp



Ø 18-25MM
 No. 6000614P
OMNITRONIC SLIM-01 Microphone-Clamp bl
 Universal microphone clamp



Ø 25-35MM
 No. 6000615N
OMNITRONIC MCK-30 Microphone Clamp flexible
 Universal microphone clamp



No. 13055198
RELACART M4 Microphone Clamp
 Microphone holder for wireless microphones



No. 6000616Ablack
 No. 6000615Psilver
OMNITRONIC Microphone-Shockmount 44-48mm
 Spider shock mount



No. 6000616N
OMNITRONIC Adapter Screw 1.5 cm to 1cm Knurling 10x
 Thread reducer



No. 6000618N
OMNITRONIC Adapter Screw 1,5cm to 1cm 10x
 Thread reducer



No. 6000620N
OMNITRONIC Microphone Windshield Set, 5 colors
 Microphone windscreen



No. 60006255
OMNITRONIC DSH-135 Microphone-Popfilter black
 Microphone windshield



No. 6000621N
OMNITRONIC Microphone Windshield, black, d=40-50 mm
 Microphone windscreen



No. 60006280
OMNITRONIC Microphone T-Bar for 4 Microphones



No. 6000622N
OMNITRONIC Microphone Windshield, black, HS-1000
 Microphone windscreen



No. 60006284
OMNITRONIC Microphone T-bar for 2 Microphones



No. 6000623N
OMNITRONIC Microphone Windshield skin-coloured HS 10x
 Microphone windscreen



No. 6000628D
OMNITRONIC AS-01 Microphone Absorber System
 Microphone absorber system for studio and live applications



No. 6000624N
OMNITRONIC Microphone-Pop Filter, black
 Microphone pop filter for studio applications



No. 6000628E
OMNITRONIC AS-02 Microphone-Absorber System
 Microphone absorber system for studio and live applications



No. 60006250
OMNITRONIC Microphone-Pop Filter metal, black
 Microphone pop filter for studio applications



No. 6000450P.....170 x 300 x 40 mm, grey
 No. 6000450R.....265 x 330 x 40 mm, black

OMNITRONIC Isolator Monitor Speakers
 Pads for acoustical decoupling monitor speaker and underground



No. 6000450U.....170 x 300 x 40 mm, grey
 No. 6000450V.....265 x 330 x 40 mm, black

OMNITRONIC Isolator Monitor Speakers 2x
 Pads for acoustical decoupling monitor speaker and underground



No. 30103040
OMNITRONIC LAR-12/17 Notebook-Stand
 Practical and flexible tool for on the road



No. 30103042
OMNITRONIC ELR-12/17 Notebook-Stand
 Practical and flexible tool for on the road




NEW
 No. 6000628H
OMNITRONIC PD-2 Tablet Holder for Microphone Stands



No. 30103028
OMNITRONIC PD-09 Tablet-Stand
 Practical desktop stand for iPads



NEW
 No. 30103025
OMNITRONIC TST-1T Tablet-Stand



No. 5900698E.....silver
 No. 5900698G.....black
EUROLITE FS-2 Floorstand, Steel
 Floor stand for spots



No. 5900698A.....suitable for spots up to 10 kg, black
 No. 5900698B.....suitable for spots up to 10 kg, silver
 No. 5900698D.....suitable for spots up to 25 kg, black
EUROLITE FS-1 Floorstand, Steel
 Floor stand for spots



No. 6000735M
OMNITRONIC Wall-Mount Acoustic Guitar
 Guitar wall holder



No. 6000735P
OMNITRONIC E-guitar Wall Mount
 Guitar wall holder



No. 26348020
DIMAVERY E-guitar Wall Mount
 Guitar wall holder



No. 26348022
DIMAVERY Wall-Mount Acoustic Guitar
 Guitar wall holder



No. 26348024
DIMAVERY Guitar Wall-Mount
 Stable guitar wall mount



No. 26348035
DIMAVERY Guitar Wall-Mount WOOD
 Wall-mount for guitar made of wood



No. 26348025
DIMAVERY Guitar Wall-Mount ECO
 Stable guitar wall mount



No. 26348026
DIMAVERY Guitar Wall-Mount ECO II
 Stable guitar wall mount



No. 60006290
OMNITRONIC MDP-1 Microphone Holder for Drums



No. 60006292
OMNITRONIC MDP-2 Microphone Holder for Drums



No. 60006296
OMNITRONIC MDM-2 Microphone Holder for Drums



No. 60006310
OMNITRONIC Adapter for Camera to Microphone Stands
 Adapter Microphonestand to camera



No. 26702102
DIMAVERY KEB-1 Keyboard Bench
 Hinged keyboard bench



No. 26335010
DIMAVERY Footstool Iron
 Footstool for Guitar



No. 26702086
DIMAVERY Sheet Holder for Keyboard Stands
 Sheet holder, height adjustable from 500 - 650 mm



No. 26880012
DIMAVERY NTS-1 Music Stand, black
 Music stand with adjustable height in noble black color



No. 26880028
DIMAVERY Orchestra Stand
 Orchestra stand with adjustable height in black color



No. 60007603
OMNITRONIC VE-2 Amp Stand
 Stand for amplifiers



No. 26348198
DIMAVERY VE-2 Amp Stand
 Stand for amplifiers



No. 26348045.....black
 No. 26348046.....silver
DIMAVERY Guitar Stand ECO
 Height adjustable guitar stand



No. 26348048.....for Acoustic Guitar
 No. 26348049.....for E-guitar
DIMAVERY Guitar Stand for Acoustic Guitar black
 Stand for electronic and acoustic guitars and electric bass



No. 26348047
DIMAVERY Guitar Stand foldable bk
 Stand for electronic and acoustic guitars and electric bass



No. 26348110
DIMAVERY Guitar Stand 3-fold bk
 Stand for 3 guitars or basses

STANDS & SPEAKER-STANDS

Diverse Stands



No. 26348200
DIMAVERY Amp Stand heavy
 Stand for amplifiers



No. 26460055
DIMAVERY Violin-Stand foldable
 Instrument stand



No. 26460056
DIMAVERY Stand for Cello / Double Bass
 Instrument stand



No. 26600070
DIMAVERY Stand for Euphonium/Baritone
 Stand for euphonium and baritone black



No. 26600040
DIMAVERY Stand for Trumpet, black
 Stand for trumpet black



No. 26600035
DIMAVERY Stand for Saxophone sil
 Stand for saxophone chrome



No. 26600010
DIMAVERY Stand f. Saxophone + 1 Clarinet
 Stand for saxophone and clarinet black



No. 26600030
DIMAVERY Stand for Saxophone, black
 Stand for saxophone black



No. 26600045.....silver
 No. 26600080.....black
DIMAVERY Stand for Trombone
 Stand for trombone



No. 26600095
DIMAVERY Stand for Frenchhorn, black
 Stand for French horn black



No. 26702082
 No. 26702084.....flexible
DIMAVERY Expansion for Keyboard Stands
 Expansion for keyboard stands



No. 60011045
OMNITRONIC Expansion for Keyboard Stands
 Expansion for keyboard stands



No. 26702052.....4 cross connections
 No. 26702058.....2 cross connections
DIMAVERY SV-1 Keyboard Stand with Clamp Lock
 Stable Keyboard stand



No. 26702061.....SL-5, bolt with spring
 No. 26702062.....SL-3, quick-lock
DIMAVERY SL Keyboard Stand
 Keyboard stand



No. 26702080
DIMAVERY Microphone Arm for Keyboard Stands
 Extension for keyboard stands



No. 26600060
DIMAVERY Stand for Clarinet or Flute, bl
 Stand for clarinet and flute black




 No. 8331207H.....white
 No. 8331207K.....black
EXPAND XPTOW Deskcover one side open white
 For tables up to 2.4x1m




No. 8331207C
EXPAND XPSC2 Screen 150x200cm
 Projection screen




 No. 83312082.....white, one side
 No. 83312084.....white, three sides
 No. 83312086.....black, three sides
EXPAND Cover
 Cover for lighting stands up to 3.1 m




 No. 83312083.....white
 No. 83312087.....black
EXPAND XPS2GW Tripod Cover two sides
 Cover for lighting stands up to 3.1 m




 No. 83312090.....one side
 No. 83312092.....two sides
 No. 83312093.....one side, stretchable 0.8 - 1.2 m
 No. 83312094.....three sides
 No. 83312071.....Mounting Disc
EXPAND XPS1KW Tripod Cover white
 Cover for speaker stands up to 2.2 m




 No. 83312104
EUROPALMS Tripod Cover white three-sides
 Cover for lighting stands




 No. 83312100.....white
 No. 83312101.....black
EXPAND XPXSW Cover for Keyboard Stand
 Flexible keyboard stands cover



 No. 83312102
EUROPALMS Cover for Keyboard Stand white
 Flexible keyboard stands cover

TRUSSING

DECOTRUSS ST 3	372
DECOLOCK DQ1	374
SINGLELOCK SP 1	375
SINGLELOCK PSP	378
DECOLOCK DQ2	379
BILOCK BQ2	382
BILOCK E-GL22	386
DECOLOCK NDQ3	388
DECOLOCK DQ3	389
TRILOCK 6082	393
TRILOCK E-GL	398
DECOLOCK DQ4	402
QUADLOCK 6082	404
TQ-390	407
QUADLOCK QL-ET	408
QUADLOCK GL400	410
TOWERTRUSS	412
Groundsupport	413
Stage Elements	414
Accessories conus system	418
Truss cover	424
Transport system	425
Accessories	426
Furniture	428



TRUSSING

Whether at concerts, shows, galas or exhibitions – many events could hardly be realized without trussing. And what is the consequence of this vital position within the industry? Quality has to be perfect, of course. Long-lived partnerships with renowned suppliers enable us to keep a high standard.

Such a standard also includes the service to paint all our ALU-TRUSS systems in any RAL color and in customized lengths – and with a short time delivery. An ample accessory with hooks, clamps, cases, transport carts, lifting towers and so forth tops off the offer.

Among our trussing, you find everything from decoration systems (DECOTRUSS and DECOLOCK) and systems which can also be used for mobile installations to permanent, heavy load systems.

While most of our systems are equipped with cones, pivots and pins for connection, DECOTRUSS, BISYSTEM and TRISYSTEM are connected with bolts and nuts. Please note: This systems must never be combined with any other systems!




- Systems are available in RAL and special varnishing on request
- All sizes available
- Near-term delivery



ALUTRUSS elements are made in Europe

* Except the EUROLITE Decotruss system!








- No. 60112006.....ST-250
- No. 60112014.....ST-450
- No. 60112017.....ST-470
- No. 60112024.....ST-500
- No. 60112034.....ST-1000
- No. 60112044.....ST-1500
- No. 60112054.....ST-2000

DECOTRUSS Truss silver



Decotruss

This truss system is a mere decoration system convincing by its compact dimensions, low storage requirements and easy transportation. It has not been designed for heavy loads.

With its minimal outer dimensions of 150 mm, DECOTRUSS is ideal for creating individual design-elements in decorative areas of private homes, fair booths, shops, discotheques and theatres.

Technical specifications:

Device:	60112006	60112014	60112017	60112024	60112034	60112044	60112054
Longitudinal tubes:	15 x 1.5 mm	15 x 1.5 mm	15 x 1.5 mm	15 x 1.5 mm	15 x 1.5 mm	15 x 1.5 mm	15 x 1.5 mm
Cross bracing:	5 mm	5 mm	5 mm	5 mm	5 mm	5 mm	5 mm
Dimensions:	250 x 150 x 130 mm	450 x 150 x 130 mm	470 x 150 x 130 mm	500 x 150 x 130 mm	1000 x 150 x 130 mm	1500 x 150 x 130 mm	2000 x 150 x 130 mm
Weight:	0.85 kg	1.18 kg	1.20 kg	1.26 kg	2.30 kg	3.40 kg	4.55 kg

No. 60112074
DECOTRUSS SAC-19 Corner 2-Way 45° silver

No. 60112078
DECOTRUSS SAC-20 corner 2-way 60° silver

No. 60112084
DECOTRUSS SAC-21 corner 2-way 90° silver


No. 60112104
DECOTRUSS SAC-23 Corner 2-Way 135° silver

No. 60112114
DECOTRUSS SAC-24 Corner 90° silver


No. 60112174
DECOTRUSS SAL-33 corner 3-way V right silver

No. 60112124
DECOTRUSS SAC-25 Corner V 90° silver


No. 60112180
DECOTRUSS SAL-34 corner 3-way V left silver




No. 60112134
DECOTRUSS SAC-26 Corner vertical right si




No. 60112194
DECOTRUSS SAC-41 crossing 4-way silver




No. 60112144
DECOTRUSS SAC-27 Corner vertical left sil




No. 60112154
DECOTRUSS SAL-31 Corner 3-Way ^ right si




No. 60112164
DECOTRUSS SAL-32 Corner 3-Way ^ left sil




No. 60112224
DECOTRUSS SAT-35 T-piece 3-way vertical



No. 60112234
DECOTRUSS SAT-36 T-piece 3-way horizontal



No. 60112244
DECOTRUSS SAT-42 4-way piece V silver



No. 60112254
DECOTRUSS SAT-43 4-way piece ^ silver



No. 60112380
DECOTRUSS Bolt Set



No. 60112365
DECOTRUSS Circle-Piece 1570mm for 3 Meter
6 segments are needed for a 3m circle-piece




No. 60112360
DECOTRUSS Circle-Piece 1570mm for 2 Meter
4 segments are needed for a 2m circle-piece

Materials used:

Alloy EN-AW 6060 T66 (AlMgSi0,5 T66)
Main chords 35 x 2 mm

Accessory/truss 1x connecting cone, 2x pivot, 2x pin
Item No. 6030178U

Load table DQ1:		
Span (m)	Point load (kg)	UDL (kg/m)
1	56	113
2	28	28
3	19	13
4	14	7



Decolock

DECOLOCK has been designed for decorative use. Due to its aesthetic optics, it can be used for temporary as well as permanent installations. The advantage of this system is its light weight and its quick and easy installation.


The documentation of this truss system is closely related to the Codes of Practice SQ P1 - Truss Systems published by the IGWW/PLASA.

Maximum system length: 4 meters


- No. 60301480.....DQ1-500
- No. 60301482.....DQ1-1000
- No. 60301484.....DQ-1500
- No. 60301486.....DQ1-2000
- No. 60301488.....DQ1-2500
- No. 60301489.....DQ1-3000




ALUTRUS DECOLOCK DQ1 1-way Cross Beam




No. 6030148C
ALUTRUS DECOLOCK DQ1-C19 2-Way Corner 45°



No. 6030148E
ALUTRUS DECOLOCK DQ1-C20 2-Way Corner 60°



No. 6030148G
ALUTRUS DECOLOCK DQ1-C21 2-Way Corner 90°



No. 6030148K
ALUTRUS DECOLOCK DQ1-C22 2-Way Corner 120°



No. 6030148M
ALUTRUS DECOLOCK DQ1-C23 2-Way Corner 135°




No. 6030148P
ALUTRUS DECOLOCK DQ1-T35 3-Way Corner 90°



No. 6030148T
No. 6030148U.....with Connection Set
ALUTRUS DECOLOCK DPB Base Plate for DQ1



No. 6030148R
No. 6030148V.....with Connection Set
ALUTRUS DECOLOCK DBP-R Base Plate for DQ1



Singlelock

Materials used:

Alloy: EN-AW 6060 T66 (AlMgSi0,5 T66)

Main chords: 50 x 2 mm









Load table SP:		
Span (m)	Point load (kg)	UDL (kg/m)
0,5	230	465,0
1,0	115	225,0
1,5	75	150,0
2,0	55	110,0
2,5	45	90,0
3,0	35	75,0
3,5	30	63,0
4,0	25	53,0




- No. 60210010..... SP-500
- No. 60210020..... SP-1000
- No. 60210030..... SP-1500
- No. 60210040..... SP-2000
- No. 60210050..... SP-2500
- No. 60210060..... SP-3000


ALUTRUSS SINGLELOCK SP QUICK-LOCK Pipe

Maximum system-length: 4 meters





No. 60210150
ALUTRUSS SINGLELOCK SH-42 4-way Corner 90°



No. 60210152
ALUTRUSS SINGLELOCK SH-90 5-way Corner 90°




No. 6021018A 1,5 m, 90°
No. 6021018B 2 m, 90°
No. 6021018D 3 m, 90°
No. 6021018E 4 m, 90°
No. 6021018G 5 m, 45°
No. 6021018K 6 m, 45°
ALUTRUSS SINGLELOCK Element f.Circle



No. 6021018N 1 m
No. 6021018P 1,5 m
No. 6021018Q 2 m
No. 6021018R 3 m
No. 6021018S 4 m
No. 6021018T 5 m
No. 6021018V 6 m
ALUTRUSS SINGLELOCK Circle (inner)



No. 60210132
ALUTRUSS SINGLELOCK SV-22 120° M-12




No. 60210141
ALUTRUSS SINGLELOCK SV-23 135° M-12



No. 6021017M
ALUTRUSS SINGLELOCK Baseplate BPG-1R



No. 60210182
ALUTRUSS SINGLELOCK Base Plate SBPR (round)



No. 60210180 silver
No. 60210184 black
ALUTRUSS SINGLELOCK Base Plate SBP (square)



No. 60210181 silver
No. 60210183 black
ALUTRUSS SINGLELOCK Base Plate SBPM (square) MALE



No. 60210187
ALUTRUSS SINGLELOCK SBPM Male with Connector Set



No. 6021017N
ALUTRUSS SINGLELOCK Baseplate BPG-1E



No. 60210185
ALUTRUS SINGLELOCK FC-90 (M-12)



No. 60210186
ALUTRUS SINGLELOCK Indoor Base




No. 60210190
ALUTRUS SINGLELOCK water tank
Foldable water tank



Materials used:


Alloy: EN-AW 6060 T66 (AlMgSi0,5 T66)
 Main chords: 50 x 3 mm




No. 60210195.....	PSP-500
No. 60210196.....	PSP-1000
No. 60210197.....	PSP-1500
No. 60210198.....	PSP-2000
No. 60210199.....	PSP-2500
No. 6021019A.....	PSP-3000

ALUTRUS SINGLELOCK POWER PSP QUICK-LOCK Pipe


Singlelock PSP




No. 6021019B
 ALUTRUS SINGLELOCK POWER PAC-20 Corner 60°




No. 6021019C
 ALUTRUS SINGLELOCK POWER PAC-21 Corner 90°



No. 6021019D
 ALUTRUS SINGLELOCK POWER PAC-22 Corner 120°




No. 6021019E
 ALUTRUS SINGLELOCK POWER PAC-23 Corner 135°



No. 6021019F
 ALUTRUS SINGLELOCK POWER PAL-31 3 Way 90°





- No. 60301505.....DQ2-200
- No. 60301507.....DQ2-250
- No. 60301510.....DQ2-500
- No. 60301511.....DQ2-750
- No. 60301512.....DQ-1000
- No. 60301514.....DQ-1500
- No. 60301516.....DQ2-2000
- No. 60301518.....DQ2-2500
- No. 60301520.....DQ2-3000
- No. 60301524.....DQ2-4000

ALUTRUS DECOLOCK DQ2 2-way cross beam


Materials used:

- Alloy EN-AW 6060 T66 (AlMgSi0.5 T66)
- Main chords 35 x 2 mm
- Braces 10 x 2 mm
- Accessory/truss 2 x connecting cone, 4x pivot, 4x pin
- Item No. 60301590


Load table DQ2:		
Span (m)	Point load (kg)	UDL (kg/m)
2	196	191
4	96	48
6	63	21
8	44	11
10	33	7

Maximum system length: 12 meters


Decolock DQ2




No. 60301530
ALUTRUS DECOLOCK DQ2-PAC19H 2-way Corner 45°




No. 60301531
ALUTRUS DECOLOCK DQ2-PAC19V 2-way Corner 45°




No. 60301532
ALUTRUS DECOLOCK DQ2-PAC20H 2-way Corner 60°




No. 60301533
ALUTRUS DECOLOCK DQ2-PAC20V 2-way Corner 60°




No. 60301534
ALUTRUS DECOLOCK DQ2-PAC21H 2-way Corner 90°




No. 60301535
ALUTRUS DECOLOCK DQ2-PAC21V 2-way Corner 90°




No. 60301536
ALUTRUS DECOLOCK DQ2-PAC22H 2-way Corner 120°




No. 60301537
ALUTRUS DECOLOCK DQ2-PAC22V 2-way Corner 120°




No. 60301538
ALUTRUSS DECOLOCK DQ2-PAC23H 2-way Corner 135°




No. 60301539
ALUTRUSS DECOLOCK DQ2-PAC23V 2-way Corner 135°




No. 60301544
ALUTRUSS DECOLOCK DQ2-PAL31H 3-way Corner 90°




No. 60301545
ALUTRUSS DECOLOCK DQ2-PAL31V 3-way Corner 90°




No. 60301552
ALUTRUSS DECOLOCK DQ2-PAT35H 3-way T-Piece 90°




No. 60301554
ALUTRUSS DECOLOCK DQ2-PAT36V 3-way T-Piece 90°




No. 60301558
ALUTRUSS DECOLOCK DQ2-PAC41H 4-way Cross Piece




No. 60301559
ALUTRUSS DECOLOCK DQ2-PAC41V 4-way Cross Piece




No. 60301560
ALUTRUSS DECOLOCK DQ2-PAT42H 4-way T-Piece



No. 60301561
ALUTRUSS DECOLOCK DQ2-PAT42V 4-way T-Piece



No. 60301564
ALUTRUSS DECOLOCK DQ2-PAC44H 4-way Corner




No. 60301565
ALUTRUSS DECOLOCK DQ2-PAC44V 4-way Corner



- No. 6030156F 1 m, 4tlg
- No. 6030156G 1.5 m, 4tlg
- No. 6030156H 2 m, 4tlg
- No. 6030156J 3 m, 4tlg
- No. 6030156K 4 m, 4tlg
- No. 6030156L 5 m, 8tlg
- No. 6030156M 6 m, 8tlg

ALUTRUSS DECOLOCK DQ2 Circle (inside) horizontal



- No. 6030156P 1 m, 4tlg
- No. 6030156Q 1.5 m, 4tlg
- No. 6030156R 2 m, 4tlg
- No. 6030156S 3 m, 4tlg
- No. 6030156T 4 m, 4tlg
- No. 6030156U 5 m, 8tlg
- No. 6030156W 6 m, 8tlg

ALUTRUSS DECOLOCK DQ2 Circle (inside) vertical



- No. 6030156Y 1 m, 90°
- No. 60301570 1.5 m, 90°
- No. 6030157A 2 m, 90°
- No. 6030157B 3 m, 90°
- No. 6030157C 4 m, 90°
- No. 6030157D 5 m, 45°
- No. 6030157E 6 m, 45°

ALUTRUSS DECOLOCK DQ2 Element f.Circle hor.



- No. 6030156Z 1 m, 90°
- No. 6030157H 1.5 m, 90°
- No. 6030157J 2 m, 90°
- No. 6030157K 3 m, 90°
- No. 6030157L 4 m, 90°
- No. 6030157M 5 m, 45°
- No. 6030157N 6 m, 45°

ALUTRUSS DECOLOCK DQ2 Element f.Circle vert.



No. 60301580
ALUTRUSS DECOLOCK DQ2-BP Base Plate



No. 60301585
ALUTRUSS DECOLOCK DQ2-BPM Base Plate MALE



No. 60301582
ALUTRUSS DECOLOCK DQ2-WP Wall Mounting Plate



No. 60301586
ALUTRUSS DECOLOCK DQ2-WPM Wall Mounting Plate MALE



No. 60301587
ALUTRUSS DECOLOCK DQ2-WPM with Connection Set



No. 60301590
ALUTRUSS DECOLOCK DQ2 Connecting Cone/Pivot/Pin



No. 60301591
ALUTRUSS DECOLOCK Halfconical Adapter Set DQ2 M8

Materials used:

Alloy EN-AW 6082 T6 (AlSi1MgMn T6)
 Main chords 50 x 2 mm
 Braces 16 x 2 mm
 Accessory/truss 2 x connecting cone, pivot, pin
 Item number 6030199C


Load table BQ2:				
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	698	2.2	350	1.4
4	396	9.8	174	10.9
6	263	22.1	88	27.6
8	198	39.3	49	49.1
10	158	61.4	32	76.7
12	131	88.4	22	110.5
14	113	120.3	16	150.4
16	99	157.1	12	196.4

Maximum system length: 16 meters



- No. 60210205..... BQ2-290
- No. 60210210..... BQ2-500
- No. 60210211..... BQ2-710
- No. 60210212..... BQ2-1000
- No. 60210215..... BQ2-1500
- No. 60210216..... BQ2-2000
- No. 60210218..... BQ2-2500
- No. 60210220..... BQ2-3000
- No. 60210224..... BQ2-4000
- No. 60210226..... BQ2-5000

ALUTRUS BILOCK BQ2 2-way Cross Beam



Bilock BQ2

No. 60210230
ALUTRUS BILOCK BQ2-PAC19H 2-way Corner 45°

No. 60210231
ALUTRUS BILOCK BQ2-PAC19V 2-way Corner 45°

No. 60210232
ALUTRUS BILOCK BQ2-PAC20H 2-way Corner 60°

No. 60210233
ALUTRUS BILOCK BQ2-PAC20V 2-way Corner 60°

No. 60210234
ALUTRUS BILOCK BQ2-PAC21H 2-way Corner 90°

No. 60210235
ALUTRUS BILOCK BQ2-PAC21V 2-way Corner 90°













No. 60210236
ALUTRUS BILOCK BQ2-PAC22H 2-way Corner 120°


No. 60210238
ALUTRUS BILOCK BQ2-PAC23H 2-way Corner 135°

2-POINT SYSTEMS




BILOCK BQ2





- No. 6021026T d=1 m
 - No. 6021026V d=1,5 m
 - No. 60210270 d=2 m
 - No. 60210272 d=3 m
 - No. 60210274 d=4 m
 - No. 60210276 d=5 m
 - No. 60210278 d=6 m
- ALUTRUSS BILOCK Circle (inside) horizontal**



- No. 6021026U d=1 m
 - No. 6021026W d=1,5 m
 - No. 60210271 d=2 m
 - No. 60210273 d=3 m
 - No. 60210275 d=4 m
 - No. 60210277 d=5 m
 - No. 60210279 d=6 m
- ALUTRUSS BILOCK Circle (inside) vertical**



No. 60210300
ALUTRUSS BILOCK Base Plate BLBP



No. 60210302
ALUTRUSS BILOCK Base Plate BLB male



No. 60210303
ALUTRUSS BILOCK BLB male with Connection Set



mondo **stadia**

THE INTERNATIONAL PUBLICATION FOR TECHNOLOGY IN SPORTING VENUES



REGISTER YOUR INTEREST FOR MONDO*STADIA

WWW.MONDOSTADIA.COM



GET INVOLVED WITH MONDO*STADIA

S.HUGHES@MONDIALE.CO.UK


A PUBLICATION BRIGHT TO YOU BY

mondo **dr**

Materials used:
 Alloy EN-AW 6082 T6 (ASi1MgMn)
 Main chords 50 x 2 mm
 Braces 20 x 2 mm
 Accessory/truss 2 x connecting cone, 4x pivot, 4x pin
 Item No. 60302142

Load table BQ2:

Span (m)	Point load (kg)	Deflection (mm)
2	673	673
4	333	166
6	228	76
8	170	43
10	135	27
12	110	18




Bilock E-GL22

Maximum system-length: 12 meters



- No. 60302065.....E-GL22 290
- No. 60302068.....E-GL22 500
- No. 60302072.....E-GL22 710
- No. 60302076.....E-GL22 1000
- No. 60302082.....E-GL22 1500
- No. 60302086.....E-GL22 2000
- No. 60302091.....E-GL22 2500
- No. 60302095.....E-FL22 3000
- No. 60302099.....E-GL22 4000
- No. 6030209C.....E-GL22 5000


ALUTRUSS BILOCK E-GL22 2-way Cross Beam




No. 6030209F
ALUTRUSS BILOCK E-GL22 C19-H 2-way Corner 45°





No. 6030209K
ALUTRUSS BILOCK E-GL22 C19-V 2-way Corner 45°




No. 6030209P
ALUTRUSS BILOCK E-GL22 C20-H 2-way Corner 60°



No. 6030209T
ALUTRUSS BILOCK E-GL22 C20-V 2-way Corner 60°




No. 6030209W
ALUTRUSS BILOCK E-GL22 C21-H 2-way Corner 90°



No. 6030209Z
ALUTRUSS BILOCK E-GL22 C21-V 2-Way Corner 90°





No. 60302101
ALUTRUSS BILOCK E-GL22 C22-H 2-Way Corner 120°





No. 60302103
ALUTRUSS BILOCK E-GL22 C22-V 2-Way Corner 120°





No. 60302105
ALUTRUSS BILOCK E-GL22 C23-H 2-Way Corner 135°



No. 60302107
ALUTRUSS BILOCK E-GL22 C23-V 2-Way Corner 135°



No. 60302111
ALUTRUSS BILOCK E-GL22 C31-H 3-way corner 90°



No. 60302113
ALUTRUSS BILOCK E-GL22 C31-V 3-way corner 90°



No. 60302115
ALUTRUSS BILOCK E-GL22 T35-H 3-Way Corner 90°



No. 60302117
ALUTRUSS BILOCK E-GL22 T35-V 3-Way Corner 90°



No. 60302119
ALUTRUSS BILOCK E-GL22 C41-H 4-Way Cross



No. 60302121
ALUTRUSS BILOCK E-GL22 C41-V 4-Way Cross



No. 60302123
ALUTRUSS BILOCK E-GL22 T42-H 4-Way Corner 90°


No. 60302125
ALUTRUSS BILOCK E-GL22 T42-V 4-Way Corner 90°

No. 60302127
ALUTRUSS BILOCK E-GL22 C44-H 4-Way Corner 90°

No. 60302129
ALUTRUSS BILOCK E-GL22 C44-V 4-Way Corner 90°



No. 60302131.....male
No. 60302133.....female
No. 60302135.....Wallplate

ALUTRUSS BILOCK E-GL22 Baseplate

Materials used:
 Alloy EN-AW 6060 T6 (AlMgSi T6)
 Main chords 35 x 1,5 mm
 Braces 8 mm
 Accessory/truss 3 x connection cone, pivot, pin

Load table NDQ3 DECOLOCK				
Span (m)	Distributed load (kg/m)	Deflection (mm)	Center point load (kg)	Deflection (mm)
1,0	420	0,1	258	0,1
2,0	208	1,1	198	0,8
3,0	137	3,5	161	2,2
4,0	99	8,1	135	4,4
5,0	85	13,0	117	7,4
6,0	48	19,0	103	11,3
7,0	34	26,0	92	16,0
8,0	26	34,2	83	21,6
9,0	21	43,4	76	28,1
10,0	17	53,8	69	35,4



including connecting cone

Decolock NDQ3 Series

„May it be a little less?“

Sounds weird, but with the Decolock NDQ3 you'll have to do without a lot. Above all, the high weight and high price. Compared to the standard system DQ3, the NDQ3 is characterized by lower weight and a lower price. Thus, Alutrus responds to the request of many customers for such a 3-point trussing in exactly this form - but then also slightly less resilient.

Nevertheless, the NDQ3 is by no means a pure decoration system, such as Decotrus. It is tested and official load charts are available. It may and should therefore be used for small functions in event technology and be loaded accordingly.

Maximum system length: 10 meters

NEW



- No. 60207100.....NDQ3-500
- No. 60207102.....NDQ3-1000
- No. 60207104.....NDQ3-1500
- No. 60207106.....NDQ3-2000
- No. 60207108.....NDQ3-2500
- No. 60207110.....NDQ3-3000

ALUTRUS DECOLOCK NDQ3 3-Way Cross Beam

NEW



No. 60207116
 ALUTRUS DECOLOCK NDQ3-PAC21 2-Way Corner 90°

NEW



No. 60207118
 ALUTRUS DECOLOCK NDQ3-PAC25 2-Way Corner 90°

NEW



No. 60207120
 ALUTRUS DECOLOCK NDQ3-PAL34 3-Way Corner 90°

NEW




No. 60207122
 ALUTRUS DECOLOCK NDQ3-PAT35 3-Way T-Piece 90°

Materials used:

Alloy EN-AW 6060 T66 (AlMgSi0.5 T66)
 Main chords 35 x 2 mm
 Braces 10 x 2 mm
 Accessory/truss 3 x connecting cone, 6x pivot, 6x pin
 Item number 6030168B

Maximum system length: 16 meters


Load table DECOLOCK DQ3:				
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	204	1,6	204	1,9
4	102	6,2	51	7,8
6	68	14,0	22	17,4
8	51	24,8	13	31,0
10	41	38,8	8	48,5
12	34	55,8	6	69,8
14	30	76,0	4	95,0
16	25	99,2	3	124,0




- No. 60301605..... DQ3-200
- No. 60301606..... DQ3-250
- No. 60301610..... DQ3-500
- No. 60301611..... DQ3-750
- No. 60301612..... DQ3-1000
- No. 60301614..... DQ3-1500
- No. 60301616..... DQ3-2000
- No. 60301618..... DQ3-2500
- No. 60301620..... DQ3-3000
- No. 60301624..... DQ3-4000

ALUTRUS DECOLOCK DQ3 3-Way Cross Beam


Decolock DQ3



No. 60301630
ALUTRUS DECOLOCK DQ3-PAC19 2-Way Corner 45°




No. 60301632
ALUTRUS DECOLOCK DQ3-PAC20 2-Way Corner 60°




No. 60301634
ALUTRUS DECOLOCK DQ3-PAC21 2-Way Corner 90°




No. 60301636
ALUTRUS DECOLOCK DQ3-PAC22 2-Way Corner 120°




No. 60301638
ALUTRUS DECOLOCK DQ3-PAC23 2-Way Corner 135°




No. 60301640
ALUTRUS DECOLOCK DQ3-PAC24 2-Way Corner 90°




No. 60301642
ALUTRUS DECOLOCK DQ3-PAC25 2-Way Corner 90°




No. 60301644
ALUTRUS DECOLOCK DQ3-PAL31 3-Way Corner 90°




No. 60301646
ALUTRUSS DECOLOCK DQ3-PAL32 3-Way Corner 90°




No. 60301648
ALUTRUSS DECOLOCK DQ3-PAL33 3-Way Corner 90°




No. 60301650
ALUTRUSS DECOLOCK DQ3-PAL34 3-Way Corner 90°




No. 60301652
ALUTRUSS DECOLOCK DQ3-PAT33 3-Way T-Piece 90°



No. 60301654
ALUTRUSS DECOLOCK DQ3-PAT36 3-Way T-Piece 90°




No. 60301656
ALUTRUSS DECOLOCK DQ3-PAT37 3-Way T-Piece 90°




No. 60301657
ALUTRUSS DECOLOCK DQ3-PAT38 3-Way T-Piece 90°




No. 60301658
ALUTRUSS DECOLOCK DQ3-PAC41 4-Way Cross Piece




No. 60301660
ALUTRUSS DECOLOCK DQ3-PAT42 4-Way T-Piece V



No. 60301662
ALUTRUSS DECOLOCK DQ3-PAT43 4-Way T-Piece A



No. 60301664
ALUTRUSS DECOLOCK DQ3-PAC44 4-Way Corner left





No. 60301666
ALUTRUSS DECOLOCK DQ3-PAC45 4-Way Corner right

3-POINT SYSTEMS


Made in Europe

DECOLOCK DQ3


alutruSS




No. 60301668
ALUTRUSS DECOLOCK DQ3-PAT51 5-Way Corner V




No. 60301670
ALUTRUSS DECOLOCK DQ3-PAC52 5-Way Corner A



No. 60301672
ALUTRUSS DECOLOCK DQ3-PAC53 5-Way Corner V



No. 60301675
ALUTRUSS DECOLOCK DQ3-PAC24R 2-Way Corner 90°



No. 60301677
ALUTRUSS DECOLOCK DQ3-PAC25R 2-Way Corner 90°



No. 60301680
ALUTRUSS DECOLOCK DQ3-BP Base Plate



No. 60301682
ALUTRUSS DECOLOCK DQ3-WP Wall Mounting Plate




No. 60301684
ALUTRUSS DECOLOCK DQ3-BPM Base Plate MALE



No. 60301685
ALUTRUSS DECOLOCK DQ3-BPM MALE with Connection Set





No. 60301686
ALUTRUSS DECOLOCK DQ3-WPM Wall Mounting Plate MALE



No. 6030168B
ALUTRUSS DECOLOCK DQ3 Connecting Cone/Pivot/Pin





No. 6030168C
ALUTRUSS DECOLOCK Halfconical Adapter Set DQ3 M8



No. 6030168F..... d=2 m
 No. 6030168G..... d=3 m
 No. 6030168H..... d=4 m
 No. 6030168J..... d=5 m
 No. 6030168K..... d=6 m

ALUTRUSS DECOLOCK DQ-3 Circle (inside) \wedge



No. 6030168L..... d=2 m
 No. 6030168M..... d=3 m
 No. 6030168N..... d=4 m
 No. 6030168P..... d=5 m
 No. 6030168R..... d=6 m

ALUTRUSS DECOLOCK DQ-3 Circle (inside) \lt



No. 6030168S..... d=2 m
 No. 6030168T..... d=3 m
 No. 6030168U..... d=4 m
 No. 6030168V..... d=5 m
 No. 6030168W..... d=6 m

ALUTRUSS DECOLOCK DQ-3 Circle (inside) \gt



No. 60301690..... d=2 m, 90°
 No. 60301691..... d=3 m, 90°
 No. 60301692..... d=4 m, 90°
 No. 60301693..... d=5 m, 45°
 No. 60301694..... d=6 m, 45°

ALUTRUSS DECOLOCK DQ-3 Circle Element \wedge 90°


No. 60301695..... d=2 m, 90°
 No. 60301696..... d=3 m, 90°
 No. 60301697..... d=4 m, 90°
 No. 60301698..... d=5 m, 45°
 No. 6030169A..... d=6 m, 45°

ALUTRUSS DECOLOCK DQ-3 Circle Element \lt

No. 6030169B..... d=2 m, 90°
 No. 6030169C..... d=3 m, 90°
 No. 6030169D..... d=4 m, 90°
 No. 6030169E..... d=5 m, 45°
 No. 6030169F..... d=6 m, 45°

ALUTRUSS DECOLOCK DQ-3 Circle Element \gt




Materials used:


Alloy EN-AW 6082 T6 (AlSi1MgMn)
 Main chords 50 x 2 mm
 Braces 16 x 2 mm
 Accessory/truss 3 x connecting cone, 6x pivot, 6x pin
 Item No. 60301895

Load table TRILOCK 6082:				
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	718	2,2	718	2,8
4	359	8,9	179	11,1
6	240	20,0	80	25,0
8	179	35,6	45	44,5
10	144	55,6	29	69,5
12	119	80,1	20	100,1
14	103	109,0	14	136,3
16	90	142,4	11	178,0

Maximum system length: 16 meters




Trilock 6082



- No. 60302350.....6082-210
- No. 60302353.....6082-290
- No. 60302355.....6082-500
- No. 60302357.....6082-710
- No. 60302358.....6082-1000
- No. 60302359.....6082-1500
- No. 60302360.....6082-2000
- No. 60302362.....6082-2500
- No. 60302364.....6082-3000
- No. 60302365.....6082-3500
- No. 60302366.....6082-4000
- No. 60302367.....6082-4500
- No. 60302368.....6082-5000

ALUTRUSS TRILOCK 6082 3-Way Cross Beam




- No. 60302530.....6082 S-210
- No. 60302531.....6082 S-290
- No. 60302532.....6082 S-500
- No. 60302534.....6082 S-1000
- No. 60302535.....6082 S-2000
- No. 60302536.....6082 S-2500
- No. 60302537.....6082 S-3000
- No. 60302538.....6082 S-4000
- No. 60302539.....6082 S-5000

ALUTRUSS TRILOCK 6082 3-Way Cross Beam black




- No. 60302380.....silver
- No. 6030253F.....black

ALUTRUSS TRILOCK 6082AC-19 2-Way Corner 45°




- No. 60302383.....silver
- No. 6030253G.....black


ALUTRUSS TRILOCK 6082AC-20 2-Way Corner 60°




- No. 60302384
- ALUTRUSS TRILOCK 6082AC-20-3 3-Way Corner 60°



- No. 60302385
- ALUTRUSS TRILOCK 6082AC-20-4 4-Way Corner 60°





- No. 60302386.....silver
- No. 6030253H.....black





- No. 60302388.....silver
- No. 6030253H.....black



ALUTRUSS TRILOCK 6082AC-22 2-Way Corner 120°



No. 60302390.....silver
No. 6030253K.....black
ALUTRUSS TRILOCK 6082AC-23 2-Way Corner 135°



No. 60302392.....silver
No. 6030253L.....black
ALUTRUSS TRILOCK 6082AC-24 2-Way Corner 90°



No. 60302394.....silver
No. 6030253M.....black
ALUTRUSS TRILOCK 6082AC-25 2-Way Corner 90° V



No. 60302396.....silver
No. 6030253N.....black
ALUTRUSS TRILOCK 6082AL-31 3-Way Corner right



No. 60302398.....silver
No. 6030253P.....black
ALUTRUSS TRILOCK 6082AL-32 3-Way Corner left



No. 60302400.....silver
No. 6030253R.....black
ALUTRUSS TRILOCK 6082AL-33 3-Way Corner V right



No. 60302402.....silver
No. 6030253S.....black
ALUTRUSS TRILOCK 6082AL-34 3-Way Corner V left



No. 60302404.....silver
No. 6030253T.....black
ALUTRUSS TRILOCK 6082AT-35 3-Way T-Piece



No. 60302405
ALUTRUSS TRILOCK 6082AT-35(50) 3-Way T-Piece


No. 60302406.....silver
No. 6030253V.....black
ALUTRUSS TRILOCK 6082AT-36 3-Way T-Piece


No. 60302407
ALUTRUSS TRILOCK 6082AT-37(50) 3-Way T-Piece


No. 60302408.....silver
No. 6030253V.....black
ALUTRUSS TRILOCK 6082AT-37 3-Way T-Piece



No. 60302409
ALUTRUSS TRILOCK 6082AT-38(50) 3-Way T-Piece




No. 6030240A
ALUTRUSS TRILOCK 6082AT-39 3-Way T-Piece




No. 6030240B
ALUTRUSS TRILOCK 6082AT-39(50) 3-Way T-Piece




No. 6030240C
ALUTRUSS TRILOCK 6082AC-41(50) SU 4-Way Cross




No. 6030240D
ALUTRUSS TRILOCK 6082AT-43(50) 4-Way Piece Λ




No. 6030240E
ALUTRUSS TRILOCK 6082AC-44(50) 4-Way Piece V left




No. 6030240F
ALUTRUSS TRILOCK 6082AC-45(50) 4-Way Piece V right




No. 6030240G
ALUTRUSS TRILOCK 6082AT-51(50) 5-Way Piece V




No. 6030240H
ALUTRUSS TRILOCK 6082AC-52(50) 5-Way Piece Λ




No. 6030240J
ALUTRUSS TRILOCK 6082AC-53(50) 5-Way Piece V




No. 6030240K
ALUTRUSS TRILOCK 6082AC-61(50) 6-Way Piece




No. 6030240L
ALUTRUSS TRILOCK 6082AT-36(50) 3-Way T-Piece




No. 60302410.....silver
 No. 6030253W.....black
ALUTRUSS TRILOCK 6082AT-38 3-Way T-Piece




No. 60302411.....silver
 No. 6030253X.....black
ALUTRUSS TRILOCK 6082AC-41 SU 4-Way Cross



No. 60302412.....silver
 No. 6030253Y.....black
ALUTRUSS TRILOCK 6082AC-41 4-Way Cross




No. 60302414.....silver
 No. 6030253Z.....black
ALUTRUSS TRILOCK 6082AT-42 4-Way Piece V





No. 60302416.....silver
 No. 60302540.....black
ALUTRUSS TRILOCK 6082AT-43 4-Way Piece Λ




No. 60302418.....silver
 No. 60302541.....black
ALUTRUSS TRILOCK 6082AC-44 4-Way Piece V left




No. 60302420.....silver
 No. 60302542.....black
ALUTRUSS TRILOCK 6082AC-45 4-Way Piece V right




No. 60302422.....silver
 No. 60302544.....black
ALUTRUSS TRILOCK 6082AT-51 5-Way Piece V





No. 60302424.....silver
 No. 60302545.....black
ALUTRUSS TRILOCK 6082AC-52 5-Way Piece Λ




No. 60302426.....silver
 No. 60302547.....black
ALUTRUSS TRILOCK 6082AC-53 5-Way Piece V




No. 60302430.....silver
 No. 60302548.....black
ALUTRUSS TRILOCK 6082AC-61 6-Way Piece



No. 60302432
ALUTRUSS TRILOCK 6082AC-24R 2-Way Corner 90° Δ




No. 60302434
ALUTRUSS TRILOCK 6082AC-25R 2-Way Corner 90° V




- No. 60302450..... d=2 m
- No. 60302455..... d=3 m
- No. 60302460..... d=4 m
- No. 60302465..... d=5 m
- No. 60302470..... d=6 m
- No. 60302474..... d=7 m
- No. 60302477..... d=8 m

ALUTRUSS TRILOCK 6082 Circle (inside) Δ




- No. 60302452..... d=2 m
- No. 60302457..... d=3 m
- No. 60302462..... d=4 m
- No. 60302467..... d=5 m
- No. 60302472..... d=6 m
- No. 60302475..... d=7 m
- No. 60302478..... d=8 m

ALUTRUSS TRILOCK 6082 Circle (inside) <




- No. 60302453..... d=2 m
- No. 60302458..... d=3 m
- No. 60302463..... d=4 m
- No. 60302468..... d=5 m
- No. 60302473..... d=6 m
- No. 60302476..... d=7 m
- No. 60302479..... d=8 m

ALUTRUSS TRILOCK 6082 Circle (inside) >




- No. 60302480..... 2 m, 90°
- No. 60302482..... 3 m, 90°
- No. 60302484..... 4 m, 90°
- No. 60302486..... 5 m, 45°
- No. 60302488..... 6 m, 45°
- No. 60302490..... 7 m, 45°
- No. 60302492..... 8 m, 30°

ALUTRUSS TRILOCK 6082 Circlepart Δ



- No. 60302496..... 2 m, 90°
- No. 60302498..... 3 m, 90°
- No. 60302500..... 4 m, 90°
- No. 60302502..... 5 m, 45°
- No. 60302504..... 6 m, 45°
- No. 60302506..... 7 m, 45°
- No. 60302508..... 8 m, 30°

ALUTRUSS TRILOCK 6082 Circlepart inside <



- No. 60302516..... 2 m, 90°
- No. 60302518..... 3 m, 90°
- No. 60302520..... 4 m, 90°
- No. 60302522..... 5 m, 45°
- No. 60302524..... 6 m, 45°
- No. 60302526..... 7 m, 45°
- No. 60302528..... 8 m, 30°

ALUTRUSS TRILOCK 6082 Circlepart in. >




No. 6030189C
ALUTRUSS TRILOCK Leveling Pedestral TNF-300



No. 6030189A
No. 6030189B..... with connector set
ALUTRUSS TRILOCK Base/Wall-Plate QTG-male



No. 60301890..... silver
No. 60302550..... black
ALUTRUSS TRILOCK Base/Wall-Plate QTG



No. 60301899
ALUTRUSS TRILOCK Wall-Plate QTG-male

Materials used:
 Alloy EN-AW 6082 T6 (AlSi1MgMn T6)
 Main chords 50 x 2 mm
 Braces 20 x 2 mm
 Accessory/truss 3 x connecting cone, pivot, pin
 Item no. 6030299D


Load table TRILOCK E-GL33				
Span (m)	Center point load (kg)	Deflection (mm)	Distributed load (kg/m)	Deflection (mm)
2,0	761	2,1	761	2,6
4,0	412	9,3	206	11,5
6,0	277	21,7	92	26,8
8,0	206	39,8	51	48,8
10,0	154	62,0	31	75,2
12,0	117	88,3	20	105,6

Maximum system length: 12 meters



- No. 60302176..... E-GL33 210
- No. 60302178..... E-GL33 290
- No. 60302180..... E-GL33 500
- No. 60302182..... E-GL33 1000
- No. 60302184..... E-GL33 1500
- No. 60302186..... E-GL33 2000
- No. 60302188..... E-GL33 2500
- No. 60302190..... E-GL33 3000
- No. 60302192..... E-GL33 3500
- No. 60302194..... E-GL33 4000
- No. 60302196..... E-GL33 4500
- No. 60302198..... E-GL33 5000

ALUTRUSS TRILOCK E-GL33 3-Way Cross Beam



Trilock E-GL

No. 60302202
ALUTRUSS TRILOCK E-GL33 C-19 2-Way Corner 45°

No. 60302204
ALUTRUSS TRILOCK E-GL33 C-20 2-Way Corner 60°

No. 60302206
ALUTRUSS TRILOCK E-GL33 C-21 2-Way Corner 90°

No. 60302208
ALUTRUSS TRILOCK E-GL33 C-22 2-Way Corner 120°

No. 60302212
ALUTRUSS TRILOCK E-GL33 C-23 2-Way Corner 135°

No. 60302214
ALUTRUSS TRILOCK E-GL33 C-24 2-Way Corner 90° Λ

No. 60302218
ALUTRUSS TRILOCK E-GL33 C-25 2-Way Corner 90° V


No. 60302222
ALUTRUSS TRILOCK E-GL33 C-31 3-Way Corner

3-POINT SYSTEMS


Made in Europe

TRILOCK E-GL


alutruss




No. 60302224
ALUTRUSS TRILOCK E-GL33 C-32 3-Way Corner




No. 60302226
ALUTRUSS TRILOCK E-GL33 C-33 3-Way Corner




No. 60302230
ALUTRUSS TRILOCK E-GL33 C-34 3-Way Corner




No. 60302232
ALUTRUSS TRILOCK E-GL33 T-35 3-Way T-Piece




No. 60302234
ALUTRUSS TRILOCK E-GL33 T-36 3-Way T-Piece




No. 60302236
ALUTRUSS TRILOCK E-GL33 T-37 3-Way T-Piece




No. 60302237
ALUTRUSS TRILOCK E-GL33 T-39 3-Way T-Piece




No. 60302238
ALUTRUSS TRILOCK E-GL33 C-41 4-Way Cross





No. 60302240
ALUTRUSS TRILOCK E-GL33 T-42 4-Way Piece V





No. 60302242
ALUTRUSS TRILOCK E-GL33 T-43 4-Way Piece A




No. 60302244
ALUTRUSS TRILOCK E-GL33 C-44 4-Way Piece V left




No. 60302246
ALUTRUSS TRILOCK E-GL33 C-45 4-Way Piece V right




No. 60302248
ALUTRUSS TRILOCK E-GL33 C-51 5-Way Piece




No. 60302250
ALUTRUSS TRILOCK E-GL33 T-52 5-Way Piece V




No. 60302252
ALUTRUSS TRILOCK E-GL33 T-53 5-Way Piece




No. 60302254
ALUTRUSS TRILOCK E-GL33 C-61 6-Way Piece



No. 60302258
ALUTRUSS TRILOCK E-GL33 C-24R 2-Way Corner 90°




No. 60302259
ALUTRUSS TRILOCK E-GL33 C-25R 2-Way Corner 90°



No. 60302290
ALUTRUSS TRILOCK E-GL33 Base/Wall-Plate QTGE male




No. 60302292
ALUTRUSS TRILOCK E-GL33 Base/Wall-Plate QTGP-E



No. 60302301.....	2 m, 90°
No. 60302303.....	3 m, 90°
No. 60302305.....	4 m, 90°
No. 60302307.....	5 m, 45°
No. 60302309.....	6 m, 45°
No. 6030230B.....	7 m, 45°
No. 6030230D.....	8 m, 45°

ALUTRUSS TRILOCK E-GL33 Circlepart out



No. 6030230E.....	2 m, 90°
No. 6030230F.....	3 m, 90°
No. 6030230G.....	4 m, 90°
No. 6030230H.....	5 m, 45°
No. 6030230I.....	6 m, 45°
No. 6030230J.....	7 m, 45°
No. 6030230K.....	8 m, 45°

ALUTRUSS TRILOCK E-GL33 Circle Part out <



No. 6030230M
ALUTRUSS TRILOCK E-GL33 Circlepart 2m out. 90°

6 days a week

Wir lassen euch nicht allein ...




**Unser kostenloser Daily
production-partner.de/newsletter**

Materials used:

Alloy EN-AW 6060 T66 (AlMgSi0.5)
 Main chords 35 x 2 mm
 Braces 10 x 2 mm
 Accessory/truss 4 x connecting cone, 8x pivot, 8x pin
 Item No. 60301790

Maximum system length: 16 meters

Load table DQ4:				
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	472	1,8	472	2,3
4	236	7,2	118	9,0
6	157	16,2	52	20,3
8	118	28,8	30	36,1
10	95	45,1	19	56,3
12	78	64,9	13	81,1
14	67	88,3	9	110,4
16	59	115,4	7	144,2



including connecting cone



- No. 60301707.....DQ4-200
- No. 60301708.....DQ4-250
- No. 60301710.....DQ4-500
- No. 60301711.....DQ4-750
- No. 60301712.....DQ4-1000
- No. 60301714.....DQ4-1500
- No. 60301716.....DQ4-2000
- No. 60301718.....DQ4-2500
- No. 60301720.....DQ4-3000
- No. 60301724.....DQ4-4000

ALUTRUS DECOLOCK DQ4-200 4-Way Cross Beam

Decolock DQ4

No. 60301730
ALUTRUS DECOLOCK DQ4-PAC19 2-Way Corner 45°

No. 60301732
ALUTRUS DECOLOCK DQ4-PAC20 2-Way Corner 60°

No. 60301734
ALUTRUS DECOLOCK DQ4-PAC21 2-Way Corner 90°


No. 60301736
ALUTRUS DECOLOCK DQ4-PAC22 2-Way Corner 120°

No. 60301738
ALUTRUS DECOLOCK DQ4-PAC23 2-Way Corner 135°

No. 60301744
ALUTRUS DECOLOCK DQ4-PAL30 3-Way Corner 90°

No. 60301752
ALUTRUS DECOLOCK DQ4-PAT35 3-Way T-Piece 90°

No. 60301758
ALUTRUS DECOLOCK DQ4-PAC41 4-Way Cross Piece



No. 60301760
ALUTRUSS DECOLOCK DQ4-PAT42 4-Way T-Piece




No. 60301764
ALUTRUSS DECOLOCK DQ4 Universal Coss Piece



NEW


No. 60301765
ALUTRUSS DECOLOCK DQ4 top piece



No. 60301768
ALUTRUSS DECOLOCK DQ4-PAT51 5-Way Corner
4-point truss system




No. 60301770
ALUTRUSS DECOLOCK DQ4-PAC21R 2-Way Corner 90°




No. 6030176M
ALUTRUSS DECOLOCK DQ4-BP Base Plate




No. 60301780
No. 60301781with connector set
ALUTRUSS DECOLOCK DQ4-BPM Base Plate MALE




No. 60301782
ALUTRUSS DECOLOCK DQ4-WP Wall Mounting Plate



No. 60301784
ALUTRUSS DECOLOCK DQ4-WPM Wall Mounting Plate MALE



No. 6030179A d=2 m
No. 6030179B d=3 m
No. 6030179C d=4 m
No. 6030179D d=5 m
No. 6030179E d=6 m
ALUTRUSS DECOLOCK DQ-4 Circle (inside)




No. 6030179H d=2 m, 90°
No. 6030179J d=3 m, 90°
No. 6030179K d=4 m, 90°
No. 6030179L d=5 m, 45°
No. 6030179M d=6 m, 45°
ALUTRUSS DECOLOCK DQ-4 Circle Element

Materials used:

Alloy EN-AW 6082 T6 (ASi1MgMn)
 Main chords 50 x 2 mm
 Braces 16 x 2 mm
 Accessory/truss 4 x connecting cone, 8x pivot, 8x pin
 Item No. 60302895

Load table QUADLOCK 6082:				
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	1664	2,6	1655	3,2
4	832	10,3	416	12,9
6	555	23,3	185	29,1
8	416	41,4	104	51,7
10	332	64,6	66	80,8
12	277	93,0	46	116,3
14	238	126,6	34	158,3
16	208	165,4	27	206,8

Maximum system length: 16 meters




- No. 6030649A6082-210
- No. 6030649C6082-290
- No. 603065006082-500
- No. 603065016082-710
- No. 603065026082-750
- No. 603065036082-875
- No. 603065056082-1000
- No. 603065066082-1250
- No. 603065086082-1500
- No. 603065106082-2000
- No. 603065156082-2500
- No. 603065206082-3000
- No. 603065226082-3500
- No. 603065256082-4000
- No. 603065276082-4500
- No. 603065306082-5000




Quadlock 6082


ALUTRUSS QUADLOCK 6082-210 4-Way Cross Beam




No. 60306540
ALUTRUSS QUADLOCK 6082C-19 2-Way Corner 45°




No. 60306545
ALUTRUSS QUADLOCK 6082C-20 2-Way Corner 60°




No. 60306550
ALUTRUSS QUADLOCK 6082C-21 2-Way Corner 90°



No. 60306551
ALUTRUSS QUADLOCK 6082C-21R 2-Way Corner 90°



No. 60306555
ALUTRUSS QUADLOCK 6082C-22 2-Way Corner 120°




No. 60306560
ALUTRUSS QUADLOCK 6082C-23 2-Way Corner 135°


4-POINT SYSTEMS




QUADLOCK 6082




No. 60306565
ALUTRUSS QUADLOCK 6082L-30 3-Way Corner 90°




No. 60306570
ALUTRUSS QUADLOCK 6082T-35 3-Way T-Piece





No. 60306571
ALUTRUSS QUADLOCK 6082T-35(50) 3-Way T-Piece




No. 60306572
ALUTRUSS QUADLOCK 6082C-30R 3-Way Corner 90°





No. 60306575
ALUTRUSS QUADLOCK 6082C-41 4-Way Cross Piece



No. 60306580
ALUTRUSS QUADLOCK 6082T-42 4-Way T-Piece



No. 60306585
ALUTRUSS QUADLOCK 6082C-51 5-Way Cross Piece




No. 60306590
ALUTRUSS QUADLOCK 6082C-61 6-Way Cross Piece



No. 60306594
ALUTRUSS QUADLOCK 6082 Universal Cross Piece




No. 60306595
ALUTRUSS QUADLOCK 6082 Toppart
4-point truss system




- No. 60306700.....d=2 m
- No. 60306702.....d=3 m
- No. 60306704.....d=4 m
- No. 60306706.....d=5 m
- No. 60306708.....d=6 m

ALUTRUSS QUADLOCK 6082 Circle (inside)



- No. 60306720.....2 m, 90°
- No. 60306722.....3 m, 90°
- No. 60306724.....4 m, 90°
- No. 60306726.....5 m, 45°
- No. 60306728.....6 m, 45°


ALUTRUSS QUADLOCK 6082 Element f.Circle



No. 60302995
ALUTRUSS QUADLOCK End Plate QQGP



No. 60302996
ALUTRUSS QUADLOCK End Plate QQGP 50cm x 50cm




No. 6030299A
No. 6030299B.....with Connector Set
ALUTRUSS QUADLOCK End Plate QQGP-Male




No. 60206715
ALUTRUSS COR-2 Corner Brace 1m



No. 6030299C
ALUTRUSS QUADLOCK Leveling Pedestal QNF-300




No. 6030299L
ALUTRUSS QUADLOCK QQGP 30x30cm white RAL 9010
Baseplate for mobile use



No. 6030299M
ALUTRUSS QUADLOCK QQGP 50x50cm white RAL 9010
Baseplate for mobile use



No. 60303024
ALUTRUSS QUADLOCK 6082 crown Ø 1m



Materials used:

Alloy EN-AW 6082 T6 (AlSi1MgMn)
 Main chords 50 x 2 mm
 Braces 20 x 2 mm
 Accessory/truss 4 x connecting cone, 8x pivot, 8x pin
 Item No. 6030199D


Load table TQ390:				
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	1664	1,4	1664	1,7
4	832	5,6	416	7,0
6	555	12,5	185	15,7
8	416	22,3	104	27,8
10	332	34,8	66	43,5
12	277	50,1	46	62,6
14	238	68,2	34	85,2
16	208	89,1	27	111,3

Maximum system-length: 16 meters




- No. 60306010.....TQ390-500
- No. 60306015.....TQ390-1000
- No. 60306020.....TQ390-2000
- No. 60306025.....TQ390-2500
- No. 60306030.....TQ390-3000
- No. 60306035.....TQ390-4000
- No. 60306040.....TQ390-5000


ALUTRUSS QUADLOCK TQ390 4-Way Cross Beam




TQ-390




No. 60306070
ALUTRUSS QUADLOCK TQ390-QQC21 2-Way-Corner 90°




No. 60306080
ALUTRUSS QUADLOCK TQ390-QL30 3-Way-Corner 90°



No. 60306085
ALUTRUSS QUADLOCK TQ390-QQT35 3-Way T-Piece




No. 60306087
ALUTRUSS QUADLOCK TQ390-QQT41 4-Way Cross Piece



No. 60306088
ALUTRUSS QUADLOCK TQ390-QQT42 4-Way T-Piece



No. 60306095
ALUTRUSS QUADLOCK TQ390-MCB Universal Crossing





No. 6030609A
ALUTRUSS QUADLOCK TQ390-BP Base Plate

Materials used:

Alloy EN-AW 6082 T6 (AlSi1MgMn)
 Main chords 50 x 2 mm
 Braces 20 x 2 mm
 Accessory/truss 4 x connecting cone, 8x pivot, 8x pin
 Item No. 6030199H

Load table QL-ET34:				
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	1919	2,6	1422	2,4
4	987	11,0	493	13,7
6	670	25,6	223	31,8
8	507	46,9	127	58,0
10	394	73,6	79	90,5
12	308	103,6	51	126,4







Maximum system-length: 12 meters




- No. 60306749.....QL-ET34-210
- No. 6030674B.....QL-ET34-290
- No. 6030674A.....QL-ET34-300
- No. 60306752.....QL-ET34-500
- No. 6030674D.....QL-ET34-710
- No. 60306753.....QL-ET34-800
- No. 60306754.....QL-ET34-1000
- No. 60306756.....QL-ET34-1500
- No. 60306758.....QL-ET34-2000
- No. 60306760.....QL-ET34-2500
- No. 60306762.....QL-ET34-3000
- No. 60306764.....QL-ET34-3500
- No. 60306766.....QL-ET34-4000
- No. 60306768.....QL-ET34-4500
- No. 60306770.....QL-ET34-5000

ALUTRUSS QUADLOCK QL-ET34 4-way cross beam


Quadlock QL-ET






No. 60306800

ALUTRUSS QUADLOCK QL-ET34 T-35 3-Way T-Piece




No. 60306805

ALUTRUSS QUADLOCK QL-ET34 C-41 4-Way Cross Piece



No. 60306810

ALUTRUSS QUADLOCK QL-ET34 T-42 4-Way T-Piece



No. 60306815

ALUTRUSS QUADLOCK QL-ET34 T-51 5-Way T-Piece



No. 60306820


ALUTRUSS QUADLOCK QL-ET34 C-61 6-Way Cross Piece



NEW

No. 60306822

ALUTRUSS QUADLOCK QL-ET34 Toppart




No. 60306782

ALUTRUSS QUADLOCK QL-ET34 C-30R 2-Way Corner 90°



No. 60303022

ALUTRUSS QUADLOCK QL-ET crown Ø 1m



No. 60306906

ALUTRUSS QUADLOCK QL-ET34 End plate Male



No. 60306905

ALUTRUSS QUADLOCK QL-ET34 End plate QG34




Used materials:

Alloy EN-AW 6082 T6
 Main chords 50 x 3 mm
 Braces 25 x 3 mm
 Accessory/truss 4x connecting cone, 8x pivot, 8x pin

Maximum system length: 16 meters

Load table GL400:				
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	3267	1,4	2327	1,3
4	1803	6,4	901	8,0
6	1252	15,2	417	18,9
8	971	28,5	243	35,4
10	811	47,6	162	58,8
12	675	70,5	112	86,5
14	573	98,3	82	119,8
16	477	127,8	61	158,7




Quadlock GL400




- No. 6030629A GL400-500
- No. 6030629C GL400-1000
- No. 6030629E GL400-1500
- No. 6030629G GL400-2000
- No. 6030629J GL400-2500
- No. 6030629L GL400-3000
- No. 6030629N GL400-3500
- No. 6030629P GL400-4000
- No. 6030629R GL400-5000


ALUTRUS QUADLOCK GL400-5000 4-Way Cross Beam




No. 60306302
ALUTRUS QUADLOCK GL400-C20 2-Way Corner 60°




No. 60306304
ALUTRUS QUADLOCK GL400-C21 2-Way Corner 90°




No. 60306308
ALUTRUS QUADLOCK GL400-C23 2-Way Corner 135°




No. 60306310
ALUTRUS QUADLOCK GL400-C30 3-Way Corner 90°




No. 60306312
ALUTRUS QUADLOCK GL400-T35 3-Way T-Piece





No. 60306314
ALUTRUS QUADLOCK GL400-C41 4-Way Junction



No. 60306316
ALUTRUS QUADLOCK GL400-T42 4-Way Junction




No. 60306318
ALUTRUS QUADLOCK GL400-T51 5-Way Junction



No. 60306320
ALUTRUSS QUADLOCK GL400-T61 6-Way Junction



No. 60306330
ALUTRUSS QUADLOCK GL400-MCB multi connection box



No. 60306336.....5 m
No. 60306338.....6 m
ALUTRUSS QUADLOCK GL400 Element f.Circle in.45°




No. 60306349..... d=5 m
No. 60306351..... d=6 m
ALUTRUSS QUADLOCK GL400 Circle (inside) 8tlg

Materials used:
Alloy EN-AW 6082 T6 (AlSi1MgMn)
Main chords 50 x 2 mm
Braces 20 x 2 mm
Accessory/truss 4 x connecting cone, 8x pivot, 8x pin
Item No. 6030199D

Load table TQTR:				
Span (m)	Point load (kg)	Deflection (mm)	UDL (kg/m)	Deflection (mm)
2	1664	1,4	1664	1,7
4	832	5,6	416	7,0
6	555	12,5	185	15,7
8	416	22,3	104	27,8
10	332	34,8	66	43,5
12	277	50,1	46	62,6
14	238	68,2	34	85,2
16	208	89,1	27	111,3

Maximum system length: 16 meters



Towertruss TQTR



No. 60304470
ALUTRUSS TOWERTRUSS V-Shape Corner
4-Point tower cross beam




No. 60304400..... TQTR-500
No. 60304410..... TQTR-1000
No. 60304420..... TQTR-2000
No. 60304430..... TQTR-2500
No. 60304440..... TQTR-3000
No. 60304450..... TQTR-4000
No. 60304460..... TQTR-5000
ALUTRUSS TOWERTRUSS TQTR 4-Way Cross Beam
4-Point tower cross beam



No. 60304100
ALUTRUSS Tower base



No. 60304110
ALUTRUSS Tower corner-block



No. 60304120
ALUTRUSS Tower sleeve-block



No. 60304130
ALUTRUSS Tower outrigger, short



No. 60304140
ALUTRUSS Tower outrigger, long



No. 60304160
ALUTRUSS Tower hinge
Tower hinge easy to build for Quadlock 6082 and Towertruss



No. 60304161
ALUTRUSS Tower hinge QL-ET
Tower hinges for Quadlock QL-ET



No. 60304201
ACCESSORY Tower winch
High quality HAACON tower winch




No. 60304240
ALUTRUSS Tower Steelrope w. clamp



No. 60304510
ALUTRUSS Tower System I
4-Point trussing tower complete set



No. 60304520
ALUTRUSS Tower System II
4-Point trussing tower complete set



No. 80702701
ALUTRUSS Stage Element 2x1m 500kg/m²

Outdoor stage element



- No. 8070275M..... 20 cm
- No. 8070275P..... 40 cm
- No. 8070275R..... 60 cm
- No. 8070275T..... 80 cm

ALUTRUSS Fixed Foot for Stage Elements



- No. 80702740..... 20-25 cm
- No. 80702742..... 30-40 cm
- No. 80702744..... 40-60 cm
- No. 80702746..... 50-80 cm

ALUTRUSS Telescopic Foot



No. 80702720
ALUTRUSS Connector for Stage Platforms



No. 80702764
ALUTRUSS Handrail Alutruss Connector



No. 80702760
ALUTRUSS Stage Rail 100cm




No. 80702762
ALUTRUSS Stage Rail 200cm

Stage Element

Ready for Open Air! The BE-1 is a stage element that can also be used outdoors. The plate is made of 12 mm thick birch multiplex. It carries 750 kg per square meter.

You can choose from a large number of accessories. There are fixed feet from 20 cm to 120 cm height available as well as telescopic feet up to 140 cm in height. You can join the elements together using retractable connectors and connection clips. Also for the feet there are connection systems for stable constructions.

To avoid falls and to provide additional security, there are various stage railings to choose from. Also, you can rely on an adjustable staircase with matching railing. Of course, various attachment materials for the accessories and a matching trolley for the stage elements are available.



NEW

No. 80702706

ALUTRUSS Stage element BE-1 2x1m 750kg/m²



NEW

No. 80702789

ALUTRUSS BE-1G2 Handrail



NEW

No. 80702770

ALUTRUSS BE-1V Clamp connector



NEW

No. 8070278A

ALUTRUSS BE-1G1 Handrail



NEW

No. 80702772


ALUTRUSS BE-1K Clamping clamp



NEW

No. 8070278C

ALUTRUSS BE-1G3 Handrail



NEW

No. 80702774


ALUTRUSS BE-1F2 Leg clamp (2 legs)



NEW

No. 8070278F

ALUTRUSS BE-1GK Handrail clamp



NEW

No. 80702776

ALUTRUSS BE-1F4 leg clamp (4 legs)



NEW

No. 8070278H

ALUTRUSS BE-1VK Handrail connection clamp



NEW

No. 80702785

ALUTRUSS BE-14060 Telescopic foot 40-60cm



NEW

No. 80702787

ALUTRUSS BE-16010 Telescopic foot 60-100cm



NEW

No. 8070278J

ALUTRUSS BE-1V3 connection clamp for BE-1G3



NEW

No. 8070278K

ALUTRUSS BE-1V3E connection clamp for BE-1G3



NEW

No. 8070278L

ALUTRUSS BE-1T adjustable stairs



NEW

No. 8070278M

ALUTRUSS BE-1T handrail for BE-1T



NEW

No. 8070278S

ALUTRUSS BE-1WG transport system



No. 8070280S.....1x0.5
 No. 8070280T.....1x1
 No. 8070280U.....2x0.5
 No. 80702813.....2x1

GUIL TM-440/1x0.5 Stage Element

Outdoor stage element



No. 80702823

GUIL TM-TR1 Transport System

Transport system for TM-440 stage elements



No. 80702824

GUIL CRO-07 Transport system

Transport system for TM-441 stage elements



No. 80702844.....TMQ-01/440, 88 cm
 No. 80702846.....TMQ-02/440, 188 cm

GUIL TMQ-/440 Stage Rail (Aluminium Version)



No. 80702860

GUIL ECP-04/440 Stage Stair

Stairway for TM-440 and TM-441 stage element



No. 80702862

GUIL ECP-06/440 Stage Stair

Stairway for TM-440 and TM-441 stage element



No. 8070287K

GUIL TMU-04/440 Clamp Connector

Metal clamp for connecting two legs of TM-440 stage element



No. 8070287M

GUIL TMU-02/440 Clamp Connector

Metal clamp for connecting two TM-440 stage elements



No. 8070287N

GUIL TMU-02/441 Clamp Connector

Metallklammer zum Verbinden von zwei TM-441 Bühnenpodesten



No. 8070287O

GUIL TMU-02/442 Clamp Connector

Metallklammer zum Verbinden von zwei TM-442 Bühnenpodesten



No. 8070287P

GUIL TMU-01/440 Profile Connector

Metal connector with screw for TM-440 and TM-441 stage element



No. 8070287R

GUIL TMU-09/440 Profile Connector

Plastic connector for TM-440 stage element





No. 8070287T
GUIL TMU-06 handrail Connector



No. 8070287X.....	20
No. 80702880.....	40
No. 80702882.....	60
No. 80702884.....	80
No. 80702886.....	100

GUIL PTA-440 Fixed Foot

Fixed foot for TM-440 stage element



No. 80702888.....	25-35
No. 8070288A.....	30-40
No. 8070288C.....	40-60
No. 8070288E.....	50-80
No. 8070288F.....	60-100
No. 8070288G.....	70-120
No. 8070288H.....	80-140
No. 8070288J.....	90-160

GUIL PTA-440 Telescopic Foot

Variable foot for TM-440 stage element





No. 60301786
ALUTRUSS DECOLOCK Connection Set for Universal Cr.



No. 60301787.....M10
No. 60301788.....M8
ALUTRUSS DECOLOCK Halfconical Adapter Set single



No. 60301789
ALUTRUSS DECOLOCK Halfconical Adapter Set DQ4 M8



No. 6030178A..... 10 mm
No. 6030178B..... 20 mm
No. 6030178C..... 30 mm
No. 6030178D..... 40 mm
No. 6030178E..... 50 mm
No. 6030178F..... 60 mm
No. 6030178G..... 70 mm


ALUTRUSS DECOLOCK Distance-Part



No. 6030178H..... 60 mm
No. 6030178K..... 70 mm
No. 6030178L..... 80 mm
No. 6030178M..... 90 mm
No. 6030178N..... 100 mm
ALUTRUSS DECOLOCK Distance-Part female



No. 6030178U
ALUTRUSS DECOLOCK DQ1 Connecting Cone/Pivot/Pin



No. 60301790
ALUTRUSS DECOLOCK DQ4 Connecting Cone/Pivot/Pin



No. 60301791
ALUTRUSS DECOLOCK Single Cone



No. 60301792
ALUTRUSS DECOLOCK Single Pin



No. 60301793
ALUTRUSS DECOLOCK Safety Pin



No. 60301795
ALUTRUSS DECOLOCK Endcap



No. 60301895
ALUTRUSS TRILOCK Set Connecting Cone/Pivot/Pin
QUICK-LOCK Connector set



No. 60301900
ALUTRUSS QUICK-LOCK Spare Pivot with Pin



No. 60301902
ALUTRUSS QUICK-LOCK Spare Pivot



No. 60301903
ALUTRUSS QUICK-LOCK Spare Pin



No. 60301904
ALUTRUSS QUICK-LOCK Spare Pivot with Nut M8



No. 60301905
ALUTRUSS QUICK-LOCK Connecting Cone



No. 60301980.....10 mm
No. 60301981.....20 mm
No. 60301982.....30 mm
No. 60301983.....40 mm
No. 60301984.....50 mm
No. 60301985.....60 mm
No. 60301986.....70 mm
No. 60301987.....80 mm
No. 60301988.....90 mm
No. 60301989.....145 mm

ALUTRUSS QUICK-LOCK Distance-Part



No. 60301990.....105 mm
No. 60301991.....210 mm
No. 60301992.....145 mm

ALUTRUSS QUICK-LOCK Distance-Part female



No. 6030199A
ALUTRUSS QUICK-LOCK Endcap




No. 6030199B
ALUTRUSS SINGLELOCK SP-1 Set cone/pivot/pin



No. 6030199C
ALUTRUSS BILOCK BQ-2 Set cone/pivot/pin




No. 6030199H
ALUTRUSS QUADLOCK QL-ET Set Cone/Pivot/Pin



No. 60302142
ALUTRUSS BILOCK E-GL22 Connecting Cone/Pivot/Pin



No. 6030229D
ALUTRUS TRILOCK E-GL connecting cone/pivot/pin



No. 60302895
ALUTRUS QUADLOCK set connecting cone/pivot/pin
QUADSYSTEM Set



No. 6030298
ALUTRUS QUADLOCK Half Conical Coupler w. Thread



No. 6030299
ALUTRUS QUADLOCK female conical coupler w.screw



No. 603029E
ALUTRUS QUADLOCK Half Cone f.Universalcross Piece



No. 603029K
ALUTRUS QUADLOCK QL-ET Half Cone



No. 603029G
ALUTRUS Bolt for Quadlock Cone M12x20



No. 6030299H..... M-8
No. 60303005..... M-10
No. 6030299F..... M-12
ALUTRUS QUADLOCK Half Cone



No. 603029J..... M-8
No. 60303006..... M-10
No. 60303008..... M-12
ALUTRUS QUADLOCK QL-ET Half Cone



No. 60306862
ALUTRUS QUICK-LOCK GL33/34 Endcap



No. 60306864
ALUTRUS QUICK-LOCK GL33/ET34 Connecting Cone




No. 60306880..... 10 mm
No. 60306882..... 20 mm
No. 60306884..... 30 mm
No. 60306886..... 40 mm
No. 60306888..... 50 mm
No. 60306890..... 60 mm
No. 60306892..... 70 mm
No. 60306894..... 80 mm
No. 60306896..... 90 mm
ALUTRUS QUICK-LOCK GL33-ET34 Distance-Part



No. 60306898.....105 mm
 No. 60306899.....145 mm
 No. 60306900.....210 mm

ALUTRUSS QUICK-LOCK GL33-ET34 Dist.-Part fem.



No. 60320310.....silver
 No. 60320311.....black

ALUTRUSS Base Plate 36x36 5kg for Decolock

Baseplate for mobile use (connectors 6082 included)



No. 60320320.....silver
 No. 60320322.....black

ALUTRUSS Base Plate BP-30 80x80

Baseplate for mobile use (connectors 6082 included)



No. 60320324.....silver
 No. 60320326.....black

ALUTRUSS Base Plate BP-40 80x80 8mm

Baseplate for mobile use (connectors 6082 included)



No. 60320330.....silver
 No. 60320331.....black

ALUTRUSS Steel Base Plate round type A

Baseplate for mobile use (connectors 6082 included)



No. 60320335

ALUTRUSS Steel Base Plate Rectangle typeB

Baseplate for mobile use (connectors 6082 included)



No. 60320336

ALUTRUSS Conus Set for Steel Plate

Fixation set for baseplate



No. 60320340

ALUTRUSS Dolly for Steel Base Plates Square 80x80

Practical transport box for 80 cm baseplates



No. 60320401

ALUTRUSS Aluminium Shelf 50x45x4.5cm



NEW

No. 60320350

ALUTRUSS U-Frame Base Part

Single tubes with quick-lock



NEW

No. 60320351

ALUTRUSS U-Frame Top

Single tube with quick-lock



No. 60320380.....silver
No. 60320379.....black

ALUTRUSS GI-1 Truss Adapter

Truss mounting



No. 60320381.....silver
No. 60320385.....black

ALUTRUSS GI-1/Clamps Truss Adapter

Truss mounting



No. 60320386.....64-94 cm
No. 60320387.....115-195 cm

ALUTRUSS Telescopic Arm G



No. 60320389.....G-35A
No. 60320390.....G-35B

ALUTRUSS Telescopic Arm




No. 60320382
GUIL TTL-02 Telescopic Arm 1150-1950mm

Telescopic arm 115-195 cm



No. 60320388
GUIL TTL-02/N Telescopic Arm 1150-1950mm black



No. 60320500.....2 m/80 cm
No. 60320501.....3 m/80 cm
No. 60320502.....4 m/80 cm
No. 60320504.....2 m/100 cm
No. 60320505.....3 m/100 cm
No. 60320506.....4 m/100 cm
No. 60320507.....5 m/100 cm

ALUTRUSS Truckramp

Practical flightcase ramp



No. 81012451
ALUTRUSS LCD Truss Plate

Mount for monitors and TV screens



No. 6020676C.....1 m
No. 6020676D.....1,5 m
No. 6020676E.....2 m
No. 6020676F.....2,5 m
No. 6020676G.....3 m
No. 6020676H.....3,5 m
No. 6020676K.....4 m

ALUTRUSS Aluminium Tube 6082 35x2mm



No. 6020676R.....1 m
No. 6020676S.....1,5 m
No. 60206773.....2 m
No. 60206775.....2,5 m
No. 60206776.....3 m
No. 60206777.....3,5 m
No. 60206778.....4 m

ALUTRUSS Aluminium Tube 6082 50x2mm



No. 6020677A.....1 m
No. 6020677B.....1,5 m
No. 6020677C.....2 m

ALUTRUSS Aluminium Tube 6082 35x2mm black



No. 6020677F.....1 m
No. 6020677G.....1,5 m
No. 6020677H.....2 m

ALUTRUSS Aluminium Tube 6082 50x2mm black



No. 78020340

ACCESSORY Copper hammer 500g shaft length 310mm



No. 78020350

ALUTRUSS Trusstool truss mounting pliers

Specially developed tool for the rigging of crossbeam systems with cone connectors



No. 78020352

ALUTRUSS Trusstool Stiffti Truss Mounting Tool


Practical rigging help for crossbeams with cone connectors



No. 78020356

ALUTRUSS Trusstool Complete Set

Truss tool set



No. 60206782

SHZ Clamping Belt S200 lock 5m/25mm black

Clamping belt



No. 60206787

SHZ Clamping Belt S400 Ratchet 5m/25mm black

Clamping belt



No. 60206789

SHZ Clamping Belt S800 Ratchet 8m/50mm black

Clamping belt



No. 60206791

SHZ Clamping Belt H800 Ratchet hook black

Clamping belt



No. 60206793

SHZ Clamping Belt H400 Ratchet hook black

Clamping belt



No. 58010590..... white
No. 58010591..... black

EUROPALMS Tether 27cm 12x



No. 58010593..... white
No. 58010594..... black
No. 58010596..... grey

ACCESSORY Holdon midi

Practical aide



No. 83312054

EUROPALMS Sprinkler Stretch FirDIN4102 wh 300x100cm

Stretch fabric



- No. 83312096..... 100 cm, white
- No. 83312097..... 100 cm, black
- No. 83312098..... 150 cm, white
- No. 83312099..... 150 cm, black
- No. 8331209B..... 200 cm, white
- No. 8331209C..... 200 cm, black
- No. 8331209K..... 250 cm, white
- No. 8331209L..... 250 cm, black

EXPAND XPTC1 Truss Cover

Flexible truss cover



- No. 83312120..... 100 cm
- No. 83312122..... 150 cm
- No. 83312124..... 200 cm
- No. 83312126..... 250 cm
- No. 83312128..... 300 cm

EUROPALMS Truss Cover white

Flexible truss cover



- No. 83312165..... 100 cm
- No. 83312166..... 200 cm
- No. 83312167..... 300 cm

EXPAND BATC1W Truss Cover white

Flexible truss cover



- No. 8331217A..... 150 cm
- No. 8331217B..... 200 cm
- No. 8331217C..... 250 cm
- No. 8331217D..... 300 cm

EXPAND XPTC15RV Truss Cover white

Flexible truss cover



- No. 8331217N..... 200 cm
- No. 8331217P..... 250 cm
- No. 8331217Q..... 300 cm

EXPAND XPTC20RVS Truss Cover black

Flexible truss cover



- No. 8331217W..... 100 cm
- No. 8331217X..... 150 cm
- No. 8331217Y..... 200 cm
- No. 8331217Z..... 250 cm
- No. 83312180..... 300 cm

EXPAND XPTC10KVS Truss Cover black


Flexible truss cover



- No. 83312181..... 100 cm
- No. 83312182..... 200 cm
- No. 83312183..... 300 cm

EXPAND Truss Cover für Decolock white

Flexible truss cover





No. 60320300

ALUTRUSS Truss Transport Ridge Combo

Stacking ridge for QUADLOCK and TRILOCK truss elements



No. 60320304

ALUTRUSS Truss Transport Ridge TRIO

Stacking ridge for TRILOCK truss elements



No. 60320306

ALUTRUSS Truss Transport Board Combo for 3 Wheels

Practical transport cart for QUADLOCK and TRILOCK truss elements



No. 60320308

ALUTRUSS Truss Transport Board TRIO for 3 Wheels

Practical transport cart for TRILOCK truss elements



No. 60320307

ALUTRUSS Truss Transport Board Combo incl 3 Wheels

Practical transport cart with castors for QUADLOCK and TRILOCK truss elements




No. 60320309

ALUTRUSS Truss Transport Board TRIO incl 3 Wheels

Practical transport cart with castors for TRILOCK truss elements







No. 60303070
TRUSS4BARS Truss tray 210x305x50mm/4mm




No. 60303082
TRUSS4BARS Truss tray for 90° corner left/4mm




No. 60303072
TRUSS4BARS Truss tray 290x305x50mm/4mm



No. 60303084
TRUSS4BARS Truss tray for 120° corner right/4mm




No. 60303074
TRUSS4BARS Truss tray 500x305x50mm/4mm




No. 60303086
TRUSS4BARS Truss tray for 120° corner left/4mm




No. 60303076
TRUSS4BARS Truss tray 710x305x50mm/4mm



No. 60303088
TRUSS4BARS Truss tray for 135° corner right/4mm




No. 60303078
TRUSS4BARS Truss tray 1000x305x50mm/4mm




No. 60303090
TRUSS4BARS Truss tray for 135° corner left/4mm




No. 60303080
TRUSS4BARS Truss tray for 90° corner right/4mm




No. 60303094
TRUSS4BARS Truss tray 210x305x50mm/6mm




No. 60303096
TRUSS4BARS Truss tray 290x305x50mm/6mm




No. 60303112
TRUSS4BARS Truss tray for 120° corner right/6mm




No. 60303098
TRUSS4BARS Truss tray 500x305x50mm/6mm



No. 60303114
TRUSS4BARS Truss tray for 120° corner left/6mm




No. 60303102
TRUSS4BARS Truss tray 710x305x50mm/6mm



No. 60303116
TRUSS4BARS Truss tray for 135° corner right/6mm




No. 60303104
TRUSS4BARS Truss tray 1000x305x50mm/6mm



No. 60303118
TRUSS4BARS Truss tray for 135° corner left/6mm



No. 60303106
TRUSS4BARS Truss tray for 90° corner right/6mm



No. 60303108
TRUSS4BARS Truss tray for 90° corner left/6mm



No. 60320119..... white
 No. 60320120..... silver
 No. 60320121..... black

ALUTRUSS Bar Stool with Ground Plate

Stable bar stool



No. 60320118..... white
 No. 60320122..... silver
 No. 60320123..... black

ALUTRUSS Bar Stool, curved

Stable bar stool



No. 60320125

ALUTRUSS Bistro Table, curved

Bistro table



No. 60320127.....hinged
 No. 60320128

ALUTRUSS Brochure Stand

Sturdy truss brochure stand



No. 60320129

ALUTRUSS RP-1 Lectern

Lectern



No. 60320130

ALUTRUSS RP-2 Lectern

Lectern



No. 60320132

ALUTRUSS PG-1 Lectern Top

Lectern



No. 6032013A

ALUTRUSS RP-3 Lectern

Lectern



No. 60320142

ALUTRUSS Wooden Panel 490x490x30mm



No. 60320143

ALUTRUSS Wooden Panel 490x490x30mm cable bushing

LAMPS


Replacement Tubes for Strobes	430	Fluorescent Tubes	434
Par-20, Socket E-27	430	UV Tubes	434
Par-30, Socket E-27	430	UV Light	435
Par-38, Socket E-27	430	Pole Burners Socket R-7s	435
Par-46, Socket E-27	430	Socket BA-9s/15s / Protection	435
JTT Halogen	430	Socket E-27/-40 Discharge	435
HPL Socket 6-C8	430	Socket G-9.5 Discharge	435
Par-36, Socket G-53 STC	431	SFc-10	436
Par-56, Socket G-53 STC / GX-16d	431	SFa-21	436
Par-64, Socket G-53 STC / GX-16d	431	RX-7s	436
Socket G-5.3 with 50 mm reflector	432	Socket G-12 Discharge	436
Socket G-6.35	432	Socket G-22 Discharge	436
Socket P-28s/P-40s	432	Socket G-38 Discharge	436
Socket G-9.5	433	Double-sided Discharge	436
Socket GU-10	433	Special Discharge Lamps	437
Socket GY-16	433	Colored Socket R-7s Discharge	437
Socket G-22	434	Adapters	437
Socket G-38	434	Sockets	438
White Light Socket E-12, E-14	434		
Colored Light Socket E-27	434		

Replacement Tubes for Strobes

Article number	Description	Voltage	Power	Flashes	Color temperature	Type	Socket
# 85010130	OMNILUX Stroboscope	250 V DC	2 W	5,000,000 fl	8000K	mini U-shape	E-12
# 85010145	OMNILUX Stroboscope	400 V DC	45 W	500,000 fl	8000K	U-shape	3-pin
# 85010150	OMNILUX Flashtube	230 V AC	75 W	1,000,000 fl	8000K	double coil	3-pin
# 85010162	OMNILUX Flashtube	220 - 250 V	40 W	2,000,000 fl	8000K	U-shape	none
# 85010165	OMNILUX Flashtube	220 - 250 V	40 W	2,000,000 fl	8000K	U-shape	3-pin
# 85010167	OMNILUX Flashtube	230 - 240 V	150 W	500,000 fl	8000K	double coil	3-pin
# 85010300	OMNILUX Flashtube	52 V DC	750 W	100,000,000.fl	8000K	XOP-07	3-clamps
# 85010402	OMNILUX Flashtube	100 V DC	1500 W	100,000,000.fl	8000K	XOP-15	3-clamps
# 85010403	OMNILUX Flashtube	100 V DC	1500 W	100,000,000.fl	8000K	XOP-15	flat tab
# 85010500	OMNILUX Flashtube	142 V DC	2500 W	100,000,000.fl	8000K	XOP-25	3-clamps
# 85010510	OMNILUX Flashtube	142 V DC	3000 W	100,000,000.fl	8000K	XOP-25	3-clamps




Par-20, Socket E-27



E/EK	Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Angle	Color
A++	# 88021205	OMNILUX SMD	230V	3W	20000h	250lm	3000K	55°	
A++	# 88021206	OMNILUX SMD	230V	3W	20000h	250lm	6500K	55°	
A+	# 88021210	OMNILUX SMD	230V	6W	20000h	480lm	3000K	50°	
A+	# 88021211	OMNILUX SMD	230V	6W	20000h	480lm	6500K	50°	




Par-30, Socket E-27



E/EK	Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Angle	Color
A++	# 88043005	OMNILUX SMD	230 V	6W	20000h	590Lm	3000K	55°	
A++	# 88043006	OMNILUX SMD	230 V	6W	20000h	590Lm	6500K	55°	
A+	# 88043010	OMNILUX SMD	230 V	11W	20000h	820Lm	3000K	50°	
A+	# 88043011	OMNILUX SMD	230 V	11W	20000h	820Lm	6500K	50°	



Par-38, Socket E-27



E/EK	Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Angle	Color
	# 88081205	OMNILUX	230 V	80 W	2500h	680 Lm		30°/FL	blue
	# 88081305	OMNILUX	230 V	80 W	2500h	680 Lm		30°/FL	yellow
	# 88081405	OMNILUX	230 V	80 W	2500h	680 Lm		30°/FL	green
	# 88081505	OMNILUX	230 V	80 W	2500h	680 Lm		30°/FL	red
A+	# 88081876	OMNILUX SMD	100-240 V	15 W	25000h	1250Lm	2700K	60°	white
	# 88081882	OMNILUX SMD	100-240 V	15 W	25000h			60°	blue
	# 88081883	OMNILUX SMD	100-240 V	15 W	25000h			60°	yellow
	# 88081884	OMNILUX SMD	100-240 V	15 W	25000h			60°	green
	# 88081885	OMNILUX SMD	100-240 V	15 W	25000h			60°	red
A+	# 88081890	OMNILUX SMD	100-240 V	18 W	25000h	1680Lm	4000K	38°	white



Par-46, Socket E-27

Article number	Description	Voltage	Power	Life-time	Angle	Color temperature
# 88103010	OMNILUX LED PAR-46	230 V	11 W	20000h	180°	6400 K



JTT Halogen

Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Socket
# 88020006	OMNILUX JTT	230 V	1000W	1000h	22000Lm	2800 K	E-40
# 88020008	OMNILUX JTT	230 V	2000W	1000h	44000Lm	2800 K	E-40



HPL Socket 6-C8


Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket	Color
# 88315010	OSRAM 93728 HPC	240 V	575 W	300h	3150 K		6-C8	white
# 88315700	GE HPL 575/LL	240 V	575 W	1500h	3050 K		6-C8	white
# 88315720	GE HPL 750	240 V	750 W	300h	3050 K		6-C8	white

Par-36, Socket G-53 STC




Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Angle	Color
# 88061000	GE 4515	6.4 V	30 W	100h		3000 K	VNSP	white
# 88061005	OMNILUX	6.4 V	30 W	200h	510Lm	3000 K	VNSP	white
# 88061013	OMNILUX	6.4 V	30 W	700h		3000 K	VNSP	white
# 88061006	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	blue
# 88061007	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	red
# 88061008	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	green
# 88061009	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	yellow
# 88061010	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	violet
# 88061011	OMNILUX	6.4 V	30 W	200h	510Lm		VNSP	orange
# 88062002	OMNILUX	6 V	30 W	200h		3000 K	VNSP halo	white
# 88062005	OMNILUX	6 V	35 W	3000h		3000 K	VNSP 4°	white
# 88062010	OSRAM 41830ssp	6 V	35 W	3000h		3000 K	VNSP	white
# 88063000	GE 4405	12.8 V	30 W	100h		3000 K	VNSP	white
# 88064000	GE H7604 halo	12.8 V	50 W	100h		3000 K	VNSP halo	white
# 88068000	GE 4596	28 V	250 W	25h		3000 K	VNSP	white
# 88068005	OMNILUX	28 V	250 W	25h		3000 K	VNSP	white
# 88061205	OMNILUX	6.4 V	30 W	300h		3000 K	WFL	white
# 88062315	OMNILUX PAR-36 LED	12 V	9 W	20000h		2700K	15°	white
# 88062318	OMNILUX PAR-36 LED	12 V	9 W	20000h		6500K	15°	white
# 88062320	OMNILUX PAR-36 COB	12 V	7 W	25000h		3000K	30°	white
# 88062321	OMNILUX PAR-36 COB	12 V	7 W	25000h		6400K	30°	white
# 88065100	GE 4509X	12.8 V	100 W	25h		3000 K	NSP	white
# 88066000	GE 4505	28 V	50 W	400h		3000 K	NSP	white
# 88066005	OMNILUX	28 V	50 W	400h		3000 K	NSP	white
# 88067000	GE 4594	28 V	100 W	300h		3000 K	NSP	white
# 88067005	OMNILUX	28 V	100 W	300h		3000 K	NSP	white
# 88069000	GE DWE	120 V	650 W	100h		3200 K	WFL	white
# 88069005	OMNILUX	120 V	650 W	100h		3000 K	WFL	white

Par-56, Socket G-53 STC / GX-16d



Article number	Description	Voltage	Power	Life-time	Socket	Angle	Color temperature
# 88121000	GE 4545	12 V	100 W	100h	G-53 STC	NSP	3000K
# 88121006	OMNILUX	12 V	100 W	100h	G-53 STC	NSP Tungsten	
# 88122000	GE	12 V	300 W	1000h	G-53 STC	WFL pool lamp	
# 88122005	OMNILUX	12 V	300 W	1000h	G-53 STC	WFL pool lamp	
# 88122010	SYLVANIA 4545	12 V	300 W	100h	G-53 STC	NSP pool lamp	3000K
# 88126350	OMNILUX LED 252	12 V	18 W	30000h	G-53 STC	120° pool lamp	6400K
# 88126352	OMNILUX LED 252	12 V	18 W	30000h	G-53 STC	120° pool lamp	3000K
# 88126358	OMNILUX LED 252	12 V	18 W	30000h	G-53 STC	120° pool lamp	RGB
# 88124000	GE	30 V	200 W	500h	G-53 STC	VNSP Locomotive	
# 88125000	GE	240 V	300 W	2000h	GX-16 d	NSP	
# 88125005	OMNILUX	230 V	300 W	2000h	GX-16 d	NSP Halogen	
# 88125006	OMNILUX	230 V	300 W	2000h	GX-16 d	NSP Tungsten	
# 88125020	SYLVANIA	240 V	300 W	2000h	GX-16 d	NSP	2750K
# 88125100	GE	240 V	300 W	2000h	GX-16 d	MFL	
# 88125105	OMNILUX	230 V	300 W	2000h	GX-16 d	MFL Halogen	
# 88125106	OMNILUX	230 V	300 W	2000h	GX-16 d	MFL Tungsten	
# 88125120	SYLVANIA	240 V	300 W	2000h	GX-16 d	MFL	2750K
# 88125200	GE	240 V	300 W	2000h	GX-16 d	WFL	
# 88125205	OMNILUX	230 V	300 W	2000h	GX-16 d	WFL Halogen	
# 88125206	OMNILUX	230 V	300 W	2000h	GX-16 d	WFL Tungsten	
# 88125220	SYLVANIA	240 V	300 W	2000h	GX-16 d	WFL	2750K
# 88126005	OMNILUX	230 V	500 W	2000h	GX-16 d	NSP Halogen	
# 88126006	OMNILUX	230 V	500 W	2000h	GX-16 d	NSP Tungsten	
# 88126105	OMNILUX	230 V	500 W	2000h	GX-16 d	MFL Halogen	
# 88126106	OMNILUX	230 V	500 W	2000h	GX-16 d	MFL Tungsten	
# 88126205	OMNILUX	230 V	500 W	2000h	GX-16 d	WFL Halogen	
# 88126206	OMNILUX	230 V	500 W	2000h	GX-16 d	WFL Tungsten	

Par-64, Socket G-53 STC / GX-16d



Article number	Description	Voltage	Power	Life-time	Color temperature	Angle	Socket
# 88141000	GE 4552	28 V	250 W	25h	2950 K	VNSP Aircraft	G-53 STC
# 88141005	OMNILUX	28 V	250 W	100h	2800 K	SP Aircraft	G-53 STC
# 88143000	GE FFN	120 V	1000 W	800h	3200 K	NSP	GX-16 d
# 88143100	GE FFP	120 V	1000 W	800h	3200 K	MFL	GX-16 d
# 88145000	GE CP86	240 V	500 W	300h	3200 K	VNSP	GX-16 d
# 88145005	OMNILUX	240 V	500 W	300h	3200 K	VNSP Halogen	GX-16 d
# 88145006	OMNILUX	240 V	500 W	300h	2800 K	VNSP Tungsten	GX-16 d
# 88145100	GE CP87	240 V	500 W	300h	3200 K	NSP	GX-16 d
# 88145105	OMNILUX	240 V	500 W	300h	3200 K	NSP Halogen	GX-16 d
# 88145106	OMNILUX	240 V	500 W	300h	2800 K	NSP Tungsten	GX-16 d
# 88145200	GE CP88	240 V	500 W	300h	3200 K	MFL	GX-16 d
# 88145205	OMNILUX	240 V	500 W	300h	3200 K	MFL Halogen	GX-16 d
# 88145206	OMNILUX	240 V	500 W	300h	2800 K	MFL Tungsten	GX-16 d
# 88147005	OMNILUX	240 V	1000 W	300h	3200 K	VNSP Halogen	GX-16 d
# 88147006	OMNILUX	240 V	1000 W	300h	2800 K	VNSP Tungsten	GX-16 d
# 88147105	OMNILUX	240 V	1000 W	300h	3200 K	NSP Halogen	GX-16 d
# 88147106	OMNILUX	240 V	1000 W	300h	2800 K	NSP Tungsten	GX-16 d
# 88147205	OMNILUX	240 V	1000 W	300h	3200 K	MFL Halogen	GX-16 d
# 88147206	OMNILUX	240 V	1000 W	300h	2800 K	MFL Tungsten	GX-16 d
# 88147300	GE CP60 SUPERPAR	240 V	1000 W	300h	3200 K	VNSP	GX-16 d
# 88147315	PHILIPS CP60	240 V	1000 W	300h	3200 K	VNSP	GX-16 d
# 88147400	GE CP61 SUPERPAR	240 V	1000 W	300h	3200 K	NSP	GX-16 d
# 88147415	PHILIPS CP61	240 V	1000 W	300h	3200 K	NSP	GX-16 d
# 88147500	GE CP62 SUPERPAR	240 V	1000 W	300h	3200 K	MFL	GX-16 d
# 88147515	PHILIPS CP62	240 V	1000 W	300h	3200 K	MFL	GX-16 d
# 88147670	OMNILUX LITE	230 V	1000 W	300h	3000 K	MFL	GX-16 d

Socket G-5.3 with 50 mm reflector




Article number	Description	Voltage	Power	Life-time	Color temperature	Socket	Color	Luminance
# 88264000	GE ELC	24 V	250 W	50h	3400 K	GX-5.3	white	
# 88264005	OMNILUX ELC	24 V	250 W	50h	3300 K	GX-5.3	white	7600 Lm
# 88264010	OSRAM ELC	24 V	250 W	50h	3200 K	GX-5.3	white	
# 88264015	PHILIPS ELC	24 V	250 W	50h	3400 K	GX-5.3	white	
# 88264100	GE ELC 500	24 V	250 W	500h	3250 K	GX-5.3	white	
# 88264105	OMNILUX ELC 500	24 V	250 W	500h	3300 K	GX-5.3	white	7600 Lm
# 88264115	PHILIPS ELC 500	24 V	250 W	500h	3400 K	GX-5.3	white	
# 88264120	SYLVANIA ELC/5H	24 V	250 W	500h	3400 K	GX-5.3	white	
# 88264215	PHILIPS ELC 1000	24 V	250 W	1000h	3200 K	GX-5.3	white	
# 88264220	SYLVANIA ELC	24 V	250 W	1000h	3150 K	GX-5.3	white	
# 88265005	OMNILUX ENH	120 V	250 W	175h	3100 K	GY-5.3	white	6100 Lm
# 88265007	OMNILUX ENH	120 V	250 W	500h	3150 K	GY-5.3	white	
# 88265015	PHILIPS ENH 13095	120 V	250 W	175h	3300 K	GY-5.3	white	
# 88266005	OMNILUX ELH	120 V	300 W	300h	3350 K	GY-5.3	white	8000 Lm

Socket G-6.35




Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 88281000	GE M76	12 V	20 W	3000h	3000 K	300Lm	GY-6.35
# 88281005	OMNILUX JC	12 V	20 W	2000h	2800 K		G-6.35
# 88282000	GE M95	12 V	35 W	3000h	3000 K	600Lm	GY-6.35
# 88283000	GE M32	12 V	50 W	4000h	3000 K	930Lm	GY-6.35
# 88283005	OMNILUX JC	12 V	50 W	2000h	2800 K	900Lm	G-6.35
# 88283010	OSRAM 64440	12 V	50 W	2000h	3000 K	910Lm	GY-6.35
# 88283015	PHILIPS 13102	12 V	50 W	2000h	3000 K	880Lm	GY-6.35
# 88283200	GE BRL A1/220	12 V	50 W	50h	3400 K	1400Lm	G-6.35
# 88283205	OMNILUX BRL	12 V	50 W	50h	3400 K		G-6.35
# 88283210	OSRAM 64610 BRL	12 V	50 W	50h	3400 K	1600Lm	G-6.35
# 88283510	OSRAM 64620 EFR	15 V	150 W	500h	3300 K		GZ-6.35
# 88284000	GE EVA M28	12 V	100 W	2000h	3000 K		GY-6.35
# 88284005	OMNILUX FCR	12 V	100 W	2000h	2800 K	1800Lm	G-6.35
# 88284010	OSRAM 64623HLX EVA	12 V	100 W	2000h	2800 K		GY-6.35
# 88285005	OMNILUX EFP	12 V	100 W	2000h	3400 K	3400Lm	GZ-6.35
# 88285010	OSRAM EFP 64627	12 V	100 W	50h	3200 K		GZ-6.35
# 88285105	OMNILUX EFP	12 V	100 W	500h	3200 K		GZ-6.35
# 88286010	OSRAM EFR 64634	15 V	150 W	50h	3400 K	4600Lm	GZ-6.35
# 88286015	PHILIPS EFR	15 V	150 W	500h	3400 K		GZ-6.35
# 88286105	OMNILUX EFR	15 V	150 W	500h	3400 K		GZ-6.35
# 88287000	GE M67	24 V	100 W	2000h	3000 K		GY-6.35
# 88287005	OMNILUX	24 V	100 W	2000h	3000 K	31600Lm	GY-6.35
# 88288005	OMNILUX FCS	24 V	150 W	50h	3300 K	4900Lm	G-6.35
# 88288006	OMNILUX FCS	24 V	150 W	500h	3300 K	3100Lm	G-6.35
# 88288010	OSRAM FCS 64640 HLX	24 V	150 W	50h	3200 K		G-6.35
# 88288011	OSRAM FCS 64642 HLX	24 V	150 W	300h	3200 K		G-6.35
# 88289000	GE EHJ A1/223	24 V	250 W	50h	3400 K		G-6.35
# 88289005	OMNILUX EHJ	24 V	250 W	50h	3300 K	8700Lm	G-6.35
# 88289010	OSRAM EHJ 64655	24 V	250 W	50h	3200 K		G-6.35
# 88289105	OMNILUX EHJ	24 V	250 W	500h	3000 K		G-6.35
# 88290005	OMNILUX EVC	24 V	250 W	300h	3000 K	6600Lm	G-6.35
# 88290010	OSRAM 64657 HLX	24 V	250 W	300h	3200 K		G-6.35
# 88290030	OMNILUX FLW	24 V	300 W	50h	3100 K		G-6.35
# 88291005	OMNILUX EVD	36 V	400 W	50h	3300 K	14400Lm	G-6.35
# 88291006	OMNILUX EVD	36 V	400 W	500h	3100 K	11000Lm	G-6.35
# 88291010	OSRAM EVD 64663	36 V	400 W	50h	3200 K		G-6.35
# 88291015	PHILIPS 7787 XHP	36 V	400 W	50h	3400 K		G-6.35
# 88294005	OMNILUX	120 V	300 W	75h	3000 K	6400Lm	GX-6.35
# 88294006	OMNILUX	120 V	300 W	300h	3200 K	6400Lm	GX-6.35
# 88294010	OSRAM 64514	115-120 V	300 W	75h	3400 K		GX-6.35
# 88294880	OMNILUX JCD	240 V	28 W	1000h	2800K	360Lm	GX-6.35
# 88294890	OMNILUX JCD	240 V	42 W	1000h	2800K	620Lm	GX-6.35
# 88294905	OMNILUX JCD	240 V	100 W	1500h	2700 K	1300Lm	GY-6.35
# 88295000	GE A1/248	240 V	150 W	50h	3400 K		G-6.35
# 88295005	OMNILUX	240 V	150 W	15h	2750 K	2600Lm	G-6.35
# 88295010	OSRAM 64502	240 V	150 W	25h	3400 K		GX-6.35
# 88295015	OSRAM 64502C	240 V	150 W	50h	3400 K		GX-6.35
# 88296010	OSRAM 64515	240 V	300 W	15h	3400 K		GX-6.35
# 88296100	GE A1/249	240 V	300 W	50h	3400 K		G-6.35
# 88296105	OMNILUX	240 V	300 W	75h	3200 K	7300Lm	GX-6.35
# 88296106	OMNILUX	240 V	300 W	300h	3200 K	7300Lm	GX-6.35
# 88296110	OSRAM 64516 CP97	240 V	300 W	75h	3400 K		GX-6.35
# 88297005	OMNILUX	240 V	650 W	25h	3200 K	19000Lm	GX-6.35
# 88297010	OSRAM BVM P1/13	240 V	650 W	15h	3400 K		GX-6.35
# 88298005	OMNILUX	240 V	1000 W	15h	3400 K		GX-6.35
# 88298006	OMNILUX	240 V	1000 W	100h	3200 K		GX-6.35
# 88298007	OMNILUX	240 V	1000 W	200h	3000 K		GX-6.35
# 88298010	OSRAM 64575	240 V	1000 W	15h	3400 K		GX-6.35

Socket P-28s/P-40s




Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 88521000	GE T17 FKF	240 V	500 W	750 h	2950 K		P-28s
# 88522100	GE T13 FKB	240 V	650 W	750 h	3000 K		P-28s

Socket G-9.5




Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 88323000	GE HX600 GKV	240 V	600 W	250h	3200 K		G-9.5
# 88323001	OMNILUX HX600 GKV	240 V	600 W	250h	3200 K	14000Lm	G-9.5
# 88323002	GE HX600 GKV LL	240 V	600 W	1500h	3000 K		G-9.5
# 88323003	OMNILUX HX600 GKV LL	240 V	600 W	750h	3000 K	12000Lm	G-9.5
# 88323010	OSRAM 64716 GKV	240 V	600 W	250h	3200 K		G-9.5
# 88328000	GEHX800 SEQ	240 V	800 W	250h	3200 K		G-9.5
# 88331000	GE CP77 FEP	240 V	1000 W	300h	3200 K		G-9.5
# 88341000	GE CP23	240 V	650 W	100h	3200 K		GX-9.5
# 88341005	OMNILUX	240 V	650 W	100h	3200 K		GX-9.5
# 88341010	OSRAM 64720	230 V	650 W	100h	3200 K		GX-9.5
# 88341100	GE T12	240 V	650 W	750h	3000 K		GX-9.5
# 88341105	OMNILUX	240 V	650 W	750h	3200 K	9100Lm	GX-9.5
# 88343005	OMNILUX Roundlux	230 V	800 W	50h	3200 K	22000Lm	GX-9.5
# 88344000	GE CP24	240 V	1000 W	250h	3200 K		GX-9.5
# 88344005	OMNILUX	230 V	1000 W	250h	3200 K		GX-9.5
# 88344010	OSRAM 64745	240 V	1000 W	200h	3200 K		GX-9.5
# 88344100	GE T19	240 V	1000 W	750h	3050 K		GX-9.5
# 88344105	OMNILUX	230 V	1000 W	750h	3200 K		GX-9.5
# 88344200	GE T11	240 V	1000 W	750h	3050 K		GX-9.5
# 88344300	GE CP70 FVB	240 V	1000 W	200h	3200 K		GX-9.5
# 88345015	PHILIPS 6984P	240 V	1000 W	180h	3200 K	22500Lm	GX-9.5
# 88346005	OMNILUX Roundlux	230 V	1000 W	180h	3200 K		GX-9.5
# 88347000	GE T29 FWT	240 V	1200 W	480h	3050 K		GX-9.5
# 88347010	OSRAM 64752	240 V	1200 W	480h	3000 K		GX-9.5
# 88344017	PHILIPS 6995IBP	240 V	1000 W	250h	3200 K	25000Lm	GY-9.5
# 88344405	OMNILUX H	230 V	1000 W	200h	3200K	20000Lm	GY-9.5
# 88381005	OMNILUX	230 V	100 W	75h	2900 K		GY-9.5
# 88382005	OMNILUX	230 V	150 W	25h	3000 K		GY-9.5
# 88383000	GE CP81 FSK	240 V	300 W	150h	3200 K		GY-9.5
# 88383005	OMNILUX	230 V	300 W	180h	3200 K	22000Lm	GY-9.5
# 88383100	GE M38	240 V	300 W	2000h	2900 K		GY-9.5
# 88384000	GE A1/244	240 V	500 W	75h	3200 K		GY-9.5
# 88384001	SYLVANIA A1/244	240 V	500 W	75h	3200 K	13000Lm	GY-9.5
# 88384005	OMNILUX A1	230 V	500 W	75h	3200 K	7200Lm	GY-9.5
# 88384010	OSRAM 64680 A1/244	230 V	500 W	50h	3200 K		GY-9.5
# 88384100	GE CP82 FRJ	240 V	500 W	150h	3200 K		GY-9.5
# 88384105	OMNILUX FRJ	230 V	500 W	150h	3200 K		GY-9.5
# 88384116	GE 88470	240 V	500 W	360h	3000 K		GY-9.5
# 88384200	GE M40	240 V	500 W	2000h	2900 K		GY-9.5
# 88384205	OMNILUX	230 V	500 W	2000h	2900 K		GY-9.5
# 88384210	OSRAM 64672	230 V	500 W	2000h	2900 K		GY-9.5
# 88384300	GE T18 GCW	240 V	500 W	400h	3050 K		GY-9.5
# 88385000	GE T26 GCS	240 V	650 W	400h	3100 K		GY-9.5
# 88385005	OMNILUX	230 V	650 W	100h	3100 K		GY-9.5
# 88385016	GE 88469	240 V	650 W	400h	3050 K		GY-9.5
# 88387000	GE CP89 FRM	240 V	650 W	150h	3200 K		GY-9.5

Socket GU-10




Article number	Description	Voltage	Power	Life-time	Luminance	Color temperature	Angle	Color
# 88540456	OMNILUX LED 18	230 V	5W	20000h	6.2Lm			blue
# 88540457	OMNILUX LED 18	230 V	5W	20000h	6.5Lm			red
# 88540458	OMNILUX LED 18	230 V	5W	20000h	19Lm			green
# 88540459	OMNILUX LED 18	230 V	5W	20000h	9.2Lm			yellow
# 88540516	OMNILUX LED 3x1W KR	230 V	6 W	50000h			16°	blue
# 88540517	OMNILUX LED 3x1W KR	230 V	6 W	50000h			16°	red
# 88540526	OMNILUX LED 3W	230 V	9 W	50000h			25°	blue
# 88540527	OMNILUX LED 3W	230 V	9 W	50000h			25°	red
# 88540646	OMNILUX SMD	230 V	7 W	20000h			36°	blue
# 88540647	OMNILUX SMD	230 V	7 W	20000h			36°	red
# 88540648	OMNILUX SMD	230 V	7 W	20000h			36°	green
# 88540649	OMNILUX SMD	230 V	7 W	20000h			36°	yellow
# 88540650	OMNILUX SMD	230 V	7 W	20000h			36°	orange
# 88541506	OMNILUX	230 V	35 W	2500h	419Lm		25° + CC	blue
# 88541507	OMNILUX	230 V	35 W	2500h	355Lm		25° + CC	red
# 88541508	OMNILUX	230 V	35 W	2500h	645Lm		25° + CC	green
# 88541509	OMNILUX	230 V	35 W	2500h	2260Lm		25° + CC	yellow
# 88541510	OMNILUX	230 V	35 W	2500h	355Lm		25° + CC	violet
# 88542507	OMNILUX	230 V	50 W	2000h	710Lm		25° + CC	red
# 88542508	OMNILUX	230 V	50 W	2000h	1291Lm		25° + CC	green
# 88542509	OMNILUX	230 V	50 W	2000h	4585Lm		25° + CC	yellow
# 88542510	OMNILUX	230 V	50 W	2000h	710Lm		25° + CC	violet

Socket GY-16



Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 88441000	GE CP43	240 V	2000 W	400h	3200 K		GY-16
# 88441005	OMNILUX	230 V	2000 W	400h	3200 K		GY-16
# 88441010	OSRAM 64788	240 V	2000 W	400h	3200 K		GY-16
# 88441015	PHILIPS 6994P	230 V	2000 W	480h	3200 K	50000Lm	GY-16




Socket G-22

Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 88461010	OSRAM 64721	230 V	650 W	100h	3200 K		G-22
# 88462000	GE CP40	240 V	1000 W	200h	3200 K		G-22
# 88462005	OMNILUX	240 V	1000 W	200h	3200 K		G-22
# 88462010	OSRAM 64747	230 V	1000 W	200h	3200 K		G-22
# 88463000	GE CP93	240 V	1200 W	200h	3200 K		G-22
# 88463010	OSRAM 64756	230 V	1200 W	200h	3200 K		G-22
# 88464000	GE CP92	240 V	2000 W	300h	3200 K		G-22
# 88464010	OSRAM 64787	230 V	2000 W	400h	3200 K		G-22



Socket G-38

Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 88481010	OSRAM 64789	230 V	2000 W	400h	3200 K		G-38
# 88481015	PHILIPS 6994Z	230 V	2000 W	480h	3200 K	50000Lm	G-38



White Light Socket E-12, E-14

Article number	Description	Voltage	Power	Life-time	Color temperature	Socket	Luminance	Type
# 92005116	OMNILUX	230 V	7 W	1000h		E-12		candle lamp
# 92005118	OMNILUX	230 V	18 W	1500h	2700 K	E-12		candle lamp
# 92005150	OMNILUX	12 V	5 W	1000h		E-14		candle lamp



Colored Light Socket E-27

Article number	Description	Voltage	Power	Life-time	Type	Color
# 9210105U	OMNILUX A19	230 V	25 W	800h	Incandescent	red
# 9210105X	OMNILUX A19	230 V	40 W	1000h	Incandescent	red
# 9210115U	OMNILUX A19	230 V	25 W	800h	Incandescent	yellow
# 9210115X	OMNILUX A19	230 V	40 W	1000h	Incandescent	yellow
# 9210125U	OMNILUX A19	230 V	25 W	800h	Incandescent	green
# 9210125X	OMNILUX A19	230 V	40 W	1000h	Incandescent	green
# 9210135U	OMNILUX A19	230 V	25 W	800h	Incandescent	blue
# 9210135X	OMNILUX A19	230 V	40 W	1000h	Incandescent	blue
# 9210145U	OMNILUX A19	230 V	25 W	800h	Incandescent	orange
# 9210145X	OMNILUX A19	230 V	40 W	1000h	Incandescent	orange
# 9210165U	OMNILUX A19	230 V	25 W	800h	Incandescent	violet
# 9210165X	OMNILUX A19	230 V	40 W	1000h	Incandescent	violet
# 9210360U	OMNILUX R80	230 V	60 W	1000h	Reflector	red
# 9210400U	OMNILUX R80	230 V	60 W	1000h	Reflector	yellow
# 9210410U	OMNILUX R80	230 V	60 W	1000h	Reflector	green
# 9210420U	OMNILUX R80	230 V	60 W	1000h	Reflector	blue
# 9210430U	OMNILUX R80	230 V	60 W	1000h	Reflector	orange
# 9210440U	OMNILUX R80	230 V	60 W	1000h	Reflector	violet
# 51928554	OMNILUX LED	230 V	3 W	30000h	A60	red
# 51928555	OMNILUX LED	230 V	3 W	30000h	A60	blue
# 51928556	OMNILUX LED	230 V	3 W	30000h	A60	green
# 51928557	OMNILUX LED	230 V	3 W	30000h	A60	yellow
# 51928564	OMNILUX LED	230 V	3 W	30000h	G45	red
# 51928565	OMNILUX LED	230 V	3 W	30000h	G45	blue
# 51928566	OMNILUX LED	230 V	3 W	30000h	G45	green
# 51928567	OMNILUX LED	230 V	3 W	30000h	G45	yellow
# 51928568	OMNILUX LED	230 V	3 W	30000h	G45	orange


Fluorescent Tubes

Article number	Description	Voltage	Power	Life-time	Socket/Ø	Length	Color	Luminance
# 92000590	PHILIPS TL-D	230 V	18 W	5000h	G-13/T8	60 cm	red	
# 92000591	PHILIPS TL-D	230 V	18 W	5000h	G-13/T8	60 cm	yellow	
# 92000592	PHILIPS TL-D	230 V	18 W	5000h	G-13/T8	60 cm	green	
# 92000593	PHILIPS TL-D	230 V	18 W	5000h	G-13/T8	60 cm	blue	
# 92001006	OMNILUX	230 V	36 W	5000h	G-13/T8	120 cm	blue	
# 92001007	OMNILUX	230 V	36 W	5000h	G-13/T8	120 cm	red	
# 92001008	OMNILUX	230 V	36 W	5000h	G-13/T8	120 cm	green	
# 92001009	OMNILUX	230 V	36 W	5000h	G-13/T8	120 cm	yellow	
# 92001090	PHILIPS TL-D	230 V	36 W	5000h	G-13/T8	120 cm	red	
# 92001093	PHILIPS TL-D	230 V	36 W	5000h	G-13/T8	120 cm	blue	
# 92001190	PHILIPS TL-D	230 V	58 W	5000h	G-13/T8	150 cm	red	
# 92001191	PHILIPS TL-D	230 V	58 W	5000h	G-13/T8	150 cm	yellow	
# 92001192	PHILIPS TL-D	230 V	58 W	5000h	G-13/T8	150 cm	green	
# 92001193	PHILIPS TL-D	230 V	58 W	5000h	G-13/T8	150 cm	blue	
# 92001429	OMNILUX	230 V	15 W	5000h	G-13/T8	45 cm	yellow	
# 92001456	OMNILUX	230 V	58 W	5000h	G-13/T8	150 cm	blue	
# 92001506	OMNILUX	230 V	18 W	5000h	G-13/T8	60 cm	blue	

UV Tubes


Article number	Description	Voltage	Power	Life-time	Socket	Diameter	Length
# 89500905	OMNILUX UV	240 V	4 W	5000h	G-5	T5	15 cm
# 89501005	OMNILUX UV	240 V	6 W	5000h	G-5	T5	22 cm
# 89501015	PHILIPS UV BLB6	240 V	6 W	5000h	G-5	T5	22 cm
# 89502005	OMNILUX UV	240 V	8 W	5000h	G-5	T5	30 cm
# 89502015	PHILIPS UV BLB8	240 V	8 W	5000h	G-5	T5	30 cm
# 89502100	OMNILUX UV	240 V	13 W	5000h	G-5	T5	53 cm
# 89502105	OMNILUX UV	240 V	13 W	5000h	G-5	T5	55 cm
# 89502205	OMNILUX UV	240 V	13 W	5000h	G-5	T5	115 cm
# 89502505	OMNILUX UV	240 V	15 W	5000h	G-8	T8	45 cm
# 89503005	OMNILUX UV	240 V	18 W	5000h	G-13	T8	60 cm
# 89503015	PHILIPS UV	240 V	18 W	6000h	G-13	T8	60 cm
# 89505005	OMNILUX UV	240 V	20 W	5000h	G-13	T12	60 cm
# 89508005	OMNILUX UV	240 V	36 W	5000h	G-13	T8	120 cm
# 89508015	PHILIPS UV	240 V	36 W	6000h	G-13	T8	120 cm
# 89509005	OMNILUX UV	240 V	40 W	5000h	G-13	T12	120 cm
# 89509505	OMNILUX UV	240 V	58 W	5000h	G-13	T8	150 cm

UV Light




Article number	Description	Voltage	Power	Life-time	Socket	Color temperature	Design
# 89510005	OMNILUX UV	240 V	75 W	1000h	E-27	6000 K	R-80
# 89510105	OMNILUX UV	240 V	75 W	1000h	E-27	6000 K	Skull 8cm
# 89511005	OMNILUX UV	240 V	75 W	1000h	E-27	6000 K	A 19 Bulb
# 89511015	OMNILUX UV	240 V	25 W	1000h	E-14	6000 K	R-50
# 89511025	OMNILUX UV	240 V	40 W	1000h	E-14	6000 K	C-35
# 89511035	OMNILUX UV	240 V	40 W	1000h	E-14	6000 K	G-45
# 89512005	OMNILUX UV	240 V	125 W	2500h	E-27	6000 K	ED17
# 89512020	SYLVANIA UV	240 V	125 W	2500h	E-27	6000 K	ED17
# 89513005	OMNILUX UV	240 V	160 W	1500h	E-27	6000 K	ED17
# 89513020	SYLVANIA UV	240 V	160 W	1500h	E-27	6000 K	ED17
# 89513505	OMNILUX UV	240 V	250 W	2500h	E-40	6000 K	ED37
# 89514005	OMNILUX UV	240 V	400 W	2500h	E-40	6000 K	BT56
# 89514010	SYLVANIA UV	240 V	400 W	2500h	E-40	6000 K	BT56
# 89540010	OMNILUX SMD 28	240 V	5 W	25000h	E-27	6000 K	
# 89540012	OMNILUX SMD 60	240 V	10 W	25000h	E-27	6000 K	3U
# 89540015	OMNILUX SMD 60	240 V	12 W	25000h	E-27	6000 K	
# 89540020	OMNILUX SMD 80	240 V	15 W	25000h	E-27	6000 K	
# 88540464	OMNILUX LED 18	230 V	5 W	20000h	GU-10		Reflector
# 88545560	OMNILUX LED 1x3	230 V	3 W	20000h	GU-10		Reflector
# 88545562	OMNILUX LED 3x1	230 V	3 W	20000h	GU-10		Reflector
# 88540579	OMNILUX LED 48	230 V	8 W	20000h	GU-10		Reflector
# 88540599	OMNILUX LED 60	230 V	9 W	20000h	GU-10		Reflector
# 88555516	OMNILUX JDR LED 18	230 V	1 W	20000h	E-27		Reflector
# 88040510	OMNILUX PAR-30 SMD	230 V	6 W	20000h	E-27		Reflector
# 88081920	OMNILUX PAR-38 SMD	230 V	18 W	20000h	E-27		Reflector
# 89540030	OMNILUX LED SMD	230 V	27 W	20000h	E-27		270°

Pole Burners Socket R-7s



EEK	Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
D	# 91100046	OMNILUX 78 mm	230 V	80 W	1000h	2900 K	1440Lm	R-7s
D	# 91100051	OMNILUX 78 mm	230 V	120 W	1000h	2900 K	2230Lm	R-7s
D	# 91100078	OMNILUX 117 mm	230 V	120 W	1000h	2900 K	2230Lm	R-7s
D	# 91100101	OMNILUX 117 mm	230 V	160 W	1000h	2900 K	3100Lm	R-7s
D	# 91100301	OMNILUX 117 mm	230 V	230 W	1000h	2900 K	4650Lm	R-7s
C	# 91100401	OMNILUX 117 mm	230 V	400 W	1000h	2900 K	8600Lm	R-7s
	# 91100500	OMNILUX 117 mm	230 V	800 W	1000h	3000 K	13000Lm	R-7s
	# 91100520	SYLVANIA 117 mm	240 V	800 W	1000h	3200 K		R-7s
	# 91100560	GE DXX 79 mm	240 V	800 W	75h	3200 K	21400Lm	R-7s
	# 91100562	OMNILUX DXX 74.9 mm	240 V	800 W	1000h	3200 K	21000Lm	R-7s
	# 91100600	OMNILUX 117 mm	230 V	1000 W	200h	3200 K	19000Lm	R-7s
D	# 91200000	OMNILUX 189 mm	230 V	750 W	1000h	3000 K	11000Lm	R-7s
	# 91200010	OMNILUX 189 mm	230 V	1000 W	1000h	3000 K	18000Lm	R-7s
A+	# 91100030	OMNILUX SMD DIMM	230 V	4 W	20000h	3100 K	290Lm	R-7s
A	# 91100032	OMNILUX SMD DIMM	230 V	10 W	20000h	3100 K	700Lm	R-7s
A	# 91100034	OMNILUX SMD DIMM	230 V	15 W	20000h	3100 K	870Lm	R-7s

Socket BA-9s/15s / Protection



Article number	Description	Voltage	Power	Life-time	Socket	Color temperature	Luminance
# 90605480	OMNILUX	6 V	3 W	1000h	BA 9s		18Lm
# 90605500	OMNILUX	12 V	5 W	200h	BA 9s		24 Lm
# 90605505	OMNILUX Halogen	12 V	5 W	200h	BA 9s		
# 90605600	OMNILUX T20	230 V	15 W	1000h	BA 15d	2000K	25Lm
# 91203050	Tubular bulb	24 V	18 W	var			

Socket E-27/-40 Discharge



Article number	Description	Voltage	Power	Life-time	Color temperature	Angle	Luminance	Socket
# 91013201	OMNILUX OQI-T	265 V	1000 W	6000h	6400 K		110000 lm	E-40
# 91014620	PHILIPS CDM-R PAR-30	240 V	70W	6000h	3000 K	40°		E-27


Socket G-9.5 Discharge



Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 89100115	PHILIPS MSR 125	80 V	125 W	200h	6000 K		GZX-9.5
# 89103005	OMNILUX OSR 400	67 V	400 W	650h	6000 K	32000Lm	GX-9.5
# 89103010	OSRAM HSR 400	67 V	400 W	1000h	6000 K	33000Lm	GX-9.5
# 89107000	GE CSR 575/2 SE	97 V	575 W	1000h	7200 K	49000Lm	GX-9.5
# 89107010	OSRAM HSR 575/60	95 V	575 W	1000h	6000 K	49000Lm	GX-9.5
# 89107015	PHILIPS MSR 575/2	95 V	575 W	1000h	7200 K	49000Lm	GX-9.5
# 89107205	OMNILUX OSD	95 V	575 W	500h	7200 K	47000Lm	GX-9.5
# 89107210	OSRAM HSR 575/72	95 V	575 W	1000h	7200 K	49000Lm	GX-9.5
# 89102005	OMNILUX OSD	70 V	200 W	2000h	6500 K	13000Lm	GY-9.5
# 89102015	PHILIPS MSD 200	70 V	200 W	2000h	6000 K	13500Lm	GY-9.5
# 89106005	OMNILUX OSD	90 V	250 W	1500h	6700 K	16000Lm	GY-9.5
# 89106010	OSRAM HSD 250	90 V	250 W	2000h	6000 K	17000Lm	GY-9.5
# 89106015	PHILIPS MSD 250	90 V	250 W	3000h	6700 K	15000Lm	GY-9.5
# 89106105	OMNILUX OSD 250/2	94 V	250 W	1000h	8000 K	15000Lm	GY-9.5
# 89106115	PHILIPS MSD 250/2	90 V	250 W	3000h	8500 K	18000Lm	GY-9.5
# 89106120	SYLVANIA BA 250/2 SE D	95 V	250 W	3000h	8500 K	18000Lm	GY-9.5
# 89106210	OSRAM HSD 250/80	90 V	250 W	3000h	8000 K	17000Lm	GY-9.5
# 91201327	OSRAM HTI 150W	100 V	150W	750h	6900 K	10000Lm	GY-9.5
# 91201328	GE CSS 150	85 V	150 W	1000h	5000 K	8000Lm	GY-9.5
# 91201329	OSRAM HTI 152W	95 V	150 W	2000h	5000 K	10000Lm	GY-9.5



Socket G-12 Discharge



Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 89101910	OSRAM HSD	97 V	150 W	3000h	7000 K	12000Lm	G-12
# 91013520	PHILIPS SDW-T		100 W	5000h	2500 K		PG-12
# 91014035	PHILIPS CDM-T 830	>207 V	35 W	6000h	3000 K		G-12
# 91014036	OMNILUX CDM-T 830	198 V	70 W	12000h	3000 K	6600Lm	G-12
# 91014037	OMNILUX CDM-T 942	198 V	70 W	12000h	4200 K	6600Lm	G-12
# 91014038	OMNILUX CDM-T 830	198 V	150 W	12000h	3000 K	14000Lm	G-12
# 91014039	OMNILUX CDM-T 942	198 V	150 W	12000h	4200 K	14000Lm	G-12
# 91014044	PHILIPS CDM-T 830	>207 V	70 W	6000h	3000 K	6800Lm	G-12
# 91014045	PHILIPS CDM-T 830	>207 V	150 W	6000h	3000 K	14000Lm	G-12
# 91014046	PHILIPS CDM-SA/T 942	>207 V	150 W	6000h	4200 K	12900Lm	G-12
# 91014049	PHILIPS CDM-T 942	>207 V	150 W	6000h	4200 K		G-12
# 91201792	OSRAM HQI-T70 WDL	240 V	75 W	6000h	3000 K		G-12
# 91201794	OSRAM HCI-T150/NDL	240 V	150 W	12000h	4200 K		G-12
# 91201800	GE CMH 150/T 830	240 V	150 W	12000h	3000 K		G-12
# 91201801	GE CMH 150/T 942	240 V	150 W	12000h	4200 K		G-12
# 91201803	OMNILUX ODM	90 V	70 W	6000h	4200 K		G-12
# 91201804	OMNILUX ODM	90 V	150 W	6000h	6400 K		G-12
# 91201805	OMNILUX ODM	90 V	150 W	6000h	4200 K		G-12

Socket G-22 Discharge




Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 89104005	OMNILUX OSD	72 V	700 W	2000h	6000 K		G-22
# 89105016	PHILIPS MSR 700/2	72 V	700 W	1000h	7200 K	55000Lm	G-22
# 89108010	OSRAM HMI 575/SE	95 V	575 W	750h	6000 K	49000Lm	G-22
# 89108015	PHILIPS MSR 575 HR	95 V	575 W	1000h	6000 K	49000Lm	G-22
# 89108020	SYLVANIA BA 575/SE HR	95 V	575 W	750h	6000 K	49000Lm	G-22
# 89109015	PHILIPS MSR 1200	100 V	1200 W	800h	5900 K	110000Lm	G-22
# 91201370	OSRAM HTI 1200W/SE	100 V	1200 W	750h	5400 K	105000Lm	GY-22

Socket G-38 Discharge



Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 89110010	OSRAM HMI 1200 SE	100 V	1200 W	1000h	6000 K	110000Lm	G-38
# 89110015	PHILIPS MSR 1200 HR	100 V	1200 W	1000h	6000 K	110000Lm	G-38
# 89111010	OSRAM HMI 2500 SE	115 V	2500 W	500h	6000 K	240000Lm	G-38
# 89111015	PHILIPS MSR 2500 HR SE	115 V	2500 W	500h	6000 K	240000Lm	G-38
# 89112010	OSRAM HMI 4000W SE	200 V	4000 W	500h	6000 K	380000Lm	G-38

Double-sided Discharge



Article number	Description	Voltage	Power	Life-time	Socket	Color temperature	Luminance	Special
# 89110105	OMNILUX OMI 1200 short	100 V	1200 W	750h	SFc-10-4	6700 K	110000Lm	
# 89300995	OMNILUX OMI 300	100 V	300 W	500h	SFc-10-4	6500 K	22000Lm	
# 89301000	GE CSR 575 SS DE	100 V	575 W	500h	SFc-10-4	7500 K	44000Lm	
# 89301005	OMNILUX OMI 575	95 V	575 W	400h	SFc-10-4	6500 K	49000Lm	
# 89301010	OSRAM HMI 575 GS	95 V	575 W	1000h	SFc-10-4	6000 K	49000Lm	
# 89301105	OMNILUX Fc2 800	240 V	800 W	150h	SFc-10-4	3100 K	21000Lm	
# 89302005	OMNILUX OMI 1200	100 V	1200 W	400h	SFc-15,5	6700 K	110000Lm	
# 89302010	OSRAM HMI 1200/GS	100 V	1200 W	1000h	SFc-15,5	6000 K	110000Lm	
# 89302012	OSRAM HTI SharXS 60	100 V	1200 W	750h	SFc-10-4	6000 K	110000Lm	
# 89302013	OSRAM HTI SharXS 75	100 V	1200 W	750h	SFc-10-4	7500 K	110000Lm	
# 89302015	PHILIPS MSI 1200	100 V	1200 W	1000h	SFc-15,5	6000 K	110000Lm	
# 89303005	OMNILUX OMI 2500	115 V	2500 W	400h	SFa-21	6000 K	240000Lm	
# 89303008	OMNILUX HMI 2500	115 V	2500 W	300h	SFa-21	6000 K	240000Lm	
# 89303010	OSRAM HMI 2500/GS	115 V	2500 W	500h	SFa-21	6000 K	240000Lm	
# 89306015	PHILIPS MHD 1800	240 V	1800 W	600h	SFc-20	5600 K		
# 89311115	PHILIPS MSR 575SA/DE	> 207 V	575 W	750h	SFc-10-4	7500 K		GOLD
# 89312015	PHILIPS MSR 700SA/DE	> 207 V	700 W	750h	SFc-10-4	7500 K	56000Lm	GOLD
# 89312115	PHILIPS MSR 300/2	> 207 V	300 W	750h	PGJ-50	9300 K	21000Lm	GOLD Fastfit
# 89312315	PHILIPS MSR 700/2	> 207 V	700 W	750h	PGJ-50	7500 K		GOLD Fastfit
# 89313015	PHILIPS MSR 1200SA/DE	100 V	1200 W	750h	SFc-10-4	6000 K	110000Lm	GOLD
# 89314015	PHILIPS MSR 1200SA/SE	> 207 V	1200 W	750h	PGJ-50	6000 K		GOLD Fastfit
# 91013100	GE ARC UVC/TD/742	95 V	70 W	6000h	Rx-7s	4200 K		
# 91013105	OMNILUX OQI-TS	95 V	70 W	6000h	Rx-7s	4200 K		
# 91013109	OMNILUX OQI-TS	95 V	70 W	6000h	Rx-7s	6400 K		
# 91013120	GE ARC UVC/TD/742	95 V	150 W	6000h	Rx-7s	4200 K		
# 91013125	OMNILUX OQI-TS	95 V	150 W	6000h	Rx-7s	4200 K		
# 91013130	OMNILUX OQI-TS	95 V	150 W	6000h	Rx-7s	8000 K		
# 91013165	OMNILUX OQI-TS	95 V	400 W	6000h	Fc-2	4200 K		
# 91013170	OMNILUX OQI-TS	95 V	400 W	6000h	Fc-2	8000 K		
# 91014020	PHILIPS CDM-TD 830	>207 V	70 W	6000h	Rx-7s	3000 K		
# 91014021	OMNILUX CDM-TD 830	198 V	70 W	12000h	Rx-7s	3000 K	6600Lm	
# 91014022	OMNILUX CDM-TD 942	198 V	70 W	12000h	Rx-7s	4200 K	6600Lm	
# 91014025	PHILIPS CDM-TD 830	>207 V	150 W	6000h	Rx-7s	3000 K		
# 91014026	OMNILUX CDM-TD 830	198 V	150 W	12000h	Rx-7s	3000 K	14000Lm	
# 91014027	OMNILUX CDM-TD 942	198 V	150 W	12000h	Rx-7s	4200 K	14000Lm	
# 91201336	OSRAM HTI 300W/DX	100 V	300 W	750h	SFc-10-4	6500 K	22000Lm	
# 91201337	OMNILUX OTI	100 V	500 W	750h	SFc-10-4	6500 K	22000Lm	



Special Discharge Lamps



Article number	Description	Voltage	Power	Life-time	Color temperature	Luminance	Socket
# 91201330	OSRAM HTI 250W/32 Reflector	45 V	270 W	250 h	5600 K		G- 6.35
# 89101922	OMNILUX OSD 2R	75 V	132 W	5000h	9200 K	6000 Lm	
# 89101925	OMNILUX OSD 5R	75 V	200 W	2000h	8200 K	8500 Lm	
# 89101927	OMNILUX OSD 7R	75 V	230 W	2000h	8000 K	10500 Lm	
# 89101930	PHILIPS MSD Platinum 5R		190 W	2000h	8000 K	7950 Lm	
# 89101931	PHILIPS MSD Platinum 15R		300 W	1500h	8000 K	13500 Lm	
# 89101933	OSRAM Sirius HRI	70 V	132 W	6000h	9200K	5150Lm	
# 89101935	OSRAM Sirius HRI	70 V	190 W	3000h	8800K	9200Lm	
# 89101936	OSRAM Sirius HRI	70 V	180... 230 W	2500h	8000K	8000 ... 10500Lm	
# 89101937	OSRAM Sirius HRI	70 V	280 W	2000h	7800K	11500Lm	

Colored Socket R-7s Discharge



Article number	Description	Voltage	Current	Power	Life-time	Wave length	Color	Luminance
# 91013108	OMNILUX HQI-TS	95 V	1.0 A	70 W	6000h		green	
# 91013123	OMNILUX HQI-TS	95 V	1.8 A	150 W	6000h		red	
# 91013124	OMNILUX HQI-TS	95 V	1.8 A	150 W	6000h		yellow	
# 91013126	OMNILUX HQI-TS	95 V	1.8 A	150 W	6000h		blue	
# 91013128	OMNILUX HQI-TS	95 V	1.8 A	150 W	6000h		green	
# 91015005	GE ARC150 UVC	95 V	1.8 A	150 W	6000h		green	
# 91015015	GE ARC150 UVC	95 V	1.8 A	150 W	6000h		blue	
# 91015025	GE ARC150 UVC	95 V	1.8 A	150 W	6000h		magenta	



No. 94601400
EUROLITE Adapter E-14 to E-27



No. 94601401
EUROLITE Adapter E-14 to GU-10



No. 94601410
EUROLITE Adapter E-27 to E-14



No. 94601411
EUROLITE Adapter E-27 to GU-10



No. 94601420
EUROLITE Adapter GU-10 to E-14




No. 94601421
EUROLITE Adapter GU-10 to E-27




No. 94601430
EUROLITE Adapter E-27 auf GU-10 Schwanenhals




No. 9460120N
EUROLITE Clamp Lampholder for E-27



No. 9460118N
EUROLITE Clamp Lampholder for GU-10



No. 9460119N
EUROLITE Clamp Lampholder for E-14



SOCKETS

OMNILUX®




No. 9450010C
OMNILUX Base Socket G-5.3 (multi mirror)



No. 94500120
OMNILUX GU-10 Socket (Cable 15cm)



No. 9450012C
OMNILUX G-6.35 Socket



No. 9450018C
OMNILUX Socket G-4 with Cables



No. 9450030C..... GX-9.5 & GY-9.5
 No. 94501010..... GY-9.5
OMNILUX Base Socket G-9.5



No. 9450041C
OMNILUX Socket DX-420B for GY16 Base



No. 9450045C..... for G22 Base
 No. 9450046C..... for GY22 Base
OMNILUX Socket DX-124B



No. 9450050C
OMNILUX Socket DX-421 for G38 Base



No. 94501000
OMNILUX Ceramic Luster Terminal, 2 Pins with Fix.



No. 94600100
OMNILUX Socket for PAR-56/PAR-64 with Cable Ends



No. 94600101
OMNILUX Socket for PAR-56/64 with Screw Clamp



No. 94600105
OMNILUX Socket f.PAR-56/-64 w.90cm Silicone Cable



No. 94600200
OMNILUX PAR-SAFE Only Casing
 For more safety



No. 94600210
OMNILUX PAR-SAFE complete Casing, Socket and Cable
 For more safety



No. 94600300
OMNILUX Socket DX-123H for G-9.5 Base



No. 94600350
OMNILUX Socket DX-419 for GX9.5 Base